



April 16, 2007  
Project 04516-2

Geotechnical  
Environmental and  
Water Resources  
Engineering

Natalia Ferrias  
154 Glen Street  
Somerville, MA 02145

Dear Ms. Ferrias:

**Re: Soil Gas Sampling Results  
154 Glen Street  
Somerville, Massachusetts**

On behalf of the UniFirst Corporation, GEI Consultants, Inc. collected a soil gas sample from beneath your basement slab at 154 Glen Street on February 28, 2007. We appreciate your cooperation in helping us to arrange this sampling.


The laboratory testing did not detect tetrachloroethylene (PCE) or other chlorinated volatile organic compounds (VOCs) at a concentration above the laboratory reporting limits. We have attached the laboratory data sheet reporting the results of the sub-slab soil gas test. We have also included a "Notice of Environmental Sampling Form (BWSC-123)" required by the Massachusetts Department of Environmental Protection (DEP).

Since VOCs were not detected above the laboratory reporting limits in the sub-slab soil gas beneath your basement slab, we will not be scheduling any work inside your home at this time. However, we request your cooperation to conduct an additional sample of the sub-slab soil gas during the summer of 2007 to confirm these results. We will contact you in July to make those arrangements.

We appreciate your cooperation throughout the sampling process. If you have any immediate questions regarding the soil gas testing results please do not hesitate to contact me at 781-721-4012 or at [igladstone@geiconsultants.com](mailto:igladstone@geiconsultants.com).

Sincerely,

GEI CONSULTANTS, INC.



Heen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

### Report of Analysis

31  
3

<b>Client Sample ID:</b>	045162-154 GLEN-SS1		
<b>Lab Sample ID:</b>	M63172-1	<b>Date Sampled:</b>	02/28/07
<b>Matrix:</b>	AIR - Air	<b>Summa ID:</b>	M158
<b>Method:</b>	TO-15	<b>Date Received:</b>	03/02/07
<b>Project:</b>	Indoor & Outdoor Air Samples Tufts St., Somerville MA		
		<b>Percent Solids:</b>	n/a

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	J9689.D	1	03/15/07	PB	n/a	n/a	MSJ501
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

CAS No.	MW	Compound	Result	RL	Units	Q	Result	RL	Units
75-00-3	64.52	Chloroethane	ND	0.20	ppbv		ND	0.53	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.20	ppbv		ND	1.3	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	ppbv		ND	0.81	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	ppbv		ND	0.79	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	ppbv		ND	0.81	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	ppbv		ND	0.79	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	ppbv		ND	0.79	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	0.12	0.20	ppbv	J	0.65	1.1	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	ppbv		ND	1.4	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	ppbv		ND	1.1	ug/m3
127-18-4	165.8	Tetrachloroethylene	0.13	0.20	ppbv	J	0.88	1.4	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.20	ppbv		ND	1.1	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	ppbv		ND	0.51	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	111%		57-139%

ND = Not detected  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



**NOTICE OF ENVIRONMENTAL SAMPLING**

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

**BWSC 123**

This Notice is Related to  
Release Tracking Number

3 26114

**A. The address of the disposal site related to this Notice and Release Tracking Number (provided above):**

1. Street Address: 50 Tufts Street  
City/Town: Somerville, MA Zip Code: 02145

**B. This notice is being provided to the following party:**

1. Name: Natalia Ferris  
2. Street Address: 154 Glen Street  
City/Town: Somerville Zip Code: 02145

**RECEIVED**

APR 17 2007

**C. This notice is being given to inform its recipient (the party listed in B. above) of the following:**

- 1. That environmental sampling ~~will be~~ has been conducted at property owned by the recipient of this notice.
- 2. Of the results of environmental sampling conducted at property owned by the recipient of this notice.
- 3. Check to indicate if the analytical results are attached. (If item 2. above is checked, the analytical results from the environmental sampling must be attached to this notice.)

**D. Location of the property where the environmental sampling will be/has been conducted:**

1. Street Address: 154 Glen Street  
City/Town: Somerville Zip Code: 02145

2. MCP phase of work during which the sampling will be/has been conducted:

- |   |   |
|---|---|
| <input checked="" type="checkbox"/> Immediate Response Action   | <input type="checkbox"/> Phase III Feasibility Evaluation                   |
| <input type="checkbox"/> Release Abatement Measure              | <input type="checkbox"/> Phase IV Remedy Implementation Plan                |
| <input type="checkbox"/> Utility-related Abatement Measure      | <input type="checkbox"/> Phase V/Remedy Operation Status                    |
| <input type="checkbox"/> Phase I Initial Site Investigation     | <input type="checkbox"/> Post-Class C Operation, Maintenance and Monitoring |
| <input type="checkbox"/> Phase II Comprehensive Site Assessment | <input type="checkbox"/> Other _____  |
- (specify)

3. Description of property where sampling will be/has been conducted:

- residential     commercial     industrial     school/playground     Other \_\_\_\_\_
- (specify)

4. Description of the sampling locations and types (e.g., soil, groundwater) to the extent known at the time of this notice.

Sub-Slab Soil Gas

**E. Contact information related to the party providing this notice:**

Contact Name: Ileen Gladstone, P.E., LSP  
Street Address: GEI Consultants, Inc. 400 Unicorn Park Drive  
City/Town: Woburn, MA Zip Code: 01801  
Telephone: (781) 721-4012 Email: igladstone@geiconsultants.com

## **NOTICE OF ENVIRONMENTAL SAMPLING**

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

### MASSACHUSETTS REGULATIONS THAT REQUIRE THIS NOTICE

This notice is being provided pursuant to the Massachusetts Contingency Plan and the notification requirement at 310 CMR 40.1403(10). The Massachusetts Contingency Plan is a state regulation that specifies requirements for parties who are taking actions to address releases of chemicals (oil or hazardous material) to the environment.

### THE PERSON(S) PROVIDING THIS NOTICE

This notice has been sent to you by the party who is addressing a release of oil or hazardous material to the environment at the location listed in **Section A** on the reverse side of this form. (The regulations refer to the area where the oil or hazardous material is present as the "disposal site".)

### PURPOSE OF THIS NOTICE

When environmental samples are taken as part of an investigation under the Massachusetts Contingency Plan at a property on behalf of someone other than the owner of the property, the regulations require that the property owner (listed in **Section B** on the reverse side of this form) be given notice of the environmental sampling. The regulations also require that the property owner subsequently receive the analytical results following the analysis of the environmental samples.

**Section C** on the reverse side of this form indicates the circumstance under which you are receiving this notice at this time. If you are receiving this notice to inform you of the analytical results following the analysis of the environmental samples, you should also have received, as an attachment, a copy of analytical results. These results should indicate the number and type(s) of samples (e.g., soil, groundwater) analyzed, any chemicals identified, and the measured concentrations of those chemicals.

**Section D** on the reverse side of this form identifies the property where the environmental sampling will be/has been conducted, provides a description of the sampling locations within the property, and indicates the phase of work under the Massachusetts Contingency Plan regulatory process during which the samples will be/were collected.

### FOR MORE INFORMATION

Information about the general process for addressing releases of oil or hazardous material under the Massachusetts Contingency Plan and related public involvement opportunities may be found at <http://www.mass.gov/dep/cleanup/oview.htm>. For more information regarding this notice, you may contact the party listed in **Section E** on the reverse side of this form. Information about the disposal site identified in Section A is also available in files at the Massachusetts Department of Environmental Protection. See <http://mass.gov/dep/about/region/schedule.htm> if you would like to make an appointment to see these files. Please reference the **Release Tracking Number** listed in the upper right hand corner on the reverse side of this form when making file review appointments.

✓  
SCANNED



April 16, 2007  
Project 04516-2

Geotechnical  
Environmental and  
Water Resources  
Engineering

James and Jean Barry  
23 Knowlton Street  
Somerville, MA 02145

Dear Mr. & Mrs. Barry:

**Re: Soil Gas Sampling Results  
23 Knowlton Street  
Somerville, Massachusetts**

On behalf of the UniFirst Corporation, GEI Consultants, Inc. collected a soil gas sample from beneath your basement slab at 31 Knowlton Street on February 28, 2007. We appreciate your cooperation in helping us to arrange this sampling.

The laboratory detected the chlorinated volatile organic compounds (VOCs) tetrachloroethylene (PCE) at a concentration of 0.61 parts per billion by volume (ppbv) (4.1 micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ )), and 1,1,1-trichloroethane at a concentration of 0.26 ppbv (1.4  $\mu\text{g}/\text{m}^3$ ). We have attached the laboratory data sheet of the soil gas sample. We have also included a "Notice of Environmental Sampling Form (BWSC-123)" required by the Massachusetts Department of Environmental Protection (DEP).

Although these soil gas concentrations are below the threshold concentration of 10  $\mu\text{g}/\text{m}^3$ , we would like to conduct confirmatory testing of indoor air in your home. We will collect two samples of indoor air over a 4-hour time period, one sample from your basement area and one from the first floor area. After laboratory testing of the air samples is complete we will send the results of the assessment to you.


If the results of the indoor air sampling indicate VOCs are not detected or are at concentrations below that which the DEP has said are a threshold limit for significant risk to human health, we will request your cooperation to conduct an additional three rounds of sampling over the next year to confirm those results. However, if the concentrations of VOCs are above what the DEP has said are threshold limits for significant risk of harm to health and the levels it typically finds in homes, we will recommend installing a sub-slab depressurization system, as described in our letter of March 5, 2007.

We will contact you in the next few days to arrange indoor air sampling. We appreciate your cooperation throughout the sampling process. If you have any immediate questions regarding the

soil gas testing results or the indoor air testing please do not hesitate to contact me at 781-721-4012 or at [igladstone@geiconsultants.com](mailto:igladstone@geiconsultants.com).

Sincerely,

GEI CONSULTANTS, INC.



Helen S. Gladstone, P.E., LSP  
Vice President

ISG:jah  
Enclosures

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

### Report of Analysis

31  
3

<b>Client Sample ID:</b>	045162-23 KNOW-SS1		
<b>Lab Sample ID:</b>	M63173-1	<b>Date Sampled:</b>	02/28/07
<b>Matrix:</b>	AIR - Air	<b>Summa ID:</b>	M140
<b>Method:</b>	TO-15	<b>Date Received:</b>	03/02/07
<b>Project:</b>	Indoor & Outdoor Air Samples Tufts St., Somerville MA		
		<b>Percent Solids:</b>	n/a

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	J9690.D	1	03/15/07	PB	n/a	n/a	MSJ501
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

CAS No.	MW	Compound	Result	RL	Units	Q	Result	RL	Units
75-00-3	64.52	Chloroethane	ND	0.20	ppbv		ND	0.53	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.20	ppbv		ND	1.3	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	ppbv		ND	0.81	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	ppbv		ND	0.79	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	ppbv		ND	0.81	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	ppbv		ND	0.79	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	ppbv		ND	0.79	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	0.26	0.20	ppbv		1.4	1.1	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	ppbv		ND	1.4	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	ppbv		ND	1.1	ug/m3
127-18-4	165.8	Tetrachloroethylene	0.61	0.20	ppbv		4.1	1.4	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.20	ppbv		ND	1.1	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	ppbv		ND	0.51	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	116%		57-139%

ND = Not detected  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



# NOTICE OF ENVIRONMENTAL SAMPLING

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

**BWSC 123**

This Notice is Related to  
Release Tracking Number

3 26114

**A. The address of the disposal site related to this Notice and Release Tracking Number (provided above):**

1. Street Address: 50 Tufts Street  
City/Town: Somerville, MA Zip Code: 02145

**RECEIVED**  
APR 17 2007  
DEP  
NORTHEAST REGIONAL OFFICE

**B. This notice is being provided to the following party:**

1. Name: James and Jean Barry  
2. Street Address: 23 Knowlton Street  
City/Town: Somerville Zip Code: 02145

**C. This notice is being given to inform its recipient (the party listed in Section B):**

- 1. That environmental sampling ~~will be~~/has been conducted at property owned by the recipient of this notice.
- 2. Of the results of environmental sampling conducted at property owned by the recipient of this notice.
- 3. Check to indicate if the analytical results are attached. (If item 2. above is checked, the analytical results from the environmental sampling must be attached to this notice.)

**D. Location of the property where the environmental sampling will be/has been conducted:**

1. Street Address: 23 Knowlton Street  
City/Town: Somerville Zip Code: 02145

2. MCP phase of work during which the sampling will be/has been conducted:

- |   |   |
|---|---|
| <input checked="" type="checkbox"/> Immediate Response Action   | <input type="checkbox"/> Phase III Feasibility Evaluation                   |
| <input type="checkbox"/> Release Abatement Measure              | <input type="checkbox"/> Phase IV Remedy Implementation Plan                |
| <input type="checkbox"/> Utility-related Abatement Measure      | <input type="checkbox"/> Phase V/Remedy Operation Status                    |
| <input type="checkbox"/> Phase I Initial Site Investigation     | <input type="checkbox"/> Post-Class C Operation, Maintenance and Monitoring |
| <input type="checkbox"/> Phase II Comprehensive Site Assessment | <input type="checkbox"/> Other _____<br>(specify)                           |

3. Description of property where sampling will be/has been conducted:

- residential     commercial     industrial     school/playground     Other \_\_\_\_\_  
(specify)

4. Description of the sampling locations and types (e.g., soil, groundwater) to the extent known at the time of this notice.

Sub-Slab Soil Gas

**E. Contact information related to the party providing this notice:**

Contact Name: Ileen Gladstone, P.E., LSP  
Street Address: GEI Consultants, Inc. 400 Unicorn Park Drive  
City/Town: Woburn, MA Zip Code: 01801  
Telephone: (781) 721-4012 Email: igladstone@geiconsultants.com



## NOTICE OF ENVIRONMENTAL SAMPLING

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

### MASSACHUSETTS REGULATIONS THAT REQUIRE THIS NOTICE

This notice is being provided pursuant to the Massachusetts Contingency Plan and the notification requirement at 310 CMR 40.1403(10). The Massachusetts Contingency Plan is a state regulation that specifies requirements for parties who are taking actions to address releases of chemicals (oil or hazardous material) to the environment.

### THE PERSON(S) PROVIDING THIS NOTICE

This notice has been sent to you by the party who is addressing a release of oil or hazardous material to the environment at the location listed in **Section A** on the reverse side of this form. (The regulations refer to the area where the oil or hazardous material is present as the "disposal site".)

### PURPOSE OF THIS NOTICE

When environmental samples are taken as part of an investigation under the Massachusetts Contingency Plan at a property on behalf of someone other than the owner of the property, the regulations require that the property owner (listed in **Section B** on the reverse side of this form) be given notice of the environmental sampling. The regulations also require that the property owner subsequently receive the analytical results following the analysis of the environmental samples.

**Section C** on the reverse side of this form indicates the circumstance under which you are receiving this notice at this time. If you are receiving this notice to inform you of the analytical results following the analysis of the environmental samples, you should also have received, as an attachment, a copy of analytical results. These results should indicate the number and type(s) of samples (e.g., soil, groundwater) analyzed, any chemicals identified, and the measured concentrations of those chemicals.

**Section D** on the reverse side of this form identifies the property where the environmental sampling will be/has been conducted, provides a description of the sampling locations within the property, and indicates the phase of work under the Massachusetts Contingency Plan regulatory process during which the samples will be/were collected.

### FOR MORE INFORMATION

Information about the general process for addressing releases of oil or hazardous material under the Massachusetts Contingency Plan and related public involvement opportunities may be found at <http://www.mass.gov/dep/cleanup/oview.htm>. For more information regarding this notice, you may contact the party listed in **Section E** on the reverse side of this form. Information about the disposal site identified in Section A is also available in files at the Massachusetts Department of Environmental Protection. See <http://mass.gov/dep/about/region/schedule.htm> if you would like to make an appointment to see these files. Please reference the **Release Tracking Number** listed in the upper right hand corner on the reverse side of this form when making file review appointments.

April 16, 2007  
Project 04516-2

Geotechnical  
Environmental and  
Water Resources  
Engineering

Richard Magnon  
31-33 Knowlton Street  
Somerville, MA 02145

Dear Mr. Magnon:

**Re: Soil Gas Sampling Results  
31-33 Knowlton Street  
Somerville, Massachusetts**

On behalf of the UniFirst Corporation, GEI Consultants, Inc. collected a soil gas sample from beneath your basement slab at 31 Knowlton Street on March 5, 2007. We appreciate your cooperation in helping us to arrange this sampling.

The laboratory detected the chlorinated volatile organic compound (VOC) tetrachloroethylene (PCE) at a concentration of 0.39 parts per billion by volume (ppbv) (2.6 micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ )). We have attached the laboratory data sheet reporting the results of the sub-slab soil gas test. We have also included a "Notice of Environmental Sampling Form (BWSC-123) required by the Massachusetts Department of Environmental Protection (DEP).

In addition to the soil gas sampling that we conducted in March, GEI conducted indoor air testing in your home on January 22, 2007. GEI measured 0.44 ppbv ( $3.0 \mu\text{g}/\text{m}^3$ ) of PCE in your basement. PCE was not detected above laboratory reporting limits in the sample collected from the first floor. The PCE concentration detected in your home is below what DEP has said is the threshold limit for significant risk of harm to health over a short period of time and below the level it typically finds in homes.

We would like to conduct confirmatory testing of indoor air in your home. We will collect two samples of indoor air over a 4-hour time period, one sample from your basement area and one from the first floor area. After laboratory testing of the air samples is complete we will send the results of the assessment to you.


If the results of the indoor air sampling continue to indicate VOCs are not detected or are at concentrations below that which the DEP has said are a threshold limit for significant risk to human health, we will request your cooperation to conduct an additional two rounds of sampling over the next year to confirm those results. However, if the concentrations of VOCs are above what the DEP has said are threshold limits for significant risk of harm to health and the levels it typically finds in homes, we will recommend installing a sub-slab depressurization system, as described in our letter of March 5, 2007.

We will contact you in the next few days to arrange indoor air sampling. We appreciate your cooperation throughout the sampling process. If you have any immediate questions regarding the

soil gas testing results or the indoor air testing please do not hesitate to contact me at 781-721-4012 or at [igladstone@geiconsultants.com](mailto:igladstone@geiconsultants.com).

Sincerely,

GEI CONSULTANTS, INC.



Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah  
Enclsoures

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

### Report of Analysis

31  
3

<b>Client Sample ID:</b> 045162-31 KNOW-SS2	<b>Date Sampled:</b> 03/05/07
<b>Lab Sample ID:</b> M63286-1	<b>Date Received:</b> 03/09/07
<b>Matrix:</b> AIR - Air      Summa ID: M032	<b>Percent Solids:</b> n/a
<b>Method:</b> TO-15	
<b>Project:</b> Tufts Street Somerville MA	

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #2	J9699.D	1	03/16/07	PB	n/a	n/a	MSJ501

	Initial Volume
Run #1	400 ml
Run #2	

CAS No.	MW	Compound	Result	RL	Units	Q	Result	RL	Units
75-00-3	64.52	Chloroethane	ND	0.20	ppbv	ND	0.53		ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.20	ppbv	ND	1.3		ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	ppbv	ND	0.81		ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	ppbv	ND	0.79		ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	ppbv	ND	0.81		ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	ppbv	ND	0.79		ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	ppbv	ND	0.79		ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	ppbv	ND	1.1		ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	ppbv	ND	1.4		ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	ppbv	ND	1.1		ug/m3
127-18-4	165.8	Tetrachloroethylene	0.39	0.20	ppbv	2.6	1.4		ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.20	ppbv	ND	1.1		ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	ppbv	ND	0.51		ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	113%		57-139%

ND = Not detected  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



# NOTICE OF ENVIRONMENTAL SAMPLING

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

**BWSC 123**

This Notice is Related to  
Release Tracking Number

3 26114

**A. The address of the disposal site related to this Notice and Release Tracking Number (provided above):**

1. Street Address: 50 Tufts Street  
City/Town: Somerville, MA Zip Code: 02145

**RECEIVED**

**B. This notice is being provided to the following party:**

APR 17 2007

1. Name: Richard Magnon  
2. Street Address: 31-33 Knowlton Street  
City/Town: Somerville Zip Code: 02145

**DEP  
NORTHEAST REGIONAL OFFICE**

**C. This notice is being given to inform its recipient (the party listed in Section B):**

- 1. That environmental sampling ~~will be~~ has been conducted at property owned by the recipient of this notice.
- 2. Of the results of environmental sampling conducted at property owned by the recipient of this notice.
- 3. Check to indicate if the analytical results are attached. (If item 2. above is checked, the analytical results from the environmental sampling must be attached to this notice.)

**D. Location of the property where the environmental sampling will be/has been conducted:**

1. Street Address: 31-33 Knowlton Street  
City/Town: Somerville Zip Code: 02145

2. MCP phase of work during which the sampling will be/has been conducted:

- |   |   |
|---|---|
| <input checked="" type="checkbox"/> Immediate Response Action   | <input type="checkbox"/> Phase III Feasibility Evaluation                   |
| <input type="checkbox"/> Release Abatement Measure              | <input type="checkbox"/> Phase IV Remedy Implementation Plan                |
| <input type="checkbox"/> Utility-related Abatement Measure      | <input type="checkbox"/> Phase V/Remedy Operation Status                    |
| <input type="checkbox"/> Phase I Initial Site Investigation     | <input type="checkbox"/> Post-Class C Operation, Maintenance and Monitoring |
| <input type="checkbox"/> Phase II Comprehensive Site Assessment | <input type="checkbox"/> Other _____  |

(specify)

3. Description of property where sampling will be/has been conducted:

- residential     commercial     industrial     school/playground     Other \_\_\_\_\_  
(specify)

4. Description of the sampling locations and types (e.g., soil, groundwater) to the extent known at the time of this notice.

Sub-Slab Soil Gas

**E. Contact information related to the party providing this notice:**

Contact Name: Ileen Gladstone, P.E., LSP

Street Address: GEI Consultants, Inc. 400 Unicorn Park Drive

City/Town: Woburn, MA Zip Code: 01801

Telephone: (781) 721-4012 Email: igladstone@geiconsultants.com

## NOTICE OF ENVIRONMENTAL SAMPLING

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

### MASSACHUSETTS REGULATIONS THAT REQUIRE THIS NOTICE

This notice is being provided pursuant to the Massachusetts Contingency Plan and the notification requirement at 310 CMR 40.1403(10). The Massachusetts Contingency Plan is a state regulation that specifies requirements for parties who are taking actions to address releases of chemicals (oil or hazardous material) to the environment.

### THE PERSON(S) PROVIDING THIS NOTICE

This notice has been sent to you by the party who is addressing a release of oil or hazardous material to the environment at the location listed in **Section A** on the reverse side of this form. (The regulations refer to the area where the oil or hazardous material is present as the "disposal site".)

### PURPOSE OF THIS NOTICE

When environmental samples are taken as part of an investigation under the Massachusetts Contingency Plan at a property on behalf of someone other than the owner of the property, the regulations require that the property owner (listed in **Section B** on the reverse side of this form) be given notice of the environmental sampling. The regulations also require that the property owner subsequently receive the analytical results following the analysis of the environmental samples.

**Section C** on the reverse side of this form indicates the circumstance under which you are receiving this notice at this time. If you are receiving this notice to inform you of the analytical results following the analysis of the environmental samples, you should also have received, as an attachment, a copy of analytical results. These results should indicate the number and type(s) of samples (e.g., soil, groundwater) analyzed, any chemicals identified, and the measured concentrations of those chemicals.

**Section D** on the reverse side of this form identifies the property where the environmental sampling will be/has been conducted, provides a description of the sampling locations within the property, and indicates the phase of work under the Massachusetts Contingency Plan regulatory process during which the samples will be/were collected.

### FOR MORE INFORMATION

Information about the general process for addressing releases of oil or hazardous material under the Massachusetts Contingency Plan and related public involvement opportunities may be found at <http://www.mass.gov/dep/cleanup/oview.htm>. For more information regarding this notice, you may contact the party listed in **Section E** on the reverse side of this form. Information about the disposal site identified in Section A is also available in files at the Massachusetts Department of Environmental Protection. See <http://mass.gov/dep/about/region/schedule.htm> if you would like to make an appointment to see these files. Please reference the **Release Tracking Number** listed in the upper right hand corner on the reverse side of this form when making file review appointments.



April 16, 2007  
Project 04516-2

Geotechnical  
Environmental and  
Water Resources  
Engineering

Susan Southwick  
95R Franklin Street  
Somerville, MA 02145

Dear Ms. Southwick:

**Re: Soil Gas Sampling Results  
95R Franklin Street  
Somerville, Massachusetts**

On behalf of the UniFirst Corporation, GEI Consultants, Inc. collected a soil gas sample from beneath your basement slab at 95R Franklin Street on March 21, 2007. We appreciate your cooperation in helping us to arrange this sampling.

The laboratory detected the chlorinated volatile organic compounds (VOCs) tetrachloroethylene (PCE) at a concentration of 15,900 parts per billion by volume (ppbv) (108,000 micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ )), trichloroethylene (TCE) at 924 ppbv (4,970  $\mu\text{g}/\text{m}^3$ ), 1,1,1-trichloroethane at 239 ppbv (1,300  $\mu\text{g}/\text{m}^3$ ), 1,1-dichloroethylene at 235 ppbv (932  $\mu\text{g}/\text{m}^3$ ), 1,1-dichloroethane at 196 ppbv (793  $\mu\text{g}/\text{m}^3$ ), and cis-1,2-dichloroethylene at a concentration of 127 ppbv (504  $\mu\text{g}/\text{m}^3$ ). We have attached the laboratory data sheet reporting the results of the sub-slab soil gas test. We have also included a "Notice of Environmental Sampling Form (BWSC-123)" required by the Massachusetts Department of Environmental Protection (DEP).

Based on the results of testing of the soil gas beneath your basement slab, we recommend installing a sub-slab depressurization system in your home, as described in our letter of March 5, 2007. We will install the SSDS at not cost to you. The SSDS will be a permanent remedy to prevent the VOCs from infiltrating into your home.


In the interim, as we make arrangements for installing the SSDS, we will install a temporary portable air purifier in your basement. We will reimburse you for the cost of electricity required to run the air purifier. The air purifier is a relatively small portable unit, similar to those sold by stores such as Brookstone and the Sharper Image. Literature describing the air purifier is enclosed.

We will contact you in the next few days to provide you an air purifier and arrange for the installation of the SSDS. We appreciate your cooperation throughout the sampling process. If

you have any immediate questions regarding the soil gas testing results or the indoor air testing please do not hesitate to contact me at 781-721-4012 or at [igladstone@geiconsultants.com](mailto:igladstone@geiconsultants.com).

Sincerely,

GEI CONSULTANTS, INC.



Glenn S. Gladstone, P.E., LSP  
Vice President

ISG:jah  
Enclosures

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection



### Report of Analysis



<b>Client Sample ID:</b>	045162-95R FRANK-SS2		
<b>Lab Sample ID:</b>	M63518-2	<b>Date Sampled:</b>	03/21/07
<b>Matrix:</b>	AIR - Air	<b>Summa ID:</b>	D027,M087
<b>Method:</b>	TO-15	<b>Date Received:</b>	03/22/07
<b>Project:</b>	Indoor & Outdoor Air Samples Tufts St., Somerville MA		
		<b>Percent Solids:</b>	n/a

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	J9814.D	100	03/28/07	PB	n/a	n/a	MSJ508
Run #2	J9816.D	1000	03/28/07	PB	n/a	n/a	MSJ508

Run #	Initial Volume
Run #1	400 ml
Run #2	400 ml

CAS No.	MW	Compound	Result	RL	Units	Q	Result	RL	Units
75-00-3	64.52	Chloroethane	ND	20	ppbv		ND	53	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	20	ppbv		ND	130	ug/m3
75-34-3	98.96	1,1-Dichloroethane	196	20	ppbv		793	81	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	235	20	ppbv		932	79	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	20	ppbv		ND	81	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	20	ppbv		ND	79	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	127	20	ppbv		504	79	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	239	20	ppbv		1300	110	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	20	ppbv		ND	140	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	20	ppbv		ND	110	ug/m3
127-18-4	165.8	Tetrachloroethylene	15900 <sup>a</sup>	200	ppbv		108000 <sup>a</sup>	1400	ug/m3
79-01-6	131.4	Trichloroethylene	924	20	ppbv		4970	110	ug/m3
75-01-4	62.5	Vinyl chloride	ND	20	ppbv		ND	51	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	77%	68%	57-139%

(a) Result is from Run# 2

ND = Not detected  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



# NOTICE OF ENVIRONMENTAL SAMPLING

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

**BWSC 123**

This Notice is Related to  
Release Tracking Number

3 26114

**A. The address of the disposal site related to this Notice and Release Tracking Number (provided above):**

1. Street Address: 50 Tufts Street  
City/Town: Somerville, MA Zip Code: 02145

**B. This notice is being provided to the following party:**

1. Name: Susan Southwick  
2. Street Address: 95R Franklin Street  
City/Town: Somerville Zip Code: 02145

**RECEIVED**

APR 17 2004

DEP  
NORTHEAST REGIONAL OFFICE

**C. This notice is being given to inform its recipient (the party listed in Section B):**

- 1. That environmental sampling ~~will be~~/has been conducted at property owned by the recipient of this notice.
- 2. Of the results of environmental sampling conducted at property owned by the recipient of this notice.
- 3. Check to indicate if the analytical results are attached. (If item 2. above is checked, the analytical results from the environmental sampling must be attached to this notice.)

**D. Location of the property where the environmental sampling will be/has been conducted:**

1. Street Address: 95R Franklin Street  
City/Town: Somerville Zip Code: 02145

2. MCP phase of work during which the sampling will be/has been conducted:

- |   |   |
|---|---|
| <input checked="" type="checkbox"/> Immediate Response Action   | <input type="checkbox"/> Phase III Feasibility Evaluation                   |
| <input type="checkbox"/> Release Abatement Measure              | <input type="checkbox"/> Phase IV Remedy Implementation Plan                |
| <input type="checkbox"/> Utility-related Abatement Measure      | <input type="checkbox"/> Phase V/Remedy Operation Status                    |
| <input type="checkbox"/> Phase I Initial Site Investigation     | <input type="checkbox"/> Post-Class C Operation, Maintenance and Monitoring |
| <input type="checkbox"/> Phase II Comprehensive Site Assessment | <input type="checkbox"/> Other _____  |
- (specify)

3. Description of property where sampling will be/has been conducted:

- residential     commercial     industrial     school/playground     Other \_\_\_\_\_
- (specify)

4. Description of the sampling locations and types (e.g., soil, groundwater) to the extent known at the time of this notice.

Sub-Slab Soil Gas

**E. Contact information related to the party providing this notice:**

Contact Name: Ileen Gladstone, P.E., LSP

Street Address: GEI Consultants, Inc. 400 Unicorn Park Drive

City/Town: Woburn, MA Zip Code: 01801

Telephone: (781) 721-4012 Email: igladstone@geiconsultants.com

## NOTICE OF ENVIRONMENTAL SAMPLING

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

### MASSACHUSETTS REGULATIONS THAT REQUIRE THIS NOTICE

This notice is being provided pursuant to the Massachusetts Contingency Plan and the notification requirement at 310 CMR 40.1403(10). The Massachusetts Contingency Plan is a state regulation that specifies requirements for parties who are taking actions to address releases of chemicals (oil or hazardous material) to the environment.

### THE PERSON(S) PROVIDING THIS NOTICE

This notice has been sent to you by the party who is addressing a release of oil or hazardous material to the environment at the location listed in **Section A** on the reverse side of this form. (The regulations refer to the area where the oil or hazardous material is present as the "disposal site".)

### PURPOSE OF THIS NOTICE

When environmental samples are taken as part of an investigation under the Massachusetts Contingency Plan at a property on behalf of someone other than the owner of the property, the regulations require that the property owner (listed in **Section B** on the reverse side of this form) be given notice of the environmental sampling. The regulations also require that the property owner subsequently receive the analytical results following the analysis of the environmental samples.

**Section C** on the reverse side of this form indicates the circumstance under which you are receiving this notice at this time. If you are receiving this notice to inform you of the analytical results following the analysis of the environmental samples, you should also have received, as an attachment, a copy of analytical results. These results should indicate the number and type(s) of samples (e.g., soil, groundwater) analyzed, any chemicals identified, and the measured concentrations of those chemicals.

**Section D** on the reverse side of this form identifies the property where the environmental sampling will be/has been conducted, provides a description of the sampling locations within the property, and indicates the phase of work under the Massachusetts Contingency Plan regulatory process during which the samples will be/were collected.

### FOR MORE INFORMATION

Information about the general process for addressing releases of oil or hazardous material under the Massachusetts Contingency Plan and related public involvement opportunities may be found at <http://www.mass.gov/dep/cleanup/oview.htm>. For more information regarding this notice, you may contact the party listed in **Section E** on the reverse side of this form. Information about the disposal site identified in Section A is also available in files at the Massachusetts Department of Environmental Protection. See <http://mass.gov/dep/about/region/schedule.htm> if you would like to make an appointment to see these files. Please reference the **Release Tracking Number** listed in the upper right hand corner on the reverse side of this form when making file review appointments.



# 5000 Vocarb

## Specially designed for airborne chemical and odor problems

Impregnated activated carbon bed alleviates environments with Volatile Organic Compounds (VOC)



**Volatile Organic Compounds are chemicals released by many household products. Our 5000 Vocarb model includes special features to trap these VOCs.**

### Any of 40 specially-blended carbon beds

- 18 lbs of activated carbon is impregnated with catalysis to increase adsorption capacity for specific VOCs
- AllerAir air quality experts create custom blends to deal with any VOC.

### HEPA filtration

- HEPA filter traps 99.97% of particles as small as 0.3 microns.

### Pre-filter

- Traps larger particles to prolong the life of your HEPA and Carbon filters.
- 2 anti-microbial filters suppress any microorganisms around the filter.
- Easy and rapid cleaning can be done in 30 seconds.

### Robust all-metal housing

- Baked enamel housing avoids the release of vapors from plastics and ensures that no harmful gasses are released.
- 18 gauge steel.
- Cylindrical shape maximizes airflow.

### 3-speed fan

- 400 cubic feet per minute
- Turbo setting completely circulates the surrounding air.
- 10 year Guarantee.
- Can change air up to 12 times an hour in smaller rooms.
- Cleans up to 1500 square feet.
- Quiet motor is ideal for overnight use.
- Low electrical consumption (80 Watt average).

### Options

- Over 40 different blends of impregnated carbon available.
- Positive and negative air attachments.
- Attachment for central air system.
- D and DX models available.

### Eliminates VOCs often found in the home:

- |                  |                      |
|------------------|----------------------|
| - Formaldehyde   | - Mold Toxins        |
| - Ammonia        | - Methylene chloride |
| - Sulfur dioxide | - Toluene            |
|                  | - Tobacco smoke      |

### The 5000 VOCARB

18 lbs. of specially impregnated activated carbon, combined with true HEPA

### Traps particles:

- Pollen
- Dust
- Dust mites
- Pet dander

### Adsorb Chemicals, gasses and Odors:

- Airborne chemicals
- Mold toxins
- Paint fumes
- Cleaners
- Solvents
- Furniture glue
- Carpets
- Plastics
- Insulation materials
- Printer emissions
- Cigarette smoke



Shipping Weight: 50 lbs

**Invest in the health of your family with the AllerAir 5000 Vocarb**



AllerAir Industries Inc. Toll free 1-888-852-8247 / Fax: 1-877-688-2193 [www.allerair.com](http://www.allerair.com)



# The 5000 Vocarb

Impregnated activated carbon bed  
alleviates environments with Volatile Organic Compounds (VOC)

The EPA identifies indoor air quality as the number one pollution problem we have today.

We spend up to 90% of each day indoors, and half of that time is in our own home.

Most domestic purifiers only protect you from particles. They spray a few grams of carbon on mesh, but that's simply not enough to protect you from the hazardous effects of gasses odors and chemicals.

Impregnated activated carbon is the material the military uses for their gas masks.

An effective air purifier increases the quality of your life, so invest in an AllerAir unit today.

## Facts about VOCs

- The EPA has found that levels of VOCs are 2 to 3 times higher than they originally believed.
- Many VOCs are known carcinogens.
- Everyday household products which contain VOCs include:
  - Paint, wood preservatives and solvents
  - Aerosol spray
  - Disinfectant, Moth repellent and air freshener
  - Hobby supplies
  - Fuels and automotive products
  - Dry-cleaned clothing
- Even when these products are stored, they continue to emit VOCs.
- Upon the use of these products, VOC levels are up to 500 times higher than usual.

## Dangerous health effects associated with exposure to VOCs

- Eye, nose and throat irritation.
- Headaches, nausea and diminished coordination.
- Liver, kidney and central nervous system damage.

## Examples of VOCs often found in indoor air:

### Formaldehyde

A known carcinogen found in older insulation, furniture, carpet, glue and tobacco smoke. Leads to burning in your throat, watery eyes, nausea, difficulty breathing, and it can bring on asthma attacks.

### Mold micro-toxins

These highly carcinogenic VOCs are the by-product of mold infestations (even when they are dead and dried up). They are toxic to humans.

### Tobacco smoke

A known carcinogen found to contain more than 400 chemicals and gasses.

### Methylene chloride

A known carcinogen found in aerosol paint and solvent causes symptoms associated with carbon monoxide.

### Ammonia

Originate from cleaning products and litter boxes, these VOCs cause eye and skin irritation, nose bleeding and sinus problems.

**Chemicals have replaced bacteria and virus as the main threat to human health in western industrial nations**



April 2, 2007  
Project 04516-2

Geotechnical  
Environmental and  
Water Resources  
Engineering

Mr. Bill Shlager  
163 Glen Street  
Somerville, MA 02145

SL = Dale

Dear Mr. Shlager:

**Re: Soil Gas and Groundwater Sampling**  
163 Glen Street 50 Tufts St  
Somerville, Massachusetts  
3-26114

On behalf of the UniFirst Corporation, GEI Consultants, Inc. conducted soil gas and groundwater sampling in the parking lot of the American Legion Post located at 163 Glen Street, as part of our investigation related to the site at 50 Tufts Street in Somerville, Massachusetts. We appreciate your cooperation while we collected soil gas samples on February 19, 2007, and groundwater samples on February 20, 2007.

The laboratory did not report detections of any chlorinated volatile organic compounds (VOCs) above the laboratory reporting limits in the sample collected from the monitoring well in the American Legion parking lot (MW113). We have attached a summary table of the results and the laboratory data sheet of the groundwater sample collected from MW113. We have also included a "Notice of Environmental Sampling Form (BWSC-123)" required by the Massachusetts Department of Environmental Protection (DEP).

In addition to testing the groundwater, we collected a soil gas sample for laboratory testing of VOCs from MW113. The laboratory detected 2.0 parts per billion by volume (ppbV) of 1,1-dichloroethane, 5.2 ppbV 1,1-dichloroethylene, 2 ppbV of 1,1,1-trichloroethane, and 3 ppbV of trichloroethylene (TCE) in the soil gas sample. We expect to repeat groundwater and soil gas sampling of MW113 to confirm these results in April of 2007.

We appreciate your cooperation throughout the sampling process. If you have any questions regarding the soil gas and groundwater testing please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

Helen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
✓ Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\2.0 Correspondence\1r 163 Glen SG and GW Sampling.doc

RECEIVED

APR 11 2007

DEP  
NORTHEAST REGIONAL OFFICE

**Table 1**  
**Chemical Testing Results - Groundwater Samples**  
**50 Tufts Street**  
**Somerville, MA**

Analyte	Method	Units	Sample Location: MW113	
			Well Screen Interval (ft bgs): 10-20	
			Sample Date: 2/20/07	
		Collected by: GEI		
			Method 1 Standard	
			GW-2	
Volatile Organic Compounds (VOCs)	8260B	ug/L		
Acetone			50000	< 5
Benzene			2000	< 0.5
Bromoform			700	< 1
Carbon tetrachloride			2	< 1
Carbon disulfide			10000	< 5
Chlorobenzene			200	< 1
Chloroethane			NS	< 2
Chloroform			400	< 1
Chloromethane			NS	< 2
Dichloroethane, 1,1-			1000	< 1
Dichloroethane, 1,2-			5	< 1
Dichloroethene, 1,1-			80	< 1
Dichloroethene, cis-1,2-			100	< 1
Dichloroethene, trans-1,2-			90	< 1
Dichloropropane, 1,2-			3	< 2
Dioxane, 1,4-			NS	< 25
Ethylbenzene			30000	< 1
Hexanone, 2-			NS	< 5
Isopropylbenzene			NS	< 5
Methyl tert-butyl ether			50000	< 1
Methylene chloride			10000	< 2
Naphthalene			1000	< 5
Propylbenzene, n-			NS	< 5
Tetrachloroethane, 1,1,1,2-			10	< 5
Tetrachloroethene			50	< 1
Tert-Amyl-Methyl-Ether			NS	< 2
Toluene			8000	0.44 J
Trichloroethane, 1,1,1-			4000	< 1
Trichloroethane, 1,1,2-			900	< 1
Trichloroethene			30	< 1
Trimethylbenzene, 1,2,4-			NS	< 5
Trimethylbenzene, 1,3,5-			NS	< 5
Vinyl chloride			2	< 1
Xylene, m,p-			NS	< 1
Xylene, o-			NS	< 1
Xylene, Total			9000	< 1
Total VOCs			NS	0.44 J

**General Notes:**

1. Analytes detected in at least one sample are reported here. For a complete list of analytes see the laboratory data sheets.
2. "<" = The analyte was not detected at a concentration above the specified limit.
3. MCP = 310 CMR 40.0000 Massachusetts Contingency Plan with revisions effective April 3, 2006.
4. Method 1 Standards (e.g. GW2) are cited from the MCP.
5. NS = No standard for this analyte.
6. NT = This sample was not tested for these analytes.
7. ft bgs = feet below ground surface.
8. ug/L = micrograms per liter.
9. SHA = Sanborn Head & Associates.

**Qualifying Note:**

- J The reported result is below the laboratory reporting limit and is estimated.

**Table 2**  
**Chemical Testing Results Soil Gas Samples**  
 50 Tufts Street  
 Somerville, MA

		Sample Location: MW113	
		Sample Name: 045162-MW113	
		Sample Date: 2/19/07	
		Collected By: GEI	
		Units:	
		ug/m <sup>3</sup>	ppbV
Analyte	Method		
Volatile Organic Compounds (VOCs)	TO-15		
Chloroethane		< 5.3	< 2.0
Carbon tetrachloride		< 13	< 2.0
1,1 Dichloroethane		8.1	2.0
1,1-Dichloroethylene		21	5.2
Tetrachloroethylene (PCE)		8.8 J	1.3 J
1,1,1-Trichloroethane		11	2
Trichloroethylene (TCE)		16	3
Vinyl Chloride		< 5.1	< 2.0

**General Notes:**

1. Analytes detected in at least one sample are reported here. For a complete list of analytes see the laboratory data sheets.
2. ug/m<sup>3</sup> = micrograms per cubic meter.
3. ppbV = parts per billion by volume.
4. "<" = The analyte was not detected at a concentration above the specified laboratory reporting limit.

**Qualifying Notes:**

- J The reported result is below the laboratory reporting limit and is estimated.





**NOTICE OF ENVIRONMENTAL SAMPLING**

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

**BWSC 123**

This Notice is Related to  
Release Tracking Number

3

26114

**A. The address of the disposal site related to this Notice and Release Tracking Number (provided above):**

1. Street Address: 50 Tufts Street  
City/Town: Somerville Zip Code: 02145

**B. This notice is being provided to the following party:**

1. Name: Bill Shlager  
2. Street Address: 163 Glen Street  
City/Town: Somerville Zip Code: 02145

**C. This notice is being given to inform its recipient (the party listed in Section B):**

- 1. That environmental sampling will be/has been conducted at property owned by the recipient of this notice.
- 2. Of the results of environmental sampling conducted at property owned by the recipient of this notice.
- 3. Check to indicate if the analytical results are attached. (If item 2. above is checked, the analytical results from the environmental sampling must be attached to this notice.)

**D. Location of the property where the environmental sampling will be/has been conducted:**

1. Street Address: 163 Glen Street  
City/Town: Somerville Zip Code: 02145

**RECEIVED**

**APR 11 2007**

2. MCP phase of work during which the sampling will be/has been conducted:

- |   |   |
|---|---|
| <input checked="" type="checkbox"/> Immediate Response Action   | <input type="checkbox"/> Phase III Feasibility Evaluation                   |
| <input type="checkbox"/> Release Abatement Measure              | <input type="checkbox"/> Phase IV Remedy Implementation Plan                |
| <input type="checkbox"/> Utility-related Abatement Measure      | <input type="checkbox"/> Phase V/Remedy Operation Status                    |
| <input type="checkbox"/> Phase I Initial Site Investigation     | <input type="checkbox"/> Post-Class C Operation, Maintenance and Monitoring |
| <input type="checkbox"/> Phase II Comprehensive Site Assessment | <input type="checkbox"/> Other _____  |

**DEP  
NORTHEAST REGIONAL OFFICE**

(specify)

3. Description of property where sampling will be/has been conducted:

- residential    commercial    industrial    school/playground    Other American Legion Post  
(specify)

4. Description of the sampling locations and types (e.g., soil, groundwater) to the extent known at the time of this notice.

Groundwater and soil gas samples collected from a monitoring well installed in the parking lot.

**E. Contact information related to the party providing this notice:**

Contact Name: Ileen S. Gladstone  
Street Address: 400 Unicorn Park Drive  
City/Town: Woburn Zip Code: 01801  
Telephone: (781) 721-4012 Email: lgladstone@geiconsultants.com

## NOTICE OF ENVIRONMENTAL SAMPLING

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

### MASSACHUSETTS REGULATIONS THAT REQUIRE THIS NOTICE

This notice is being provided pursuant to the Massachusetts Contingency Plan and the notification requirement at 310 CMR 40.1403(10). The Massachusetts Contingency Plan is a state regulation that specifies requirements for parties who are taking actions to address releases of chemicals (oil or hazardous material) to the environment.

### THE PERSON(S) PROVIDING THIS NOTICE

This notice has been sent to you by the party who is addressing a release of oil or hazardous material to the environment at the location listed in **Section A** on the reverse side of this form. (The regulations refer to the area where the oil or hazardous material is present as the "disposal site".)

### PURPOSE OF THIS NOTICE

When environmental samples are taken as part of an investigation under the Massachusetts Contingency Plan at a property on behalf of someone other than the owner of the property, the regulations require that the property owner (listed in **Section B** on the reverse side of this form) be given notice of the environmental sampling. The regulations also require that the property owner subsequently receive the analytical results following the analysis of the environmental samples.

**Section C** on the reverse side of this form indicates the circumstance under which you are receiving this notice at this time. If you are receiving this notice to inform you of the analytical results following the analysis of the environmental samples, you should also have received, as an attachment, a copy of analytical results. These results should indicate the number and type(s) of samples (e.g., soil, groundwater) analyzed, any chemicals identified, and the measured concentrations of those chemicals.

**Section D** on the reverse side of this form identifies the property where the environmental sampling will be/has been conducted, provides a description of the sampling locations within the property, and indicates the phase of work under the Massachusetts Contingency Plan regulatory process during which the samples will be/were collected.

### FOR MORE INFORMATION

Information about the general process for addressing releases of oil or hazardous material under the Massachusetts Contingency Plan and related public involvement opportunities may be found at <http://www.mass.gov/dep/cleanup/oview.htm>. For more information regarding this notice, you may contact the party listed in **Section E** on the reverse side of this form. Information about the disposal site identified in **Section A** is also available in files at the Massachusetts Department of Environmental Protection. See <http://mass.gov/dep/about/region/schedule.htm> if you would like to make an appointment to see these files. Please reference the **Release Tracking Number** listed in the upper right hand corner on the reverse side of this form when making file review appointments.

Report of Analysis

3.1  
3

Client Sample ID:	045162-MW113	Date Sampled:	02/20/07
Lab Sample ID:	M62914-1	Date Received:	02/20/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tufts Street Somerville MA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	G67330.D	1	02/21/07	DFT	n/a	n/a	MSG2702
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA MCP List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	1.0	ug/l	
71-43-2	Benzene	ND	0.50	0.44	ug/l	
108-86-1	Bromobenzene	ND	5.0	0.63	ug/l	
74-97-5	Bromochloromethane	ND	5.0	1.6	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.47	ug/l	
75-25-2	Bromoform	ND	1.0	0.58	ug/l	
74-83-9	Bromomethane	ND	2.0	1.1	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	3.3	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.72	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.59	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.59	ug/l	
75-15-0	Carbon disulfide	ND	5.0	0.79	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.81	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.40	ug/l	
75-00-3	Chloroethane	ND	2.0	1.3	ug/l	
67-66-3	Chloroform	ND	1.0	0.59	ug/l	
74-87-3	Chloromethane	ND	2.0	1.6	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.24	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.24	ug/l	
108-20-3	Di-Isopropyl ether	ND	2.0	0.66	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	1.7	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.65	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.57	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.65	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.47	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.44	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	2.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.67	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.63	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	1.0	ug/l	

ND = Not detected    MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	045162-MW113	Date Sampled:	02/20/07
Lab Sample ID:	M62914-1	Date Received:	02/20/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tufts Street Somerville MA		

11  
3

VOA MCP List

CAS No.	Compound	Result	RL	MDL	Units	Q
78-87-5	1,2-Dichloropropane	ND	2.0	0.62	ug/l	
142-28-9	1,3-Dichloropropane	ND	5.0	0.65	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	1.5	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	0.84	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.50	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.50	ug/l	
123-91-1	1,4-Dioxane	ND	25	9.1	ug/l	
60-29-7	Ethyl Ether	ND	5.0	1.7	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	5.0	ug/l	
98-82-8	isopropylbenzene	ND	5.0	0.57	ug/l	
99-87-6	p-isopropyltoluene	ND	5.0	0.53	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.58	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	0.69	ug/l	
74-95-3	Methylene bromide	ND	5.0	0.52	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.65	ug/l	
91-20-3	Naphthalene	ND	5.0	0.42	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.75	ug/l	
100-42-5	Styrene	ND	5.0	0.60	ug/l	
994-05-8	tert-Amyl Methyl Ether	ND	2.0	0.70	ug/l	
637-92-3	tert-Butyl Ethyl Ether	ND	2.0	0.67	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.77	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.69	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.54	ug/l	
109-99-9	Tetrahydrofuran	ND	10	1.4	ug/l	
108-88-3	Toluene	0.44	1.0	0.34	ug/l	J
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.41	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.40	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.67	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.74	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	0.96	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.63	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.49	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	1.0	ug/l	
	m,p-Xylene	ND	1.0	1.0	ug/l	
95-47-6	o-Xylene	ND	1.0	0.72	ug/l	
1330-20-7	Xylene (total)	ND	1.0	1.0	ug/l	

ND = Not detected    MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

### Report of Analysis

31  
3

Client Sample ID:	045162-MW113	Date Sampled:	02/20/07
Lab Sample ID:	M62914-1	Date Received:	02/20/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tufts Street Somerville MA		

#### VOA MCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	115%		83-127%
2037-26-5	Toluene-D8	102%		89-112%
460-00-4	4-Bromofluorobenzene	91%		81-119%

ND = Not detected      MDL - Method Detection Limit  
RL = Reporting Limit  
E = Indicates value exceeds calibration range

J = Indicates an estimated value  
B = Indicates analyte found in associated method blank  
N = Indicates presumptive evidence of a compound

**Report of Analysis**

3.1  
3

<b>Client Sample ID:</b> 045162-MW113	<b>Date Sampled:</b> 02/19/07
<b>Lab Sample ID:</b> M62907-1	<b>Date Received:</b> 02/19/07
<b>Matrix:</b> AIR - Air      Summa ID: M017	<b>Percent Solids:</b> n/a
<b>Method:</b> TO-15	
<b>Project:</b> Tufts Street Somerville MA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	J9454.D	10	02/20/07	PB	n/a	n/a	MSJ488
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

CAS No.	MW	Compound	Result	RL	Units	Q	Result	RL	Units
75-00-3	64.52	Chloroethane	ND	2.0	ppbv		ND	5.3	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	2.0	ppbv		ND	13	ug/m3
75-34-3	98.96	1,1-Dichloroethane	2.0	2.0	ppbv		8.1	8.1	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	5.2	2.0	ppbv		21	7.9	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	2.0	ppbv		ND	8.1	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	2.0	ppbv		ND	7.9	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	2.0	ppbv		ND	7.9	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	2.0	2.0	ppbv		11	11	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	2.0	ppbv		ND	14	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	2.0	ppbv		ND	11	ug/m3
127-18-4	165.8	Tetrachloroethylene	1.3	2.0	ppbv	J	8.8	14	ug/m3
79-01-6	131.4	Trichloroethylene	3.0	2.0	ppbv		16	11	ug/m3
75-01-4	62.5	Vinyl chloride	ND	2.0	ppbv		ND	5.1	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	113%		57-139%

(a) Elevated RL due to dilution required for matrix interference.

ND = Not detected  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range  
 J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**LETTER OF TRANSMITTAL**

1021 Main Street  
Winchester, MA 01890-1970  
Phone: (781) 721-4000 Fax: (781) 721-4073  
[www.geiconsultants.com](http://www.geiconsultants.com)

*SL = DALE*

To: Ms. Irene Dale	Date: March 15, 2007
DEP NERO - BWSC	Project No: 04516-2
205B Lowell Street	Re: 50 Tufts Street RTN: 3-26114
Wilmington, MA 01887	Somerville, MA

Enclosed the following documents:

Quantity	Date	Description
1 Set	3/14/07	Letters to Residents regarding No Cost to Owners for inspection and remediation

These are transmitted as checked below:

For Approval    For Your Use    For Review/Comment    As Requested    Other

Message:

**RECEIVED**

MAR 19 2007

DEP

NORTHEAST REGIONAL OFFICE

Copy to:

Signed: Ileen Gladstone

*If enclosures are not as noted, kindly notify us at once.*



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Clemintina Cabral  
Mariana Depina  
17 Knowlton Street  
Somerville, MA 02145

Dear Ms. Cabral & Ms. Depina:

**Re: Cost of Indoor Air Sampling  
17 Knowlton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone", with a large, loopy flourish at the end.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Helene Provost  
Remy Prevost  
17 Tufts Street  
Somerville, MA 02145

Dear Ms. Provost:

**Re: Cost of Indoor Air Sampling  
17 Tufts Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ilcen S. Gladstone", written over a horizontal line.

Ilcen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Luis Ortiz  
18 Morton Street  
Somerville, MA 02143

Dear Mr. Ortiz:

**Re: Cost of Indoor Air Sampling  
18 Morton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Helen S. Gladstone". The signature is written over a large, hand-drawn oval shape.

Helen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Gina Figueiredo  
19 Knowlton Street  
Somerville, MA 02145

Dear Ms. Figueiredo:

**Re: Cost of Indoor Air Sampling  
19 Knowlton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Heen S. Gladstone", written over a horizontal line.

Heen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Gerald and Maureen Laurentano  
Lauretano Maureen  
19 Tufts Street  
Somerville, MA 02145

Dear Mr. Laurentano:


**Re: Cost of Indoor Air Sampling  
19 Tufts Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.



Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Paul Valente  
19A Morton Street  
Somerville, MA 02145

Dear Mr. Valente:

**Re: Cost of Indoor Air Sampling  
19-19A Morton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A large, stylized handwritten signature in black ink, appearing to read "ileen S. Gladstone".

ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Abdul Matin  
Alazad Mohammed A K  
26 Linden Street #2  
Medford, MA 02155

Dear Mr. Matin:

**Re: Cost of Indoor Air Sampling  
2 Alston Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone", with a large, stylized flourish at the end.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Chao Liu  
2 Hadley Court #2a  
Somerville, MA 02143

Dear Mr. Liu:

**Re: Cost of Indoor Air Sampling  
2 Hadley Court #2a  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A large, stylized handwritten signature in black ink, appearing to read "Helen S. Gladstone". The signature is written over a horizontal line.

Helen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Jing Liu  
Ya Lu Li  
2 Hadley Court #2b  
Somerville, MA 02143

Dear Mr. Liu:

**Re: Cost of Indoor Air Sampling  
2 Hadley Court #2b  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone", written over a large, light-colored oval shape.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Xiaoying Zhu  
2 Hadley Court #2c  
Somerville, MA 02143

Dear Mr. Chen:

**Re: Cost of Indoor Air Sampling  
2 Hadley Court #2c  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone". The signature is fluid and somewhat stylized, with a large loop at the beginning and a long horizontal stroke extending to the right.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Vacant Lot  
2 Morton Street  
Somerville, MA 02145

Dear :

**Re: Cost of Indoor Air Sampling  
2 Morton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Heen S. Gladstone". The signature is fluid and somewhat stylized, with a large loop at the beginning and a long horizontal stroke.

Heen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

www.geiconsultants.com

GEI Consultants, Inc.  
400 Unicorn Park Drive, Woburn, MA 01801  
781.721.4000 fax: 781.721.4073

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Charles M & Juanita M Landry  
6 Alston Street  
Somerville, MA 02143

Dear Mr. & Mrs. Landry:

**Re: Cost of Indoor Air Sampling  
6 Alston Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone", with a long, sweeping horizontal stroke extending to the right.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Tarmo Lensin  
60 Tufts Street, #1  
Somerville, MA 02143

Dear Mr. Lensin:

**Re: Cost of Indoor Air Sampling**  
**60 Tufts Street, #1**  
**Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone". The signature is fluid and somewhat stylized, with a large loop at the beginning.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

David Berwick  
60 Tufts Street, #10  
Somerville, MA 02143

Dear Mr. Berwick:

**Re: Cost of Indoor Air Sampling  
60 Tufts Street, #10  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone". The signature is fluid and cursive, with a large loop at the beginning and a long, sweeping tail.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

George & Paula Peterson  
P. O. Box 188  
Somerville, MA 02143

Dear Mr. & Mrs. Peterson:

**Re: Cost of Indoor Air Sampling  
60 Tufts Street, #11  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Iileen S. Gladstone". The signature is fluid and cursive, with a large loop at the beginning and a long, sweeping tail.

Iileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

David Hadfield  
60 Tufts Street, #12  
Somerville, MA 02143

Dear Mr. Hadfield:

**Re: Cost of Indoor Air Sampling  
60 Tufts Street, #12  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone". The signature is fluid and cursive, with a large loop at the beginning.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Mohan Saini  
Singh Raghbir  
20 Melanie Lane  
Arlington, MA 02474

Dear Mr. Saini:

**Re: Cost of Indoor Air Sampling  
60 Tufts Street, #13  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, consisting of a large, stylized initial 'I' followed by a long, horizontal stroke that ends in a small loop.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Ramana Lagemann  
60 Tufts Street, #14  
Somerville, MA 02143

Dear Mr. Lagemann:

**Re: Cost of Indoor Air Sampling  
60 Tufts Street, #14  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone". The signature is stylized with large loops and a long horizontal stroke.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

James Rider  
Shacham Orly  
60 Tufts Street, #15  
Somerville, MA 02143

Dear Mr. Rider:

**Re: Cost of Indoor Air Sampling  
60 Tufts Street, #15  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ilcen S. Gladstone", with a large, stylized flourish at the end.

Ilcen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Joseph & Carolina Donaue  
4 Abbott Court  
Edison, NJ 08820

Dear Mr. & Mrs. Donaue:

**Re: Cost of Indoor Air Sampling  
60 Tufts Street, #16  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "ileen S. Gladstone". The signature is fluid and somewhat stylized, with a large loop at the beginning.

ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Michael Yamauchi  
60 Tufts Street, #17  
Somerville, MA 02145

Dear Mr. Yamauchi:

**Re: Cost of Indoor Air Sampling  
60 Tufts Street, #17  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A large, stylized handwritten signature in black ink, consisting of several overlapping loops and a long horizontal stroke extending to the right.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Pearl Jusem  
Patricia L. Blake  
P.O. Box 103  
Somerville, MA 02143

Dear Ms. Jusem and Ms. Blake:

**Re: Cost of Indoor Air Sampling  
60 Tufts Street, #2  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone", written over a large, loopy flourish.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Stephen Jewett  
c/o Raymond Sedwick  
60 Tufts Street, #3  
Somerville, MA 02143

Dear Mr. Jewett:


**Re: Cost of Indoor Air Sampling  
60 Tufts Street, #3  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.



Stephen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Kate Castle  
60 Tufts Street, #4  
Somerville, MA 02145

Dear Ms. Castle:

**Re: Cost of Indoor Air Sampling  
60 Tufts Street, #4  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone". The signature is fluid and cursive, with a large loop at the beginning and a long, sweeping tail.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG;jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Kate Ransohoff-Williamson  
c/o David Ferdman  
60 Tufts Street, #5  
Somerville, MA 02145

Dear Ms. Ransohoff-Williamson:

**Re: Cost of Indoor Air Sampling  
60 Tufts Street, #5  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Helen S. Gladstone". The signature is fluid and cursive, with a large loop at the beginning and a long, sweeping tail.

Helen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Denton Randolph  
60 Tufts Street, #6  
Somerville, MA 02143

Dear Mr. Randolph:

**Re: Cost of Indoor Air Sampling  
60 Tufts Street, #6  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A large, stylized handwritten signature in black ink, appearing to read "Ilean S. Gladstone".

Ilean S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Elliot Dale Rosenkrantz  
60 Tufts Street, #7  
Somerville, MA 02143

Dear Mr. Rosenkrantz:

**Re: Cost of Indoor Air Sampling**  
**60 Tufts Street, #7**  
**Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Helen S. Gladstone". The signature is fluid and cursive, with a large loop at the beginning and a long, sweeping tail that extends to the right.

Helen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Jonathan Bailey  
60 Tufts Street, #8  
Somerville, MA 02143

Dear Mr. Bailey:


**Re: Cost of Indoor Air Sampling  
60 Tufts Street, #8  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.



Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Anthony Scarpetta  
60 Tufts Street, #9  
Somerville, MA 02143

Dear Mr. Scarpetta:

**Re: Cost of Indoor Air Sampling  
60 Tufts Street, #9  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone", written over a horizontal line.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geo.technical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Sandhu Singh  
7 Morton Street, #1  
Somerville, MA 02143

Dear Mr. Sandhu:

**Re: Cost of Indoor Air Sampling  
7 Morton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone", written over a horizontal line.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Devoncir & Selma De Jesus  
2083 Jackson Nidge Cove  
Somerville, Ga 30144

Dear Mr. & Mrs. De Jesus:

**Re: Cost of Indoor Air Sampling  
74 Franklin Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, consisting of several loops and a long horizontal stroke that ends in a small arrowhead pointing to the right.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Roger & Rudy Adam  
76 Franklin Street  
Somerville, MA 02145

Dear Mr. & Mrs. Adam:

**Re: Cost of Indoor Air Sampling  
76 Franklin Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "ileen S. Gladstone". The signature is fluid and somewhat stylized, with overlapping loops.

Iileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCAN



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Qiangwei Lin  
8 Morton Street, #3  
Somerville, MA 02145

Dear Ms. Lin:

**Re: Cost of Indoor Air Sampling  
8 Morton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, consisting of a large, stylized loop followed by a long, horizontal stroke that tapers to the right.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Edson Da Silveira  
11 OLANEY Street  
Somerville, MA 02472

Dear Mr. Da Silveira:


**Re: Cost of Indoor Air Sampling  
80 Franklin Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.



Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Jorge E & Carmen Zuleta  
82 Franklin Street  
Somerville, MA 02145

Dear Mr. & Mrs. Zuleta:

**Re: Cost of Indoor Air Sampling  
82 Franklin Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone", written over a horizontal line.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

M:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

International Church of the Grace of God  
Assembleia Deus  
85 Washington Street  
Somerville, MA 02143

Dear Mr. Deus:


**Re: Cost of Indoor Air Sampling  
85 Washington Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.



Heen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Donald & Ellen L Wamboldt  
c/o Kathleen Miller  
PO Box 596  
Somerville, Nh 03455

Dear Mr. & Mrs. Wamboldt:

**Re: Cost of Indoor Air Sampling  
86 Franklin Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone", written over a large, hand-drawn oval scribble.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Charles & Sandra Schofield  
9 Knowlton Street  
Somerville, MA 02145

Dear Mr. & Mrs. Schofield:


**Re: Cost of Indoor Air Sampling  
9 Knowlton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.



Heen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Campos Avani  
9 Tufts Street  
Somerville, MA 02145

Dear Mr. Avani:

**Re: Cost of Indoor Air Sampling  
9 Tufts Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone", written over a horizontal line.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Owner Unknown  
91 Washington Street  
Somerville, MA 02143

Dear :

**Re: Cost of Indoor Air Sampling  
91 Washington Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Deen S. Gladstone". The signature is fluid and somewhat stylized, with a large loop at the beginning and a long, sweeping tail.

Deen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\WF\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geo-technical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Philip M Carey  
93 Franklin Street  
Somerville, MA 02145

Dear Mr. Carey:

**Re: Cost of Indoor Air Sampling  
91-93 Franklin Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone", with a large, stylized flourish at the end.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\#Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc





Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Elmo C Maynard  
95 Franklin Street  
Somerville, MA 02145

Dear Mr. Maynard:

**Re: Cost of Indoor Air Sampling  
95 Franklin Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone". The signature is stylized with a large loop at the beginning and a long, sweeping tail.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Susan Southwick  
95r Franklin Street  
Somerville, MA 02143

Dear Ms. Southwick:

**Re: Cost of Indoor Air Sampling  
95r Franklin Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone". The signature is fluid and somewhat stylized, with a large loop at the beginning and a long horizontal stroke extending to the right.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Elias & Catalina Barahona  
97 Franklin Street  
Somerville, MA 02145

Dear Mr. & Mrs. Barahona:


**Re: Cost of Indoor Air Sampling  
97 Franklin Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.



Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Michelle Kilduff  
15 Sunset Road  
Somerville, MA 02143

Dear Ms. Kilduff:

**Re: Cost of Indoor Air Sampling  
97 Washington Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone". The signature is fluid and somewhat stylized, with a large loop at the beginning and several smaller loops and flourishes extending to the right.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Rohida Jamal  
c/o Melissa A Hilbert  
97r Franklin Street  
Somerville, MA 02145

Dear Mr. Jamal:

**Re: Cost of Indoor Air Sampling  
97r Franklin Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.



Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Kenneth A & Ida L Aquino Sr  
49 Benton Cir  
Reading, MA 01867

Dear Mr. & Mrs. Aquino Sr:


**Re: Cost of Indoor Air Sampling  
99 Franklin Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.



Iileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Lucy M Demango  
Serafina Diceglie  
18 Alston Street  
Somerville, MA 02143

Dear Ms. Demango and Ms. Diceglie:

**Re: Cost of Indoor Air Sampling  
20 Alston Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone", with a long horizontal flourish extending to the right.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

James Veneziano  
Morton Glen Realty Trust  
P.O. Box 556  
Somerville, MA 02143

Dear Mr. Veneziano:

**Re: Cost of Indoor Air Sampling  
21 Morton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A large, stylized handwritten signature in black ink, consisting of several overlapping loops and a long horizontal stroke.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

James & Jean Barry  
23 Knowlton Street  
Somerville, MA 02145

Dear Mr. & Mrs. Barry:

**Re: Cost of Indoor Air Sampling  
23 Knowlton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone". The signature is fluid and cursive, with a long horizontal stroke extending to the right.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Nilson DaSilva  
Ferreira Dasilva Creuza  
23 Tufts Street  
Somerville, MA 02145

Dear Mr. DaSilva:

**Re: Cost of Indoor Air Sampling  
23 Tufts Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "ileen S. Gladstone", with a long horizontal flourish extending to the right.

ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

John & Leila Boveri  
25 Tufts Street  
Somerville, MA 02143

Dear Mr. & Mrs. Boveri:


**Re: Cost of Indoor Air Sampling  
25 Tufts Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.



Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Carole Ann Bodkin  
27 Knowlton Street  
Somerville, MA 02143

Dear Ms. Bodkin:


**Re: Cost of Indoor Air Sampling  
27 Knowlton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.



Iileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Richard P & Janice R Papa  
27 Tufts Street  
Somerville, MA 02145

Dear Mr. & Mrs. Papa:

**Re: Cost of Indoor Air Sampling  
27 Tufts Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ilcen S. Gladstone". The signature is fluid and cursive, with a large loop at the beginning and a long, sweeping tail.

Ilcen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Harry & Eileen Barnard  
7 Manor Drive  
Burlington, MA 01803

Dear Mr. & Mrs. Barnard:

**Re: Cost of Indoor Air Sampling  
29 Knowlton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Eileen S. Gladstone". The signature is fluid and cursive, with a large loop at the beginning and a long, sweeping tail.

Eileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Tony Laflunte  
c/o Flagraphics Inc  
30 Alston Street  
Somerville, MA 02143

Dear Mr. Laflunte:

**Re: Cost of Indoor Air Sampling  
30 Alston Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Heen S. Gladstone", written over a horizontal line.

Heen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Richard Mangan  
31 Knowlton Street  
Somerville, MA 02145

Dear Mr. Mangan:

**Re: Cost of Indoor Air Sampling  
31-33 Knowlton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Heen S. Gladstone", with a long, sweeping horizontal line extending to the right.

Heen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Robert & Ann Peddle  
c/o Sara & Richard Peddle  
32 Knowlton Street  
Somerville, MA 02145

Dear Mr. & Mrs. Peddle:

**Re: Cost of Indoor Air Sampling  
32 Knowlton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A large, stylized handwritten signature in black ink, appearing to read "Helen S. Gladstone".

Helen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

George Humphries  
66 Medford Street  
Medford, MA 02155

Dear Mr. Humphries:

**Re: Cost of Indoor Air Sampling  
34 Knowlton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Heen S. Gladstone". The signature is fluid and somewhat stylized, with a large loop at the beginning and a long, sweeping tail.

Heen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection  
N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

David Stiles  
Cardalino William Glenn Et Al  
37 Knowlton Street  
Somerville, MA 02145

Dear Mr. Stiles:

**Re: Cost of Indoor Air Sampling  
35-37 Knowlton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Xinjian Qiao  
4 Morton Street  
Somerville, MA 02145

Dear Ms. Qiao:

**Re: Cost of Indoor Air Sampling  
4 Morton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone", written over a horizontal line.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Richard J. Arnone Jr.  
45-47 Tufts St Realty Trust  
919 Eastern Avenue  
Malden, MA 02148

Dear Mr. Arnone Jr:

**Re: Cost of Indoor Air Sampling  
45-47 Tufts Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone". The signature is fluid and somewhat stylized, with a long horizontal stroke at the end.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Elias Soares  
49 Tufts Street  
Somerville, MA 02145

Dear Mr. Soares:


**Re: Cost of Indoor Air Sampling  
49 Tufts Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.



Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Somerville Two LLC  
c/o Lawson & Weitzen  
88 Black Falcon Avenue  
Boston, MA 02210

Dear Sir or Madam:

**Re: Cost of Indoor Air Sampling  
50 Tufts Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone", written over a horizontal line.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Manuel Santos  
Santos Maria L For Life  
51A Tufts Street  
Somerville, MA 02145

Dear Mr. Santos:

**Re: Cost of Indoor Air Sampling  
51a Tufts Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A large, stylized handwritten signature in black ink, appearing to read "Ileen S. Gladstone".

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc





Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Elise Greenidge  
53 Tufts Street  
Somerville, MA 02145

Dear Ms. Greenidge:

**Re: Cost of Indoor Air Sampling  
53 Tufts Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A large, stylized handwritten signature in black ink, appearing to read "Glenn S. Gladstone".

Glenn S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

World Revival Church-Assembly Of G  
85 Washington Street  
Somerville, MA 02143

Dear Sir or Madam:

**Re: Cost of Indoor Air Sampling  
0 Franklin Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "ileen S. Gladstone", written over a horizontal line.

Iileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

City Of Somerville  
c/o City Of Somerville  
93 Highland Avenue  
Somerville, MA 02145

Dear Sir or Madam:


**Re: Cost of Indoor Air Sampling  
0 Hadley Court  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.



Jean S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Vacant Lot  
10 Alston Street  
Somerville, MA 02145

Dear :

**Re: Cost of Indoor Air Sampling  
10 Alston Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Iileen S. Gladstone", with a long, sweeping horizontal stroke extending to the right.

Iileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\WF\Inaf\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

James J & Catherine J Flint  
MBTA  
10 Morton Street  
Somerville, MA 02145

Dear Mr. & Mrs. Flint:

**Re: Cost of Indoor Air Sampling  
10 Morton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone", written over a horizontal line.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Kenneth A & Ida L Aquino Sr  
49 Benton Circle  
Reading, MA 01867

Dear Mr. & Mrs. Aquino Sr:


**Re: Cost of Indoor Air Sampling  
103 Washington Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.



Heep S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Maria Helena Martins  
105 Washington Street  
Somerville, MA 02143

Dear Ms. Martins:

**Re: Cost of Indoor Air Sampling  
105 Washington Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.



ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Victoria & Uchenna C-Ngesina  
11 Morton Street  
Somerville, MA 02143

Dear Mr. & Mrs. C-Ngesina:

**Re: Cost of Indoor Air Sampling  
11 Morton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone". The signature is fluid and cursive, with a large loop at the beginning and end.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Kenneth Barrett  
14a Wickford Street  
Saugus, MA 01906

Dear Mr. Barrett:

**Re: Cost of Indoor Air Sampling  
111 Washington Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone", written over a horizontal line.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Dolores Devellis  
11 Tufts Street  
Somerville, MA 02145

Dear Ms. Devellis:


**Re: Cost of Indoor Air Sampling  
11-13 Tufts Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.



Brent S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Nicole Bairos  
259 Broadway  
Somerville, MA  
02145

Dear Ms. Bairos:

**Re: Cost of Indoor Air Sampling  
113 Washington Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A large, stylized handwritten signature in black ink, appearing to read "Helen S. Gladstone".

Helen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Ann Marie Berry  
Donovan Paul R For Life  
109 Essex Street  
Saugus, MA 01906

Dear Ms. Berry:


**Re: Cost of Indoor Air Sampling  
117 Washington Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.



Helen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Joaquim Ferreira  
Maria I Moreira  
12 Alston Street  
Somerville, MA 02143

Dear Mr. Ferreira:

**Re: Cost of Indoor Air Sampling  
12 Alston Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.



Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Stanley R. Hunter  
12 Morton Street  
Somerville, MA 02143

Dear Mr. Hunter:

**Re: Cost of Indoor Air Sampling  
12 Morton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone", written over a horizontal line.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residence\New Resident Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Norman Fine  
1 Fitchburg Street, C311  
Somerville, MA 02143

Dear Mr. Fine:

**Re: Cost of Indoor Air Sampling  
121 Washington Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone", written over a horizontal line.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Sandoval Pereira  
c/o Daniane Borges  
14 Knowlton Street  
Somerville, MA 02145

Dear Mr. Pereira:

**Re: Cost of Indoor Air Sampling  
12-14 Knowlton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Helen S. Gladstone". The signature is fluid and somewhat stylized, with a large loop at the end.

Helen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc



SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Manuel & Cremilde Raposa  
c/o Margarita Alvares  
13 Knowlton Street  
Somerville, MA 02145

Dear Mr. & Mrs. Raposa:


**Re: Cost of Indoor Air Sampling  
13 Knowlton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.



Irene S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Ellen Sullivan  
Michael Sullivan  
c/o Alves Kerr Sergio  
3 Gilman Terrace  
Somerville, MA 02145

Dear Ms. Sullivan:

**Re: Cost of Indoor Air Sampling  
13 Morton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A large, stylized handwritten signature in black ink, appearing to read "Heen S. Gladstone".

Heen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Broadway Investments Inc  
P.O. Box 398068  
Somerville, MA 02139

Dear Sir or Madam:

**Re: Cost of Indoor Air Sampling**  
**142 Cross Street**  
**Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone", written over a horizontal line.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Mary O'Connell  
15 Morton Street  
Somerville, MA 02143

Dear Ms. O'Connell:

**Re: Cost of Indoor Air Sampling  
15 Morton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A large, stylized handwritten signature in black ink, appearing to read "ileen S. Gladstone".

ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Natalia Farias  
152 Glen Street  
Somerville, MA 02145

Dear Ms. Farias:

**Re: Cost of Indoor Air Sampling  
152-154 Glen Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone", written over a horizontal line.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident\ Mar-07\Resident Cost Ltr.doc



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Katherine Cook  
155 Glen Street  
Somerville, MA 02145

Dear Ms. Cook:

**Re: Cost of Indoor Air Sampling  
153-155 Glen Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.



Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Jeanise Codio  
Immacula Georges  
159 Glen Street  
Somerville, MA 02145

Dear Ms. Codio & Ms. Georges:

**Re: Cost of Indoor Air Sampling  
159 Glen Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A large, stylized handwritten signature in black ink, appearing to read "Heen S. Gladstone".

Heen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Vacant Lot  
16 Knowlton Street  
Somerville, MA 02145

Dear :

**Re: Cost of Indoor Air Sampling  
16 Knowlton Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Helen S. Gladstone".

Helen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc





Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

Antonio & Helena Gortiz  
Almas Realty Trust  
164 Glen Street  
Somerville, MA 02143

Dear Mr. & Mrs. Gortiz:

**Re: Cost of Indoor Air Sampling  
162-164 Glen Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Ileen S. Gladstone", written over a horizontal line.

Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost Ltr.doc

SCANNED



Geotechnical  
Environmental and  
Water Resources  
Engineering

March 14, 2007  
Project 04516-2

East Somerville Post 388 Inc.  
c/o Paul Leary  
163 Glen Street  
Somerville, MA 02143

Dear Mr. Paul:

**Re: Cost of Indoor Air Sampling  
163 Glen Street  
Somerville, Massachusetts**

You recently received a letter from me requesting your cooperation in providing access to GEI Consultants, Inc. (GEI) to conduct testing and, if appropriate, to institute mitigation measures on your property. I should have made clear in my letter that the work proposed will be conducted by GEI at no cost to you.

Thank you for your assistance. If you have any questions please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Heen S. Gladstone", written over a horizontal line.

Heen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\New Resident Mar-07\Resident Cost 1.tr.doc

**LETTER OF TRANSMITTAL**

1021 Main Street  
Winchester, MA 01890-1970  
Phone: (781) 721-4000 Fax: (781) 721-4073  
[www.geiconsultants.com](http://www.geiconsultants.com)

To: Ms. Irene Dale  
DEP NERO - BWSC  
205B Lowell Street  
Wilmington, MA 01887

Date: September 21, 2006  
Project No: 04516-2 (Task 1007) RE:  
Re: 50 Tufts Street 3-26114 (1)  
Somerville, MA

We are FedExing you the following enclosures:

SL = DALE

Quantity	Date	Description
1 Set	3/12/07	Letters to Residents regarding results of February '07 Indoor Air Sampling

These are transmitted as checked below:

- For Approval  
  For Your Use  
  For Review/Comment  
  As Requested  
  Other

Message:

---



---



---



---



---

Copy to:

Signed: Ileen Gladstone

*If enclosures are not as noted, kindly notify us at once.*

**RECEIVED**

MAR 14 2007

DEP  
NORTHEAST REGIONAL OFFICE



March 12, 2007  
Project 04516-2

Geotechnical  
Environmental and  
Water Resources  
Engineering

Mr. Tony Lafuente  
30 Alston Street  
Somerville, MA 02145

Dear Mr. Lafuente:

**Re: Indoor Air Sampling  
32&40 Alston Street  
Somerville, Massachusetts**

GEI Consultants, Inc. (GEI) conducted indoor air sampling in your buildings located at 32 and 40 Alston Street in February 2007 as part of our investigation, on behalf of the UniFirst Corporation, related to the site at 50 Tufts Street in Somerville, Massachusetts. We appreciate your cooperation while we collected indoor air samples on February 14, 2007.

We have attached a summary table of the results and the laboratory data sheets of each indoor air sample collected at your property. We have also included a "Notice of Environmental Sampling Form (BWSC-123)" required by the Massachusetts Department of Environmental Protection (DEP).

GEI's testing measured 1.1 parts per billion by volume (ppbv) of tetrachloroethylene (PCE) in the indoor air at 32 Alston Street, and 0.63 ppbv of PCE in the indoor air at 40 Alston Street. The PCE concentration detected in your home is below the threshold limit, based on DEP's policies and procedures, for determining significant risk of harm to health over a short period of time in homes.

In addition to testing the indoor air in your buildings, we collected groundwater and soil gas samples on Alston Street. Chlorinated VOCs were detected above laboratory reporting limits in the soil gas samples. Based on the results of our testing, we would like to take measures to prevent chlorinated volatile organic compounds (VOCs) from infiltrating into the indoor air of your building.

To that end, we have already received your cooperation for the following tasks:

- An engineer from GEI performed a detailed observation of your building on March 6, 2007. We collected information about the foundation, including the type and condition of the foundation. We also collected information on your building's heating and cooling system.
- GEI installed six sub-slab monitoring points at inconspicuous locations in the foundation slab. These were installed by drilling a small hole (3/4 inch diameter) through the foundation slab and inserting tubing. On March 8 we measured the pressure beneath the slab and collected a sample of the soil gas from beneath the slab for laboratory testing. A picture of what this sampling looks like is shown on the attached Figure 1.


We will continue to request your cooperation for the following additional tasks:

- Following our observations, GEI will arrange for a contractor to seal any visible cracks, seams, and utility penetrations. The purpose of the sealing is to close potential pathways from the ground through the slab into your building.
- Depending on the results of the soil gas sampling, we may install a sub-slab depressurization system similar to that depicted on the attached Figure 2. The system is the same as that commonly used to address radon in homes, and will be installed by a licensed radon contractor. A typical design includes coring one or two holes (of approximately 4-inch diameter) through the basement or foundation slab and attaching PVC piping to each. The pipes are then run overhead or along the wall, and joined to one common pipe before exiting through the wall to the exterior of the building. An inline fan is installed in the exterior pipe and the pipe is extended up the outside wall to above the roof of the building. Figure 3 shows an example of the exterior exhaust piping associated with a sub-slab depressurization system. Such systems have been installed in thousands of homes and buildings throughout New England and the country.

Thank you for your assistance. I will be contacting you shortly to discuss our plans further, and answer any questions you might have. If you have any questions in the interim please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.



Iileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04616\Final\2.0 Correspondence\2.4 Residences\February Sampling Results\32\_40 Alston Street.doc

**Table 1**  
**Chemical Testing Results - Indoor Air Samples**  
**50 Tufts Street**  
**Somerville, MA**


		Sample Location:		32 Alston Street		40 Alston Street	
		Sample Name:		045162-32 Alston-1		045162-40 Alston-1	
		Sample Date:		2/14/07		2/14/07	
		Collected By:		GEI		GEI	
		Units:		ug/m <sup>3</sup>	ppbV	ug/m <sup>3</sup>	ppbV
Analyte	Method						
Volatile Organic Compounds (VOCs)	TO-15						
Tetrachloroethylene (PCE)		7.5	1.1	4.3	0.63		
Trichloroethylene (TCE)		0.70 J	0.13 J	< 1.1	< 0.20		

**General Notes**

1. Analytes detected in at least one sample are reported here. For a complete list of analytes
2. ug/m<sup>3</sup> = micrograms per cubic meter.
3. ppbV = parts per billion by volume.
4. "<" = The analyte was not detected at a concentration above the specified laboratory

**Qualifying Notes**

- J The reported result is below the laboratory reporting limit and is estimated.



TEMPORARY SUB-SLAB  
MONITORING POINT

Fig. 1

February 2007

045160-45 djm 1/25/07




**GEI**  
Consultants

Project 04516-2

50 Tufts Street  
Somerville, Massachusetts

UniFirst Corporation  
Wilmington, Massachusetts



# Sub-Slab Depressurization



- Intercepts vapors prior to building entry
- Same as "radon" system
- Most commonly used method for radon and VOC control
- Highly effective in most settings
- Up to 99.5%+ reductions
- Reduction >90% requires higher QA/QC

<p>50 Tufts Street Somerville, Massachusetts</p>	<p><b>GEI</b> Consultants</p>	<p>SUB-SLAB DEPRESSURIZATION SYSTEM</p>
<p>UniFirst Corporation Wilmington, Massachusetts</p>	<p>Project 04516-2</p>	<p>February 2007 Fig. 2</p>





50 Tufts Street  
Somerville, Massachusetts

UniFirst Corporation  
Wilmington, Massachusetts



EXTERIOR EXHAUST PIPING  
FOR SUB-SLAB  
DEPRESSURIZATION SYSTEM

Project 04516-2

February 2007

Fig. 3

March 12, 2007  
Project 04516-2



Environmental  
Engineering and  
Water Resources  
Engineering

Mr. Philip Carey  
91/93 Franklin Street  
Somerville, MA 02143

Dear Mr. Carey:

**Re: Indoor Air Sampling  
91/93 Franklin Street  
Somerville, Massachusetts**

GEI Consultants, Inc. (GEI) conducted indoor air sampling at your home in February 2007 as part of our investigation, on behalf of the UniFirst Corporation, related to the site at 50 Tufts Street in Somerville, Massachusetts. We appreciate your cooperation while we collected indoor air samples on February 14, 2007.

We have attached a summary table of the results and the laboratory data sheets of each indoor air sample collected in your home. We have also included a "Notice of Environmental Sampling Form (BWSC-123)" required by the Massachusetts Department of Environmental Protection (DEP).

GEI's testing measured 0.52 parts per billion by volume (ppbv) of tetrachloroethylene (PCE) in your basement. PCE was not detected above laboratory reporting limits in the sample collected by GEI from the first floor. The PCE concentration detected in your home is below the threshold limit, based on DEP's policies and procedures, for determining significant risk of harm to health over a short period of time in homes.

In addition to testing the indoor air in your home, we collected groundwater and soil gas samples in the area. Chlorinated VOCs were detected above laboratory reporting limits in the groundwater and soil gas samples. Based on the results of our testing, we would like to take measures to prevent chlorinated volatile organic compounds (VOCs) from infiltrating into the indoor air of your home. To that end, we request your cooperation for the following additional tasks:


- An engineer from GEI will perform detailed observations of your basement. We will collect information about the basement, including the type and condition of the foundation. We also will collect information on your home's heating and cooling system. These observations should take approximately 2 to 3 hours.
- GEI will install two sub-slab monitoring points at inconspicuous locations in the basement. These will be installed by drilling a small hole (3/4 inch diameter) through the basement slab and inserting tubing. We will measure the pressure beneath the slab and collect a sample of the soil gas from beneath the slab for laboratory testing. A picture of what this sampling looks like is shown on the attached Figure 1.
- Following our observations, GEI will arrange for a contractor to seal any visible cracks, seams, and utility penetrations. The purpose of the sealing is to close potential pathways from the ground through the slab into your home.
- Depending on the results of the soil gas sampling, we may install a sub-slab depressurization system similar to that depicted on the attached Figure 2. The system is

the same as that commonly used to address radon in homes, and will be installed by a licensed radon contractor. A typical design includes coring one or two holes (of approximately 4-inch diameter) through the basement slab and attaching PVC piping to each. The pipes are then run overhead or along the wall, and joined to one common pipe before exiting through the wall to the exterior of the house. An inline fan is installed in the exterior pipe and the pipe is extended up the outside wall to above the eaves of the house. Figure 3 shows an example of the exterior exhaust piping associated with a sub-slab depressurization system. Such systems have been installed in thousands of homes throughout New England and the country.

Thank you for your assistance. I will be contacting you shortly to discuss our plans further, and answer any questions you might have. If you have any questions in the interim please do not hesitate to contact me at 781-721-4012.

Sincerely,

GEI CONSULTANTS, INC.



Ileen S. Gladstone, P.E., LSP  
Vice President

ISG:jah

c: Brian Keegan, UniFirst Corporation  
Peter Mills, City of Somerville  
Irene Dale, Massachusetts Department of Environmental Protection

N:\04516\Final\2.0 Correspondence\2.4 Residences\February 2007 Sampling Results\01\_93 Franklin Street.doc

**Table 1**  
**Chemical Testing Results - Indoor Air Samples**  
 50 Tufts Street  
 Somerville, MA


<b>Sample Location:</b>		93 Franklin Street, Basement		93 Franklin Street, First Floor	
<b>Sample Name:</b>		045162- 93 Franklin-B		045162- 93 Franklin-1	
<b>Sample Date:</b>		2/14/07		2/14/07	
<b>Collected By:</b>		GEI		GEI	
<b>Units:</b>		ug/m <sup>3</sup>	ppbV	ug/m <sup>3</sup>	ppbV
<b>Analyte</b>	<b>Method</b>				
Volatile Organic Compounds (VOCs) Tetrachloroethylene (PCE)	TO-15	3.5	0.52	0.95 J	0.14 J

**General Notes**

1. Analytes detected in at least one sample are reported here. For a complete list of analytes
2. ug/m<sup>3</sup> = micrograms per cubic meter.
3. ppbV = parts per billion by volume.
4. "<" = The analyte was not detected at a concentration above the specified laboratory

**Qualifying Notes**

- J The reported result is below the laboratory reporting limit and is estimated.



TEMPORARY SUB-SLAB  
MONITORING POINT

February 2007 Fig. 1




**GEI**  
Consultants

Project 04516-2


50 Tufts Street  
Somerville, Massachusetts


UniFirst Corporation  
Wilmington, Massachusetts

# Sub-Slab Depressurization System



- Intercepts vapors prior to building entry
- Same as "radon" system
- Most commonly used method for radon and VOC control
- Highly effective in most settings
- Up to 99.5%+ reductions
- Reduction >90% requires higher QA/QC

 <p><b>GEI</b> Consultants</p>	<p>50 Tufts Street Somerville, Massachusetts</p> <p>UniFirst Corporation Wilmington, Massachusetts</p>	<p>SUB-SLAB DEPRESSURIZATION SYSTEM</p>	<p>Project 04516-2      February 2007      Fig. 2</p>
---	--	---	---



50 Tufts Street  
Somerville, Massachusetts

UniFirst Corporation  
Wilmington, Massachusetts



EXTERIOR EXHAUST PIPING  
FOR SUB-SLAB  
DEPRESSURIZATION SYSTEM

Project 04516-2

February 2007

Fig. 3

**LETTER OF TRANSMITTAL**

400 Unicorn Park Drive  
Woburn, MA 01801  
Phone: (781) 721-4000 Fax: (781) 721-4073  
[www.geiconsultants.com](http://www.geiconsultants.com)

To:	Peter Mills, Environmental Program Manager	Date:	March 12, 2007
	City Hall	Project No:	04516-2
	93 Highland Avenue	Re:	50 Tufts Street
	Somerville, MA 02143		Somerville, MA

We are sending you the following enclosures:

Quantity	Date	Description
1 Set	3/12/07	Letters to Residents regarding results of February '07 Indoor Air Sampling

These are transmitted as checked below:

For Approval     For Your Use     For Review/Comment     As Requested     Other

Message:

---

---

---

---

---

---

---

---

Copy to:

Signed: Ileen Gladstone

*If enclosures are not as noted, kindly notify us at once.*