



westonandsampson.com

55 Walkers Brook Drive, Suite 100
Reading, MA 01867
tel: 978.532.1900

REPORT

March 2021

Immediate Response Action Completion

RTN 3-36304
618R Waverly Street
Framingham, MA

TABLE OF CONTENTS

	Page
TABLE OF CONTENTS	i
LIST OF FIGURES.....	ii
LIST OF TABLES.....	ii
LIST OF APPENDICES.....	ii
1.0 INTRODUCTION.....	1-1
1.1 Site Description	1-2
1.2 Oil and Hazardous Materials (OHM) Usage and Storage	1-2
1.3 Area Receptors	1-2
1.4 Release Description	1-2
1.5 Reason for the IRA.....	1-4
1.6 Person(s) Undertaking the IRA.....	1-5
1.7 Activities Completed under the IRA	1-5
1.8 Future MCP Response Actions	1-6
2.0 IRA COMPLETION.....	2-1
3.0 LIMITATIONS.....	3-1

LIST OF FIGURES

Figure 1	Locus Map
Figure 2	Sampling Plan
Figure 3	Area Receptors Map

LIST OF TABLES

Table 1	Summary of Soil Analytical Results – April 2020 Soil Borings
Table 2	Summary of Soil Analytical Results – Shallow Lead Concentrations

APPENDICES

Appendix A	Public Notification Letters
Appendix B	Laboratory Analytical Reports
Appendix C	Risk Characterization Tables
Appendix D	Photographic Log
Appendix E	IDW Disposal Documents

1.0 INTRODUCTION

Weston & Sampson Engineers, Inc. (Weston & Sampson) has prepared this Immediate Response Action (IRA) Completion Report for Release Tracking Number (RTN) 3-36304. This IRA Completion Report has been prepared on behalf of the City of Framingham, Massachusetts (the City), the current owner of Parcels 134-64-7867 (618R Waverly Street) and 134-64-9905 (no address) in Framingham, Massachusetts, and is being submitted in accordance with section 310 CMR 40.0427 of the Massachusetts Contingency Plan (MCP). The applicable Bureau of Waste Site Cleanup (BWSC) form, BWSC-105, has been submitted electronically, and copies of the public notification letters are presented in Appendix A.

As detailed in Section 1.4 of this Report, RTN 3-36304 is associated with the detection of lead in shallow soil at concentrations indicative of an Imminent Hazard (IH) in an area comprising approximately 5,900 square feet straddling Parcels 134-64-7867 and 134-64-9905 (the Site); this finding is referred to as a "release," as described by the MCP at 310 CMR 40.0950. The Massachusetts Department of Environmental Protection (MassDEP) was verbally notified of the 2-hour release condition on June 3, 2020. MassDEP subsequently issued RTN 3-36304 to the Site and approved an IRA including temporarily fencing the area around the two locations that constituted the IH condition with a 6-foot high fence, and placing warning signs on the fence. MassDEP also noted in additional comments at the end of the Release Log Form (Section H.16) that exposed soil should be covered with high-density polyethylene sheeting to prevent airborne dust; however, due to heavy vegetation (including trees, brush, and weeds/grasses) at the Site, installation of polyethylene sheeting on the ground surface to prevent airborne dust was not feasible or necessary. This was discussed with MassDEP (Allison Williams) at the time of Notification on June 3, 2020.

An IRA Plan for RTN 3-36304 was submitted to the MassDEP on July 31, 2020. Installation of approximately 320 linear feet of 6-foot-tall, temporary chain-link fencing around the two locations that constituted the IH was completed on June 15, 2020 and signs were posted in three languages (English, Spanish, and Portuguese) warning of lead in the soil as a potential hazard inside the fenced area. Based on the sampling data, the IH area is estimated to encompass approximately 5,900 square feet around two sample locations with elevated lead concentrations. Temporary fencing was installed to prevent access to the IH area until further assessment activities are completed.

On September 11, 2020, the City submitted a Release Notification Form (RNF) for the detection of metals, polycyclic aromatic hydrocarbons (PAHs), and volatile organic compounds (VOCs) in soil at concentrations above the Reporting Category S-1 (RCS-1) on all of Parcels 134-64-7867 (618R Waverly Street) and 134-64-9905 (no address). MassDEP assigned RTN 3-36463 to the 120-day reporting condition. The Disposal Site Boundary (DSB) for RTN 3-36464 includes the DSB for RTN 3-36304.

In emails dated November 19 and December 1, 2020, MassDEP confirmed to the City their position that it is appropriate to submit an IRA Completion Report for RTN 3-36304. MassDEP and the City agree that additional sampling is required to evaluate the extent of lead in shallow soil at the Site. This sampling will be completed as part of future Comprehensive Response Actions at the Site subsequent to the submittal of this IRA Completion Report. It is the intent of the City to link the two RTNs (3-36304 and 3-36463) through Tier Classification, and perform Comprehensive Response Actions for the Site under RTN 3-36463.

1.1 Site Description

The Site consists of an approximately 5,900 square foot area on two parcels: a larger parcel with Tax ID 134-64-7867 (currently known and numbered as 618R Waverly Street) and a smaller parcel with Tax ID 134-64-9905 (no address) located in Framingham, Massachusetts. The City owns both parcels, which together cover approximately 2.04 acres of vacant land comprised primarily of woodlands and wetland, with a paved area to the north and a paved area to the west.

The property at 618R Waverly Street is a vacant property owned by the City comprising approximately 1.66 acres. The adjacent approximately 0.38-acre parcel to the east is also owned by the City and identified as Parcel 134-64-9905; the Site covers a portion of each parcel. Figure 1 shows the Site and general surroundings. Figure 2 depicts the Site in more detail, and includes soil boring locations, property boundaries, and other pertinent information.

The Site is primarily woodlands, with areas of wetland abutting to the south and parking lot abutting to the north. A small path-like area that local residents may use to enter areas of Cedar Woods bisects the Site north-to-south. During response actions described below, personal belongings of a trespasser were observed outside of the IH area, indicating likely use/occupation of the property by at least one person experiencing housing insecurity.

Waverly Street and commercial businesses are located north of the Site, to the east is undeveloped land with mixed commercial and residential properties along Waverly Court, to the south are wetlands and wooded parcels owned by the City (generally referred to as "Cedar Woods"), and to the west is Mellen Street with commercial properties beyond the street to the west. There are no surface water bodies in the immediate vicinity of the Site; Farm Pond is located approximately 600 feet north of the Site and a wetland area 50-100 feet south of the Site. The Site boundary is not fenced and is accessible to the public as open space.

1.2 Oil and Hazardous Materials (OHM) Usage and Storage

Weston & Sampson has not observed any evidence of the existence, past or present, of underground storage tanks (USTs). No other current or historical OHMs storage has been identified at the Site. The source of the elevated lead levels is unknown but is likely associated with fill material and/or past uses of the property and surrounding properties.

1.3 Area Receptors

As presented in Figure 3, Area Receptors Map, the Site is not located within a Zone II or Interim Well Protection Area (IWPA) for a public water supply. The Site is also not located in a potentially productive aquifer or within a Current or Potential Drinking Water Source Area. In addition, there are no known drinking water wells within 500 feet of the Site. No portion of the Site is listed as Natural Heritage and Endangered Species Protected (NHESP) Wetlands Habitats for Rare or Endangered Species. The majority of the Site, except for the paved western portion of the Site and the eastern half of the Waverly Street – paper road parcel, is identified as an area of Protected Open Space. The closest surface water bodies to the Site are Farm Pond, which is located 600 feet north of the Site and a wetland area, which is 50 to 100 feet south of the Site.

1.4 Release Description

On April 6, 7 and 8, 2020, Weston & Sampson oversaw the advancement of 15 soil borings (SB-101 through SB-115) on the two above-mentioned City-owned parcels. The work was completed as part of a US EPA Brownfields-funded environmental assessment. The soil borings were advanced by New

England Geotech of Jamestown, Rhode Island (NE Geotech) using a mix of direct-push technology and hand tooling. Soil samples were collected from each soil boring at the 0-1 foot (ft) and 0-3 ft depths below grade. Additional samples were collected at varying depths, depending on field evidence of impacts, to a maximum depth of 14 ft below grade. Soil samples were transported via courier under chain-of-custody to Absolute Resource Associates of Portsmouth, New Hampshire (ARA). Soil analytical results are summarized in Tables 1 and 2, and ARA laboratory analytical reports are included as Appendix B.

An initial set of soil samples, including 0-3 ft samples from all locations, were analyzed by ARA for Massachusetts Compendium of Analytical Methods (CAM)-14 Metals (antimony, arsenic, barium, beryllium, cadmium, chromium (III), chromium (VI), lead, mercury, nickel, silver, thallium, vanadium, zinc), extractable petroleum hydrocarbons (EPH) with target PAHs, volatile petroleum hydrocarbons (VPH) with target VOCs, and/or VOCs by state or US EPA methods. Soil samples collected for metals analysis from the 0-1 ft depth interval were held by the laboratory pending the receipt and review of the initial dataset of soil from the 0-3 ft depth interval.

Laboratory analytical results for the initial dataset identified lead at concentrations in excess of the MCP Method 1 S-1 Cleanup Standard of 200 mg/kg in 5 of the 0-3 foot samples collected from unpaved locations (SB-105, SB-107, SB-108, SB-109 and SB-111). The Method 1 S-1 Cleanup Standard was used as a conservative action level to evaluate whether activation of the remaining shallow soil samples collected from unpaved locations was necessary. Concentrations of lead in the 0 to 3 feet sampling intervals ranged from 630 to 1,300 mg/kg. Based on these results, it was unclear if a potential IH condition was present; therefore, on May 15, 2020, Weston & Sampson instructed ARA to activate the shallow (0-1 ft) soil samples.

Eight (8), 0-1 foot samples from the locations where access to the soil is not prevented by means of a physical barrier, such as pavement (SB-102, SB-106, SB-107, SB-108, SB-109, SB-110, SB-111, and SB-112), were activated for laboratory analysis of lead. The resulting concentrations of lead in soil from the 0-1 foot interval ranged from 11 to 900 mg/kg. Two samples, SB-108 (0-1) and SB-109 (0-1), from the wooded area in approximately the center of the two parcels, had concentrations of 900 and 790 mg/kg, respectively, which were an order of magnitude greater than lead in the surrounding samples, ranging from 11 to 73 mg/kg. Due to the presence of lead in exposed surface soil (0-1 foot) at concentrations approximately an order of magnitude above the surrounding samples, SB-108 and SB-109 were considered to be a "Hot Spot," as defined by the MCP, and were further considered in an IH Evaluation as described below.

IH Evaluation

Weston & Sampson received the laboratory report and reviewed the results for the eight (8) 0-1' soil samples on June 2, 2020, and performed an Imminent Hazard Evaluation for the Site.

Potential Human Receptors

Potential human receptors at the Site include the following:

- Park Visitors - Adults and children may be exposed to impacted Site soil via incidental ingestion and dermal exposure.
- Utility Workers - Adults conducting potential repairs/maintenance activities may be exposed to impacted Site soil via incidental ingestion, dermal contact, and inhalation of fugitive dust.

- Construction - Adults conducting potential future subsurface construction activities may be exposed to impacted Site soil via incidental ingestion, dermal contact, and inhalation of fugitive dust.

MassDEP's spreadsheets (ShortForms) for assessing potential risks to human health were used to evaluate the data for the lead results. These ShortForms use various exposure scenarios to evaluate whether or not the Site conditions meet the MCP definition of a potentially significant risk to human health. Weston & Sampson discussed with the City two ShortForm scenarios for the IH evaluation at the Site, either using the "Park Visitor" exposure (younger children present at the property) or the "Trespasser" (older children and adults) exposure scenario. The City, in discussion with Weston & Sampson, recommended evaluating the potential exposure at the Site using the Park Visitor scenario since the Site is mapped as "open space;" in addition, there is a small path-like area that local residents that may use as way to access areas of Cedar Woods, evidence of persons experiencing housing insecurity at this location, and the potential for unrestricted use by nearby residents or visitors. This approach was very conservative to protect potential public health exposures, even though the Site does not currently contain any park amenities and is not considered an active park.

Exposure Point Concentrations (EPC)

For potential park visitor (the most sensitive of the receptors identified) exposures to lead in the two locations sampled at the Site, the average concentration of SB-108 and SB-109, 845 mg/kg, was used to represent potential exposures.

Risk Calculations

Local residents that may use this portion of Cedar Woods for recreation or as way to enter other areas of Cedar Woods were assumed to be exposed to the lead EPC via dermal contact and incidental ingestion of soil. Conservatively, the MassDEP Shortform (October 2012 with updates March 2015) for park visitor exposure to soil was used to evaluate local residential exposures to soil and included standard exposure assumptions. The risk characterization tables were included with the IRA Plan.

The estimated risks for the park visitor age 1 to 2 years (noncancer, imminent hazard exposure) were greater than MassDEP risk limit of 1 (2.4). Since the Imminent Hazard Limit for lead is also 1, the results of this Imminent Hazard evaluation indicated that there is a potential Imminent Hazard associated with exposure to soil represented by SB-108 and SB-109. Risk characterization tables are included in Appendix C.

1.5 Reason for the IRA

In accordance with 310 CMR 40.0412(1) through (4), an IRA is required at the Site because a release of OHM occurred which required notification to MassDEP under both the "2 hour" notification provision of the Massachusetts Contingency Plan (MCP) and because the release was assessed to pose an IH. Pursuant to MCP Section 40.0412, IRAs shall be conducted at the following sites:

- (1) Sites or vessels where a release or threat of release of oil and/or hazardous material has occurred which requires notification to the Department under the "Two-Hour" notification provisions of 310 CMR 40.0311 or 40.0312;
 - (2) Sites where a release or threat of release of oil and/or hazardous material has occurred which requires notification to the Department under the "72-Hour" notification provisions of 310 CMR 40.0313 or 40.0314;
-

- (3) Sites where a release of oil and/or hazardous material has resulted in conditions which have been determined to pose an Imminent Hazard pursuant to 310 CMR 40.0950; and
- (4) Any other site or vessel where the Department determines that immediate or accelerated response actions are necessary to prevent, eliminate, or minimize damage to health, safety, public welfare or the environment.

As described in detail above, the results of an IH Evaluation indicated that Site conditions (i.e., lead concentrations in shallow soil) did pose an IH because access to the lead-impacted Site soil was unrestricted.

In accordance with the MCP requirements for release notification, the MassDEP was initially notified of the IH condition on June 3, 2020, within 2 hours of the owner first having knowledge of the site conditions. The MassDEP subsequently assigned RTN 3-36304 to this reportable condition, and verbally approved an IRA including temporarily fencing the area around the two locations that constituted the IH condition (SB-108 and SB-109) with a 6-foot high fence and placing warning signs on the fence.

In accordance with the MCP requirements specified at 310 CMR 40.0426(2), an IH Evaluation was initiated within fourteen days of obtaining knowledge of such a condition. As previously mentioned, the risk calculations utilizing MassDEP Short Forms for park visitors confirmed that an IH condition existed at the Site.

1.6 Person(s) Undertaking the IRA

The party assuming responsibility for conducting the IRA, and the current owner of the Site is:

Dr. Yvonne M. Spicer, Mayor
City of Framingham
150 Concord Street
Framingham, Massachusetts 01702
mayor@framinghamma.gov
(508) 532-5400

1.7 Activities Completed under the IRA

Installation and Repair of Temporary Fence

On June 15, 2020, Weston & Sampson observed the installation of approximately 320 linear feet of 6-foot-tall, temporary chain-link fencing in the area around SB-108 and SB-109, as shown in Figure 2. Installation of the fence was completed by East Coast Fence of Kingston, Massachusetts (ECF) under contract with the City. The fencing was installed as a short-term risk mitigation measure to restrict access to the surficial soil represented by shallow samples collected at SB-108 and SB-109. Signs were posted in three languages (English, Spanish, Portuguese) as warning of lead in the soil as a potential hazard inside the fenced area. Photographs of the completed fencing installation and signage are included as Appendix D. Due to heavy vegetation (including trees, brush, and weeds/grasses) at the Site, it was determined that installation of polyethylene sheeting on the ground surface to prevent airborne dust was not feasible or necessary. This was discussed with MassDEP (Allison Williams) at the time of Notification on June 3, 2020.

MassDEP personnel (Allison Williams) of the ER group conducted a site visit on June 18, 2020. MassDEP identified two areas of fencing in need of repair. On June 19, 2020, Brian Smith of the Framingham Department of Public Health repaired the two holes by weaving wire through the fencing. The two damaged panels of fencing at the 618R Waverly Street IH area were then replaced on August 6, 2020.

Based on the sampling data, the IH area is estimated to encompass approximately 5,900 square feet around two sample locations with elevated lead concentrations. Temporary fencing was installed to prevent access to the IH area.

Management of Remediation Waste

Investigation Derived Waste (IDW), generated during the installation of the soil borings in April 2020, was managed as Remediation Waste due to the presence of RCS-1 exceedances as described above in section 1.4. During the course of drilling activities, approximately 0.2 cubic yards of surplus drill cuttings were placed in a labeled and secured 55-gallon steel drum and stored on-site. The IDW was generated in small volumes from each of the boring locations depicted on the attached Figure 2; as such, it is represented by the laboratory analytical results described above.

Subsequent to the April subsurface investigation, on June 15, 2020, Weston & Sampson collected one composite sample from the drummed soil (IDW-1) and submitted it to ARA for analysis of arsenic, barium, cadmium, chromium, lead, mercury, selenium, and silver by Toxicity Characteristic Leaching Procedures (TCLP) methods. Copies of the laboratory analytical reports were previously included with the IRA Plan.

On July 29, 2020, the drummed IDW was transported under a Bill of Lading by Strategic Environmental Services of Sutton, Massachusetts (SES) to Northland Environmental in Providence, Rhode Island (Northland), an appropriately permitted disposal facility in Rhode Island. This facility will temporarily store the IDW, combine it with similar material, and dispose of it at a licensed landfill, which is an appropriate disposal option based on the representative analytical data. Supporting documentation for the transportation and disposal of the IDW is included in Appendix E.

1.8 Future MCP Response Actions

Maintenance and Monitoring

City personnel continue to conduct periodic inspections of the temporary fencing installed to mitigate the IH condition at the Site. Should fencing require repair or replacement, the City will contact the fencing contractor to perform maintenance as required. The fencing will remain in place until an updated IH Evaluation indicates that an IH condition does not exist without the fence in place.

Assessment

To further evaluate the extent of lead in shallow soil in the area surrounding SB-108 and SB-109, additional soil samples will be collected as part of future Comprehensive Response Actions conducted at the Site.

Remedial Activities

The results of additional soil sampling in the area surrounding SB-108 and SB-109 will inform future remedial activities. Future remedial activities will be conducted as Comprehensive Response Actions in accordance with the MCP.

2.0 IRA COMPLETION

The MCP requirements for an IRA Completion Report, pursuant to 310 CMR 40.0427, are presented below in ***bold, italic text***, with the corresponding required information provided in normal text.

(a) a description of the release or threat of release, site conditions and surrounding receptors;

Descriptions of the Release, Site conditions, and surrounding receptors are included in Sections 1.4, 1.1-1.2, and 1.3, respectively.

(b) a description of the work completed, including work undertaken in response to any conditions of approval imposed by the Department, and any work undertaken at the site that was not included in the scope of the Immediate Response Action Plan, where submitted;

A description of the work completed under the IRA is included in Section 1.7.

(c) all investigatory and monitoring data obtained during the implementation of the Immediate Response Action;

No investigatory or monitoring data was collected during implementation of the IRA. Investigatory data collected prior to the implementation of the IRA is summarized in Section 1.4.

(d) a succinct statement of the findings and conclusions of the Immediate Response Action;

Based on the results of the 2020 subsurface investigation noted in Section 1.4 above and described in more detail in Sections 3 and 4, Weston & Sampson performed an IH Evaluation for a lead "Hot Spot" in shallow soil at the Site. The results of the IH Evaluation indicated an IH condition was present at the Site. The City of Framingham notified MassDEP of the IH condition on June 3, 2020 within two hours of obtaining knowledge of the IH, and RTN 3-36304 was assigned to the Release.

Activity conducted under IRA, verbally approved by MassDEP at the time of notification and further documented in the July 2020 IRA Plan, have included the installation of approximately 320 linear feet of 6-foot tall chain-link fencing around the affected area and appropriate signage. As a result of the IRA activities conducted under RTN 3-36304, the IH condition was eliminated. The chain-link fence will remain in place until an updated IH Evaluation indicates that an IH condition does not exist without the fence in place.

(e) details and documentation on the management of any Remediation Waste, Remedial Wastewater and/or Remedial Additives managed at the site as part of the Immediate Response Action;

A summary of the management and off-site disposal of Remediation Waste is included in Section 1.7. Shipping documents are provided in Appendix E.

(f) a description of any ongoing activities related to the Immediate Response Action that will be conducted at the site, including monitoring activities, security measures and the maintenance of fences, caps and other passive systems; and

A summary of future activities at the Site related to the IRA, including the maintenance of installed fencing, is included in Section 1.8.

(g) a description of any ongoing activities related to the Immediate Response Action that will be conducted at the site as part of Comprehensive Response Actions

A summary of future activities at the Site related to the IRA, including additional sampling and potential remedial activities conducted as part of Comprehensive Response Actions, is included in Section 1.8.

3.0 LIMITATIONS

This report was prepared for the use by the City of Framingham exclusively. The findings provided by Weston & Sampson in this report are based solely on the information reported in this document and previous documents prepared for the Site. Future investigations, and/or information that was not available to Weston & Sampson at the time of the investigation, may result in a modification of the findings stated in this report.

Additional information that becomes available concerning this Site or neighboring properties, which could directly impact the Site in the future, should be made available to Weston & Sampson for review so that, if necessary, conclusions presented in this report may be modified. The conclusions of this report are based on Site conditions observed by Weston & Sampson personnel at the time of the investigation, information provided by the City of Framingham, and samples collected and analyzed on the dates shown or stated in this report. This report has been prepared in accordance with generally accepted engineering and geological practices. No other warranty, express or implied, is made.

\wse03.local\WSE\Projects\MA\Framingham MA\Brownfields Contract 2018\Cedar Woods\IRA\IRA Completion Report\RTN 3-0036304 IRA Completion.docx
JRS/FMR

FIGURES






FIGURE 1
618R WAVERLY STREET
FRAMINGHAM, MASSACHUSETTS

LOCUS MAP

0 2,000 4,000 Feet





Data Source: Office of Geographic and Environmental Information (MassGIS), Commonwealth of Massachusetts Executive Office of Environmental Affairs

NOTE: Radii shown are approximately 500 feet and 1/2 mile from Site boundary.




FIGURE 3

AREA RECEPTORS MAP
618R WAVERLY STREET
CITY OF FRAMINGHAM, MASSACHUSETTS

TABLES

Table 1
Summary of Soil Analytical Results - April 2020 Soil Borings
618R Waverly Street
Framingham, Massachusetts

Parameter	Units	Reportable Concentrations	Method 1 Cleanup Standards (1)			Sample Location, Depth, and Date										
			RCS-1		S-1/GW-2	S-1/GW-3	SB-101		SB-102		SB-103			SB-104		SB-105
					0-3 feet 4/6/2020	9-12 feet 4/6/2020	0-3 feet 4/6/2020	11-14 feet 4/6/2020	0-3 feet 4/6/2020	3-5 feet 4/6/2020	7-10 feet 4/6/2020	0-3 Feet 4/7/2020	8-10 Feet 4/7/2020	0-3 feet 4/6/2020	5-8 feet 4/6/2020	
			RCS-1													
EPH																
C9-C18 Aliphatics	mg/kg	1000	1000	1000	<21	<25	<20	<46	NT	NT	NT	<20	<22	<24	<22	
C19-C36 Aliphatics	mg/kg	3000	3000	3000	35	82	130	80	NT	NT	NT	34	100	280	23	
C11-C22 Aromatics	mg/kg	1000	1000	1000	<21	41	50	<46	NT	NT	NT	25	<22	130	<22	
Target PAHS																
Acenaphthene	mg/kg	4	1000	1000	<0.21	<0.25	<0.20	<0.46	NT	NT	NT	<0.20	<0.22	<0.24	<0.22	
Acenaphthylene	mg/kg	1	600	10	<0.21	<0.25	<0.20	<0.46	NT	NT	NT	<0.20	<0.22	<0.24	<0.22	
Anthracene	mg/kg	1000	1000	1000	<0.21	0.40	<0.20	<0.46	NT	NT	NT	<0.20	<0.22	<0.24	<0.22	
Benz(a)Anthracene	mg/kg	7	7	7	<0.21	0.98	<0.20	<0.46	NT	NT	NT	0.40	<0.22	1.5	<0.22	
Benz(a)Pyrene	mg/kg	2	2	2	<0.21	0.89	<0.20	<0.46	NT	NT	NT	0.44	<0.22	1.4	<0.22	
Benz(b)Fluoranthene	mg/kg	7	7	7	<0.21	0.88	<0.20	<0.46	NT	NT	NT	0.46	<0.22	1.6	<0.22	
Benz(G,H,I)Perylene	mg/kg	1000	1000	1000	<0.21	0.72	<0.20	<0.46	NT	NT	NT	0.35	<0.22	1.2	<0.22	
Benz(K)Fluoranthene	mg/kg	70	70	70	<0.21	0.71	<0.20	<0.46	NT	NT	NT	0.44	<0.22	1.2	<0.22	
Chrysene	mg/kg	70	70	70	<0.21	1.0	<0.20	<0.46	NT	NT	NT	0.56	<0.22	1.9	<0.22	
Dibenz(A,H)Anthracene	mg/kg	0.7	1	1	<0.21	<0.25	<0.20	<0.46	NT	NT	NT	<0.20	<0.22	0.38	<0.22	
Fluoranthene	mg/kg	1000	1000	1000	0.22	2.1	<0.20	0.48	NT	NT	NT	0.80	<0.22	3.2	<0.22	
Fluorene	mg/kg	1000	1000	1000	<0.21	<0.25	<0.20	<0.46	NT	NT	NT	<0.20	<0.22	<0.24	<0.22	
Indeno(1,2,3-Cd)Pyrene	mg/kg	7	7	7	<0.21	0.63	<0.20	<0.46	NT	NT	NT	0.30	<0.22	1.1	<0.22	
2-Methylnaphthalene	mg/kg	0.7	80	300	<0.21	<0.25	<0.20	<0.46	NT	NT	NT	<0.20	<0.22	<0.24	<0.22	
Naphthalene	mg/kg	4	20	500	<0.21	<0.25	<0.20	<0.46	NT	NT	NT	<0.20	<0.22	<0.24	<0.22	
Phenanthrene	mg/kg	10	500	500	<0.21	2.1	<0.20	<0.46	NT	NT	NT	0.39	<0.22	1.5	<0.22	
Pyrene	mg/kg	1000	1000	1000	0.24	2.3	<0.20	0.56	NT	NT	NT	0.85	<0.22	2.9	<0.22	
VPH																
C5-C8 Aliphatics	mg/kg	100	100	100	NT	<6.3	NT	<16	NT	NT	NT	<5.8	NT	<4.9	NT	<4.3
C9-C12 Aliphatics	mg/kg	1000	1000	1000	NT	<6.3	NT	<16	NT	NT	NT	<5.8	NT	<4.9	NT	<4.3
C9-C10 Aromatics	mg/kg	100	100	100	NT	<6.3	NT	<16	NT	NT	NT	<5.8	NT	<4.9	NT	<4.3
Target VOCs																
Benzene	mg/kg	2	40	40	NT	<0.13	NT	<0.31	NT	NT	NT	<0.12	NT	<0.097	NT	<0.087
Ethylbenzene	mg/kg	40	500	500	NT	<0.13	NT	<0.31	NT	NT	NT	<0.12	NT	<0.097	NT	<0.087
Methyl tert-Butyl Ether (MTBE)	mg/kg	0.1	100	100	NT	<0.13	NT	<0.31	NT	NT	NT	<0.12	NT	<0.097	NT	<0.087
Naphthalene	mg/kg	4	20	500	NT	<0.31	NT	<0.78	NT	NT	NT	<0.29	NT	<0.24	NT	<0.22
Toluene	mg/kg	30	500	500	NT	<0.13	NT	<0.31	NT	NT	NT	<0.12	NT	<0.097	NT	<0.087
m+p Xylene	mg/kg	100	100	500	NT	<0.13	NT	<0.31	NT	NT	NT	<0.12	NT	<0.097	NT	<0.087
o-Xylene	mg/kg	100	100	500	NT	<0.13	NT	<.31	NT	NT	NT	<0.12	NT	<0.097	NT	<0.087
Metals																
Antimony	mg/kg	20	20	20	<0.52	2.7	<0.54	<1.1	<0.51	3.7	<0.60	<0.54	<0.57	4.7	<0.55	
Arsenic	mg/kg	20	20	20	3.3	28	3.3	10	3.5	13	3.3	<2.7	3.1	7.3	3.0	
Barium	mg/kg	1000	1000	1000	18	140	27	56	25	250	36	17	27	310	23	
Beryllium	mg/kg	90	90	90	<0.52	<0.68	<0.54	<1.1	<0.51	<0.62	<0.60	<0.54	<0.57	<0.60	<0.55	
Cadmium	mg/kg	70	70	70	<0.52	1.3	<0.54	<1.1	<0.51	4.9	<0.60	<0.54	<0.57	2.0	<0.55	
Chromium (III)	mg/kg	1000	1000	1000	NT	51	NT	41	NT	9.4	NT	16	18	NT		
Chromium (VI)	mg/kg	100	100	100	7.3	3.8	17	<1.00	6.9	<0.49	18	<5.4	<0.47	0.48	11	
Lead	mg/kg	200	200	200	8.7	230	16	190	22	710	8.4	16	5.5	650	5.0	
Mercury	mg/kg	20	20	20	<0.15	0.58	<0.13	<0.31	<0.15	0.58	<0.17	<0.15	<0.16	2.9	<0.15	
Nickel	mg/kg	600	600	600	7.4	14	23	64	6.3	12	13	5.4	17	18	14	
Selenium	mg/kg	400	400	400	<5.2	<6.8	<5.4	<11	<5.1	<6.2	<6.0	<5.4	<5.7	<6.0	<5.5	
Silver	mg/kg	100	100	100	<2.6	<3.4	<2.7	<5.6	<2.5							

Table 1
Summary of Soil Analytical Results - April 2020 Soil Borings
618R Waverly Street
Framingham, Massachusetts

Parameter	Units	Reportable Concentrations	Method 1 Cleanup Standards (1)			Sample Location, Depth, and Date											
			RCS-1	S-1/GW-2	S-1/GW-3	SB-106			SB-107		SB-108		SB-109			SB-110	
						0-3 feet	3-4 feet	5-8 feet	0-3 Feet	10-11 Feet	0-3 Feet	6-9 Feet	0-3 Feet	5-8 Feet	DUP-1	0-3 Feet	5-8 Feet
						4/6/2020	4/6/2020	4/6/2020	4/7/2020	4/7/2020	4/7/2020	4/7/2020	4/7/2020	4/7/2020	4/7/2020	4/7/2020	4/7/2020
EPH																	
C9-C18 Aliphatics	mg/kg	1000	1000	1000	<21	NT	<240	<23	34	<26	92	<28	<78	<83	<22	<22	<110
C19-C36 Aliphatics	mg/kg	3000	3000	3000	91	NT	570	36	410	39	1900	42	290	390	68	140	
C11-C22 Aromatics	mg/kg	1000	1000	1000	44	NT	290	<23	76	<0.26	350	<28	100	300	53		<110
Target PAHS																	
Acenaphthene	mg/kg	4	1000	1000	<0.21	NT	<0.47	<0.23	<0.23	<0.26	<0.24	<0.28	<0.78	<0.83	<0.22	<0.22	<1.1
Acenaphthylene	mg/kg	1	600	10	<0.21	NT	<0.47	<0.23	<0.23	<0.26	<0.24	<0.28	<0.78	<0.83	<0.22	<0.22	<1.1
Anthracene	mg/kg	1000	1000	1000	<0.21	NT	<0.47	<0.23	<0.23	<0.26	0.46	<0.28	<0.78	0.92	<0.22	<1.1	
Benzo(A)Anthracene	mg/kg	7	7	7	0.42	NT	<0.47	<0.23	<0.23	<0.26	0.79	<0.28	0.78	4	0.59		<1.1
Benzo(A)Pyrene	mg/kg	2	2	2	0.40	NT	<0.47	<0.23	<0.23	<0.26	0.70	<0.28	0.91	4.4	0.63		<1.1
Benzo(B)Fluoranthene	mg/kg	7	7	7	0.35	NT	<0.47	<0.23	<0.23	<0.26	0.64	<0.28	0.89	4.4	0.57		<1.1
Benzo(G,H,I)Perylene	mg/kg	1000	1000	1000	0.46	NT	<0.47	<0.23	<0.23	<0.26	0.51	<0.28	<0.78	3.2	0.42		<1.1
Benzo(K)Fluoranthene	mg/kg	70	70	70	0.39	NT	<0.47	<0.23	<0.23	<0.26	0.57	<0.28	<0.78	3.7	0.53		<1.1
Chrysene	mg/kg	70	70	70	0.52	NT	<0.47	<0.23	<0.23	<0.26	0.87	<0.28	0.96	5.3	0.74		<1.1
Dibenz(A,H)Anthracene	mg/kg	0.7	1	1	<0.21	NT	<0.47	<0.23	<0.23	<0.26	<0.24	<0.28	<0.78	<0.83	<0.22	<0.22	<1.1
Fluoranthene	mg/kg	1000	1000	1000	0.81	NT	<0.47	0.25	<0.23	<0.26	1.9	<0.28	1.5	9.2	1.3		<1.1
Fluorene	mg/kg	1000	1000	1000	<0.21	NT	<0.47	<0.23	<0.23	<0.26	0.37	<0.28	<0.78	<0.83	<0.22	<0.22	<1.1
Indeno(1,2,3-Cd)Pyrene	mg/kg	7	7	7	0.36	NT	<0.47	<0.23	<0.23	<0.26	0.36	<0.28	<0.78	2.9	0.36		<1.1
2-Methylphthalene	mg/kg	0.7	80	300	<0.21	NT	<0.47	<0.23	<0.23	<0.26	0.57	<0.28	<0.78	<0.83	<0.22	<0.22	<1.1
Naphthalene	mg/kg	4	20	500	<0.21	NT	<0.47	<0.23	<0.23	<0.26	0.50	<0.28	<0.78	0.86	<0.22	<0.22	<1.1
Phenanthrene	mg/kg	10	500	500	0.44	NT	<0.47	<0.23	<0.23	<0.26	2.1	<0.28	0.80	5.7	1.1		<1.1
Pyrene	mg/kg	1000	1000	1000	0.88	NT	<0.47	<0.23	<0.23	<0.26	2.1	<0.28	1.7	9	1.4		<1.1
VPH																	
C5-C8 Aliphatics	mg/kg	100	100	100	NT	NT	<5.5	7.6	26	NT	30	NT	<29	<29	NT		<42
C9-C12 Aliphatics	mg/kg	1000	1000	1000	NT	NT	<5.5	<5.4	22	NT	24	NT	<29	<29	NT		<42
C9-C10 Aromatics	mg/kg	100	100	100	NT	NT	<5.5	<5.4	39	NT	67	NT	<29	<29	NT		<42
Target VOCs																	
Benzene	mg/kg	2	40	40	NT	NT	<0.11	<0.11	<0.094	NT	0.30	NT	<0.59	<0.59	NT		<0.83
Ethylbenzene	mg/kg	40	500	500	NT	NT	<0.11	<0.11	0.48	NT	0.49	NT	<0.59	<0.59	NT		<0.83
Methyl tert-Butyl Ether (MTBE)	mg/kg	0.1	100	100	NT	NT	<0.11	<0.11	<0.094	NT	<0.60	NT	<0.59	<0.59	NT		<0.83
Naphthalene	mg/kg	4	20	500	NT	NT	<0.28	<0.27	1.3	NT	1.9	NT	<1.5	<1.5	NT		<2.1
Toluene	mg/kg	30	500	500	NT	NT	<0.11	<0.11	<0.094	NT	0.42	NT	<0.59	<0.59	NT		<0.83
m+p Xylene	mg/kg	100	100	500	NT	NT	<0.11	<0.11	1.6	NT	2.7	NT	<0.59	<0.59	NT		<0.83
o-Xylene	mg/kg	100	100	500	NT	NT	<0.11	<0.094	NT	NT	0.45	NT	<0.59	<0.59	NT		<0.83
Metals																	
Antimony	mg/kg	20	20	20	0.9	NT	0.78	55	5.9	51	10	64	3.5	2.1	NT	<0.51	3.5
Arsenic	mg/kg	20	20	20	4	NT	3.2	8.0	3.5	8.1	7.1	23	15	20	2.9	<14	
Barium	mg/kg	1000	1000	1000	200	NT	32	280	48	430	470	300	78	86	41	160	
Beryllium	mg/kg	90	90	90	<0.56	NT	<0.59	<0.63	<0.49	<0.65	<0.60	<0.67	<2.0	<2.0	<0.51		<2.8
Cadmium	mg/kg	70	70	70	<0.56	NT	<0.59	4.4	2.0	5.8	11	3.6	<2.0	<2.0	<0.51		<2.8
Chromium (III)	mg/kg	1000	1000	1000	NT	NT	33	NT	NT	25	NT	<20	NT	NT			<28
Chromium (VI)	mg/kg	100	100	100	16	0.50	23	<0.51	19	70	<0.48	64	<1.6	<20	10		<2.2
Lead	mg/kg	200	200	200	120	NT	150	1200	300	120							

Table 1
Summary of Soil Analytical Results - April 2020 Soil Borings
618R Waverly Street
Framingham, Massachusetts

Parameter	Units	Reportable Concentrations	Method 1 Cleanup Standards (1)			Sample Location, Depth, and Date												
			RCS-1	S-1/GW-2	S-1/GW-3	SB-111			SB-112			SB-113			SB-114		SB-115	
						0-1 feet 4/8/2020	0-3 feet 4/8/2020	4-7 feet 4/8/2020	0-3 Feet 4/7/2020	5-8 Feet 4/7/2020	0-3 feet 4/8/2020	5-8 feet 4/8/2020	DUP-2 4/8/2020	0-3 feet 4/8/2020	5-8 feet 4/8/2020	0-3 feet 4/8/2020	5-8 feet 4/8/2020	
EPH																		
C9-C18 Aliphatics	mg/kg	1000	1000	1000	<20	<19	<97	<21	<38	<97	<19	<20	<19	<19	<19	<20		
C19-C36 Aliphatics	mg/kg	3000	3000	3000	85	40	340	50	190	450	<19	<20	40	55	<19	57		
C11-C22 Aromatics	mg/kg	1000	1000	1000	62	<19	200	22	140	97	<19	<20	220	33	<19	75		
Target PAHS																		
Acenaphthene	mg/kg	4	1000	1000	<0.20	<0.19	0.24	<0.21	<0.38	<0.19	<0.19	<0.20	<0.19	<0.19	<0.19	<0.20		
Acenaphthylene	mg/kg	1	600	10	<0.20	<0.19	<0.19	<0.21	<0.38	<0.19	<0.19	<0.20	0.77	<0.19	<0.19	<0.20		
Anthracene	mg/kg	1000	1000	1000	<0.20	<0.19	1.3	<0.21	0.84	<0.19	<0.19	<0.20	0.61	<0.19	<0.19	0.33		
Benz(a)Anthracene	mg/kg	7	7	7	1.5	<0.19	4.1	0.39	3	<0.19	<0.19	<0.20	4.9	0.33	<0.19	1.6		
Benz(a)Pyrene	mg/kg	2	2	2	2	<0.19	4.1	0.4	3	<0.19	<0.19	<0.20	4.4	0.37	<0.19	1.7		
Benz(b)Fluoranthene	mg/kg	7	7	7	2.3	<0.19	3.9	0.37	2.8	<0.19	<0.19	<0.20	3.6	0.29	<0.19	1.8		
Benz(G,H,I)Perylene	mg/kg	1000	1000	1000	2	<0.19	3	0.25	2	<0.19	<0.19	<0.20	3.4	0.34	<0.19	1.5		
Benz(k)Fluoranthene	mg/kg	70	70	70	1.7	<0.19	3.4	0.38	2.7	<0.19	<0.19	<0.20	3.4	0.31	<0.19	1.4		
Chrysene	mg/kg	70	70	70	1.8	<0.19	4.4	0.42	3.6	<0.19	<0.19	<0.20	5.7	0.38	<0.19	1.9		
Dibenz(A,H)Anthracene	mg/kg	0.7	1	1	0.51	<0.19	0.95	<0.21	0.62	<0.19	<0.19	<0.20	0.78	<0.19	<0.19	0.38		
Fluoranthene	mg/kg	1000	1000	1000	2.2	<0.19	8.5	0.8	6.8	<0.19	<0.19	<0.20	9.3	0.77	<0.19	3.3		
Fluorene	mg/kg	1000	1000	1000	<0.20	<0.19	0.43	<0.21	0.43	<0.19	<0.19	<0.20	<0.19	<0.19	<0.19	0.2		
Indeno(1,2,3-Cd)Pyrene	mg/kg	7	7	7	1.7	<0.19	2.7	0.21	1.7	<0.19	<0.19	<0.20	2.7	0.25	<0.19	1.2		
2-Methylnaphthalene	mg/kg	0.7	80	300	<0.20	<0.19	0.22	<0.21	<0.38	<0.19	<0.19	<0.20	<0.19	<0.19	<0.19	<0.20		
Naphthalene	mg/kg	4	20	500	<0.20	<0.19	0.35	<0.21	<0.38	<0.19	<0.19	<0.20	<0.19	<0.19	<0.19	0.26		
Phenanthrene	mg/kg	10	500	500	0.57	<0.19	5.1	0.41	4.7	<0.19	<0.19	<0.20	4.1	0.54	<0.19	2.2		
Pyrene	mg/kg	1000	1000	1000	1.9	<0.19	6.7	0.73	5.8	<0.19	<0.19	<0.20	11	0.69	<0.19	3.5		
VPH																		
C5-C8 Aliphatics	mg/kg	100	100	100	NT	NT	<5.4	NT	<10	NT	<4.5	<4.5	<3.9	NT	NT	<7.3		
C9-C12 Aliphatics	mg/kg	1000	1000	1000	NT	NT	<5.4	NT	<10	NT	<4.5	<4.5	<3.9	NT	NT	<7.3		
C9-C10 Aromatics	mg/kg	100	100	100	NT	NT	<5.4	NT	<10	NT	<4.5	<4.5	<3.9	NT	NT	<7.3		
Target VOCs																		
Benzene	mg/kg	2	40	40	NT	NT	<0.11	NT	<0.21	NT	<0.090	<0.090	<0.078	NT	NT	<0.15		
Ethylbenzene	mg/kg	40	500	500	NT	NT	<0.11	NT	<0.21	NT	<0.090	<0.090	<0.078	NT	NT	<0.15		
Methyl tert-Butyl Ether (MTBE)	mg/kg	0.1	100	100	NT	NT	<0.11	NT	<0.21	NT	<0.090	<0.090	<0.078	NT	NT	<0.15		
Naphthalene	mg/kg	4	20	500	NT	NT	0.3	NT	<0.52	NT	<0.23	<0.23	<0.20	NT	NT	<0.37		
Toluene	mg/kg	30	500	500	NT	NT	<0.11	NT	<0.21	NT	<0.090	<0.090	<0.078	NT	NT	<0.15		
m+p Xylene	mg/kg	100	100	500	NT	NT	<0.11	NT	<0.21	NT	<0.090	<0.090	<0.078	NT	NT	<0.15		
o-Xylene	mg/kg	100	100	500	NT	NT	<0.11	NT	<0.21	NT	<0.090	<0.090	<0.078	NT	NT	<0.15		
Metals																		
Antimony	mg/kg	20	20	20	0.45	29	4.6	NT	4.2	0.56	<0.42	<0.44	<0.48	0.66	<0.40	1.7		
Arsenic	mg/kg	20	20	20	<1.7	12	8.2	5.0	16	3.7	2.1	<2.2	<2.4	<15	2.6	8.3		
Barium	mg/kg	1000	1000	1000	51	260	80	38	130	48	26	26	17	210	30	94		
Beryllium	mg/kg	90	90	90	<0.34	<0.48	0.44	<0.50	<0.95	0.69	<0.42	<0.44	<0.48	<0.59	0.56	<0.64		
Cadmium	mg/kg	70	70	70	<0.34	3.8	0.7	<0.50	1.1	0.56	<0.42	<0.44	<0.48	<0.59	<0.40	<0.64		
Chromium (III)	mg/kg	1000	1000	1000	NT	NT	13	NT	21	NT	5.7	NT	NT	<29	NT	15		
Chromium (VI)	mg/kg	100	100	100	12	43	2	18	1.3	15	<0.40	6.3	<4.8	<0.59	8	<0.59		
Lead	mg/kg	200	200	200	21	630	460	66	470	36	3.2	3.4	21	270	14	330		
Mercury	mg/kg	20	20	20	<0.14	0.26	<0.16	<0.15	0.80	&								

Table 2
Summary of Soil Analytical Results - Shallow Lead Concentrations
618R Waverly Street
Framingham, Massachusetts

Parameters	Units	MCP - Method 1 Cleanup Standards ¹ S-1/GW-3	Sample Location, Date, and Depth							
			SB-102	SB-106	SB-107	SB-108	SB-109	SB-110	SB-111	SB-112
			4/6/2020 0-1 feet	4/6/2020 0-1 feet	4/7/2020 0-1 feet	4/7/2020 0-1 feet	4/7/2020 0-1 feet	4/7/2020 0-1 feet	4/8/2020 0-1 feet	4/7/2020 0-1 feet
Metals LEAD	mg/Kg	200	73	68	67	900	790	11	21	25

QC by JRS 7/24/2020

Abbreviations:

MCP = Massachusetts Contingency Plan

mg/kg = milligram per kilogram

Notes:

< = indicates parameter not detected above laboratory method reporting limit, shown

1 = Standards are from Massachusetts Contingency Plan (MCP), 310 CMR 40, April 2014.

BOLD Parameter detected above laboratory detection limit

BOLD Parameter exceeds the MCP Method 1, S-1/GW-3 Cleanup Standard

APPENDIX A

Public Notification Letters

March 11, 2021

Mr. Sam Wong
Director, Framingham Health Dept.
Framingham City Hall
150 Concord Street
Framingham, Massachusetts 01702

Re: **Immediate Response Action (IRA) Completion Report**
618R Waverly Street, Framingham, MA (Parcel IDs 134-64-7867 and 134-64-9905)
Release Tracking Number (RTN) 3-36304

Dear Mr. Wong:

Weston & Sampson is hereby notifying your office that an Immediate Response Action (IRA) Completion Report has been submitted to the Massachusetts Department of Environmental Protection (MassDEP) for the above-referenced Release Tracking Number (RTN). The RTN is located on two parcels of land, owned by the City, identified on the Framingham Assessor's maps as Parcel IDs 134-64-7867 and 134-64-9905 (Site). Implementation of an IRA, as outlined in 310 CMR 40.0410, was necessary at the Site to mitigate an Imminent Hazard (IH) due to elevated lead concentrations in shallow soil.

The IRA activities completed at the Site included the installation of temporary chain-link fence, which mitigated the IH condition, and will remain in-place until Comprehensive Response Actions are undertaken. Future response actions will likely include the collection and analysis of shallow soil samples and the excavation of shallow lead-impacted soil.

This notification is provided in accordance with the public involvement requirements of the MCP at 310 CMR 40.1403(3)(c). The IRA Completion Report is available for public review online at the MassDEP's website (<https://eeaonline.eea.state.ma.us/portal#!/wastesite/3-0036304>).

If you have any questions or concerns regarding this notice, please do not hesitate to contact the undersigned at (978) 532-1900.

Sincerely,

WESTON & SAMPSON ENGINEERS, INC.



Frank Ricciardi, PE, LSP
Vice President

Cc: Mayor Yvonne M. Spicer, City of Framingham
MassDEP, Bureau of Waste Site Cleanup

March 11, 2021

Honorable Mayor Yvonne M. Spicer
Framingham City Hall
150 Concord Street
Framingham, Massachusetts 01702

Re: **Immediate Response Action (IRA) Completion Report**
618R Waverly Street, Framingham, MA (Parcel IDs 134-64-7867 and 134-64-9905)
Release Tracking Number (RTN) 3-36304

Dear Mayor Spicer:

Weston & Sampson is hereby notifying your office that an Immediate Response Action (IRA) Completion Report has been submitted to the Massachusetts Department of Environmental Protection (MassDEP) for the above-referenced Release Tracking Number (RTN). The RTN is located on two parcels of land, owned by the City, identified on the Framingham Assessor's maps as Parcel IDs 134-64-7867 and 134-64-9905 (Site). Implementation of an IRA, as outlined in 310 CMR 40.0410, was necessary at the Site to mitigate an Imminent Hazard (IH) due to elevated lead concentrations in shallow soil.

The IRA activities completed at the Site included the installation of temporary chain-link fence, which mitigated the IH condition, and will remain in-place until Comprehensive Response Actions are undertaken. Future response actions will likely include the collection and analysis of shallow soil samples and the excavation of shallow lead-impacted soil.

This notification is provided in accordance with the public involvement requirements of the MCP at 310 CMR 40.1403(3)(c). The IRA Completion Report is available for public review online at the MassDEP's website (<https://eeaonline.eea.state.ma.us/portal#!/wastesite/3-0036304>).

If you have any questions or concerns regarding this notice, please do not hesitate to contact the undersigned at (978) 532-1900.

Sincerely,

WESTON & SAMPSON ENGINEERS, INC.



Frank Ricciardi, PE, LSP
Vice President

Cc: Mr. Sam Wong, Director, Framingham Health Dept.
MassDEP, Bureau of Waste Site Cleanup

APPENDIX B
Laboratory Analytical Reports

Laboratory Report



Absolute Resource associates

124 Heritage Avenue Portsmouth NH 03801

Jill Murphy

Weston & Sampson

55 Walkers Brook Drive

Reading, MA 01867

PO Number: Framingham Brownfields

Job ID: 52498

Date Received: 4/6/20

Project: Cedar Woods 2180311

Attached please find results for the analysis of the samples received on the date referenced above.

Unless otherwise noted in the attached report, the analyses performed met the requirements of Absolute Resource Associates' Quality Assurance Plan. The Standard Operating Procedures are based upon USEPA SW-846, USEPA Methods for Chemical Analysis of Water and Wastewater, Standard Methods for the Examination of Water and Wastewater and other recognized methodologies. The results contained in this report pertain only to the samples as indicated on the chain of custody.

Absolute Resource Associates maintains certification with the agencies listed below. The reported results apply to the sample(s) in the condition as received at the time the laboratory took custody. This report shall not be reproduced except in full and with approval from the laboratory. The liability of ARA is limited to the cost of the requested analyses, unless otherwise agreed upon in writing.

We appreciate the opportunity to provide laboratory services. If you have any questions regarding the enclosed report, please contact the laboratory and we will be glad to assist you.

Sincerely,
Absolute Resource Associates

A handwritten signature in black ink that appears to read "Aaron DeWees".

Aaron DeWees
Chief Operating Officer

Date of Approval: 5/4/2020
Total number of pages: 48

Absolute Resource Associates Certifications

New Hampshire 1732
Maine NH902

Massachusetts M-NH902

Sample Association Table

Field ID	Matrix	Date-Time Sampled	Lab#	Analysis
SB-106 (0-3')	Solid	4/6/2020 9:40	52498-002	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 Zinc in solids by 6020
SB-106 (5-8')	Solid	4/6/2020 10:00	52498-003	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 VPH in solids by MA DEP Method Zinc in solids by 6020
SB-106 (3-4')	Solid	4/6/2020 9:50	52498-004	Hexavalent Chromium in solids by SW3060A7196A ORP in solids by ASTM-1498-08 pH in solids by SW9045C

Sample Association Table

Field ID	Matrix	Date-Time Sampled	Lab#	Analysis
SB-105 (0-3')	Solid	4/6/2020 10:40	52498-005	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Hexavalent Chromium in solids by SW3060A7196A Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 ORP in solids by ASTM-1498-08 pH in solids by SW9045C Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 Zinc in solids by 6020
SB-105 (5-8')	Solid	4/6/2020 11:00	52498-006	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 VPH in solids by MA DEP Method Zinc in solids by 6020

Sample Association Table

Field ID	Matrix	Date-Time Sampled	Lab#	Analysis
SB-102 (0-3')	Solid	4/6/2020 11:45	52498-007	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 Zinc in solids by 6020
SB-102 (11-14')	Solid	4/6/2020 11:40	52498-009	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Hexavalent Chromium in solids by SW3060A7196A Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 ORP in solids by ASTM-1498-08 pH in solids by SW9045C Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 VPH in solids by MA DEP Method Zinc in solids by 6020

Sample Association Table

Field ID	Matrix	Date-Time Sampled	Lab#	Analysis
SB-101 (0-3')	Solid	4/6/2020 12:55	52498-010	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 Zinc in solids by 6020
SB-101 (9-12')	Solid	4/6/2020 13:05	52498-011	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Hexavalent Chromium in solids by SW3060A7196A Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 ORP in solids by ASTM-1498-08 pH in solids by SW9045C Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 VPH in solids by MA DEP Method Zinc in solids by 6020

Sample Association Table

Field ID	Matrix	Date-Time Sampled	Lab#	Analysis
SB-103 (0-3')	Solid	4/6/2020 12:20	52498-012	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 Zinc in solids by 6020
SB-103 (3-5')	Solid	4/6/2020 12:20	52498-013	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals Hexavalent Chromium in solids by SW3060A7196A Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 ORP in solids by ASTM-1498-08 pH in solids by SW9045C Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 Zinc in solids by 6020

Sample Association Table

Field ID	Matrix	Date-Time Sampled	Lab#	Analysis
SB-103 (7-10')	Solid	4/6/2020 12:25	52498-014	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 VPH in solids by MA DEP Method Zinc in solids by 6020
Trip Blank	Solid	4/6/2020 0:00	52498-015	VPH in solids by MA DEP Method
SB-106 (5-8')REX	Solid	4/6/2020 10:00	52498-016	EPH in solids by MADEP Method

Project ID: Cedar Woods 2180311

Job ID: 52498

Sample#: 52498-003

Sample ID: SB-106 (5-8')

Matrix: Solid Percent Dry: 81.1% Results expressed on a dry weight basis.

Samples prepared in methanol at a ratio of 0.7 mL MeOH/g soil.

Received on ice at 0°C, in satisfactory condition.

Sampled:	4/6/20	10:00	Reporting				Instr Dil'n	Prep	Analysis			
Parameter			Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
Unadjusted C5-C8 Aliphatics			< 5.5	5.5	ug/g	1	LMM	4/8/20	12628	4/9/20	12:49	MA VPH
Unadjusted C9-C12 Aliphatics			< 5.5	5.5	ug/g	1	LMM	4/8/20	12628	4/9/20	12:49	MA VPH
methyl t-butyl ether (MTBE)			< 0.11	0.11	ug/g	1	LMM	4/8/20	12628	4/9/20	12:49	MA VPH
benzene			< 0.11	0.11	ug/g	1	LMM	4/8/20	12628	4/9/20	12:49	MA VPH
toluene			< 0.11	0.11	ug/g	1	LMM	4/8/20	12628	4/9/20	12:49	MA VPH
ethylbenzene			< 0.11	0.11	ug/g	1	LMM	4/8/20	12628	4/9/20	12:49	MA VPH
m&p-xylenes			< 0.11	0.11	ug/g	1	LMM	4/8/20	12628	4/9/20	12:49	MA VPH
o-xylene			< 0.11	0.11	ug/g	1	LMM	4/8/20	12628	4/9/20	12:49	MA VPH
naphthalene			< 0.28	0.28	ug/g	1	LMM	4/8/20	12628	4/9/20	12:49	MA VPH
C5-C8 Aliphatics			< 5.5	5.5	ug/g	1	LMM	4/8/20	12628	4/9/20	12:49	MA VPH
C9-C12 Aliphatics			< 5.5	5.5	ug/g	1	LMM	4/8/20	12628	4/9/20	12:49	MA VPH
C9-C10 Aromatics			< 5.5	5.5	ug/g	1	LMM	4/8/20	12628	4/9/20	12:49	MA VPH
Surrogate Recovery												
Limits												
2,5-dibromotoluene as Aromatic SUR			108	70-130	%	1	LMM	4/8/20	12628	4/9/20	12:49	MA VPH
2,5-dibromotoluene as Aliphatic SUR			108	70-130	%	1	LMM	4/8/20	12628	4/9/20	12:49	MA VPH
a,a,a-trifluorotoluene SUR			91	70-130	%	1	LMM	4/8/20	12628	4/9/20	12:49	MA VPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.

C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.

C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: Cedar Woods 2180311

Job ID: 52498

Sample#: 52498-006

Sample ID: SB-105 (5-8')

Matrix: Solid Percent Dry: 88% Results expressed on a dry weight basis.

Samples prepared in methanol at a ratio of 0.65 mL MeOH/g soil.

Received on ice at 0°C, in satisfactory condition.

Parameter	Sampled: 4/6/20 11:00		Reporting		Instr Dil'n	Analyst	Prep Date	Analysis		
	Result	Limit	Units	Factor				Batch	Date	Time
Unadjusted C5-C8 Aliphatics	< 4.3	4.3	ug/g	1	LMM	4/8/20	12628	4/9/20	13:19	MA VPH
Unadjusted C9-C12 Aliphatics	< 4.3	4.3	ug/g	1	LMM	4/8/20	12628	4/9/20	13:19	MA VPH
methyl t-butyl ether (MTBE)	< 0.087	0.087	ug/g	1	LMM	4/8/20	12628	4/9/20	13:19	MA VPH
benzene	< 0.087	0.087	ug/g	1	LMM	4/8/20	12628	4/9/20	13:19	MA VPH
toluene	< 0.087	0.087	ug/g	1	LMM	4/8/20	12628	4/9/20	13:19	MA VPH
ethylbenzene	< 0.087	0.087	ug/g	1	LMM	4/8/20	12628	4/9/20	13:19	MA VPH
m&p-xylenes	< 0.087	0.087	ug/g	1	LMM	4/8/20	12628	4/9/20	13:19	MA VPH
o-xylene	< 0.087	0.087	ug/g	1	LMM	4/8/20	12628	4/9/20	13:19	MA VPH
naphthalene	< 0.22	0.22	ug/g	1	LMM	4/8/20	12628	4/9/20	13:19	MA VPH
C5-C8 Aliphatics	< 4.3	4.3	ug/g	1	LMM	4/8/20	12628	4/9/20	13:19	MA VPH
C9-C12 Aliphatics	< 4.3	4.3	ug/g	1	LMM	4/8/20	12628	4/9/20	13:19	MA VPH
C9-C10 Aromatics	< 4.3	4.3	ug/g	1	LMM	4/8/20	12628	4/9/20	13:19	MA VPH
Surrogate Recovery										
Limits										
2,5-dibromotoluene as Aromatic SUR	107	70-130	%	1	LMM	4/8/20	12628	4/9/20	13:19	MA VPH
2,5-dibromotoluene as Aliphatic SUR	107	70-130	%	1	LMM	4/8/20	12628	4/9/20	13:19	MA VPH
a,a,a-trifluorotoluene SUR	99	70-130	%	1	LMM	4/8/20	12628	4/9/20	13:19	MA VPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.

C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.

C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: Cedar Woods 2180311

Job ID: 52498

Sample#: 52498-009

Sample ID: SB-102 (11-14')

Matrix: Solid Percent Dry: 40% Results expressed on a dry weight basis.

Samples prepared in methanol at a ratio of 0.65 mL MeOH/g soil.

Received on ice at 0°C, in satisfactory condition.

Sampled:	4/6/20	11:40	Reporting				Instr Dil'n	Prep	Analysis			
Parameter			Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
Unadjusted C5-C8 Aliphatics			< 16	16	ug/g	1	LMM	4/8/20	12628	4/9/20	13:49	MA VPH
Unadjusted C9-C12 Aliphatics			< 16	16	ug/g	1	LMM	4/8/20	12628	4/9/20	13:49	MA VPH
methyl t-butyl ether (MTBE)			< 0.31	0.31	ug/g	1	LMM	4/8/20	12628	4/9/20	13:49	MA VPH
benzene			< 0.31	0.31	ug/g	1	LMM	4/8/20	12628	4/9/20	13:49	MA VPH
toluene			< 0.31	0.31	ug/g	1	LMM	4/8/20	12628	4/9/20	13:49	MA VPH
ethylbenzene			< 0.31	0.31	ug/g	1	LMM	4/8/20	12628	4/9/20	13:49	MA VPH
m&p-xylenes			< 0.31	0.31	ug/g	1	LMM	4/8/20	12628	4/9/20	13:49	MA VPH
o-xylene			< 0.31	0.31	ug/g	1	LMM	4/8/20	12628	4/9/20	13:49	MA VPH
naphthalene			< 0.78	0.78	ug/g	1	LMM	4/8/20	12628	4/9/20	13:49	MA VPH
C5-C8 Aliphatics			< 16	16	ug/g	1	LMM	4/8/20	12628	4/9/20	13:49	MA VPH
C9-C12 Aliphatics			< 16	16	ug/g	1	LMM	4/8/20	12628	4/9/20	13:49	MA VPH
C9-C10 Aromatics			< 16	16	ug/g	1	LMM	4/8/20	12628	4/9/20	13:49	MA VPH
Surrogate Recovery												
Limits												
2,5-dibromotoluene as Aromatic SUR			110	70-130	%	1	LMM	4/8/20	12628	4/9/20	13:49	MA VPH
2,5-dibromotoluene as Aliphatic SUR			110	70-130	%	1	LMM	4/8/20	12628	4/9/20	13:49	MA VPH
a,a,a-trifluorotoluene SUR			106	70-130	%	1	LMM	4/8/20	12628	4/9/20	13:49	MA VPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.

C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.

C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: Cedar Woods 2180311

Job ID: 52498

Sample#: 52498-011

Sample ID: SB-101 (9-12')

Matrix: Solid Percent Dry: 74% Results expressed on a dry weight basis.

Samples prepared in methanol at a ratio of 0.67 mL MeOH/g soil.

Received on ice at 0°C, in satisfactory condition.

Sampled:	4/6/20	13:05	Reporting		Instr Dil'n	Prep	Analysis			Reference		
Parameter			Result	Limit	Units	Factor	Analyst	Batch	Date	Time		
Unadjusted C5-C8 Aliphatics			< 6.3	6.3	ug/g	1	LMM	4/8/20	12628	4/9/20	14:19	MA VPH
Unadjusted C9-C12 Aliphatics			< 6.3	6.3	ug/g	1	LMM	4/8/20	12628	4/9/20	14:19	MA VPH
methyl t-butyl ether (MTBE)			< 0.13	0.13	ug/g	1	LMM	4/8/20	12628	4/9/20	14:19	MA VPH
benzene			< 0.13	0.13	ug/g	1	LMM	4/8/20	12628	4/9/20	14:19	MA VPH
toluene			< 0.13	0.13	ug/g	1	LMM	4/8/20	12628	4/9/20	14:19	MA VPH
ethylbenzene			< 0.13	0.13	ug/g	1	LMM	4/8/20	12628	4/9/20	14:19	MA VPH
m&p-xylenes			< 0.13	0.13	ug/g	1	LMM	4/8/20	12628	4/9/20	14:19	MA VPH
o-xylene			< 0.13	0.13	ug/g	1	LMM	4/8/20	12628	4/9/20	14:19	MA VPH
naphthalene			< 0.31	0.31	ug/g	1	LMM	4/8/20	12628	4/9/20	14:19	MA VPH
C5-C8 Aliphatics			< 6.3	6.3	ug/g	1	LMM	4/8/20	12628	4/9/20	14:19	MA VPH
C9-C12 Aliphatics			< 6.3	6.3	ug/g	1	LMM	4/8/20	12628	4/9/20	14:19	MA VPH
C9-C10 Aromatics			< 6.3	6.3	ug/g	1	LMM	4/8/20	12628	4/9/20	14:19	MA VPH
Surrogate Recovery												
Limits												
2,5-dibromotoluene as Aromatic SUR			102	70-130	%	1	LMM	4/8/20	12628	4/9/20	14:19	MA VPH
2,5-dibromotoluene as Aliphatic SUR			103	70-130	%	1	LMM	4/8/20	12628	4/9/20	14:19	MA VPH
a,a,a-trifluorotoluene SUR			69 *	70-130	%	1	LMM	4/8/20	12628	4/9/20	14:19	MA VPH

* **This surrogate showed recovery outside the acceptance limits.**

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.

C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.

C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: Cedar Woods 2180311

Job ID: 52498

Sample#: 52498-014

Sample ID: SB-103 (7-10')

Matrix: Solid Percent Dry: 76.8% Results expressed on a dry weight basis.

Samples prepared in methanol at a ratio of 0.66 mL MeOH/g soil.

Received on ice at 0°C, in satisfactory condition.

Sampled:	4/6/20	12:25	Reporting		Instr Dil'n	Prep	Analysis					
Parameter			Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
Unadjusted C5-C8 Aliphatics			< 5.8	5.8	ug/g	1	LMM	4/8/20	12628	4/9/20	14:49	MA VPH
Unadjusted C9-C12 Aliphatics			< 5.8	5.8	ug/g	1	LMM	4/8/20	12628	4/9/20	14:49	MA VPH
methyl t-butyl ether (MTBE)			< 0.12	0.12	ug/g	1	LMM	4/8/20	12628	4/9/20	14:49	MA VPH
benzene			< 0.12	0.12	ug/g	1	LMM	4/8/20	12628	4/9/20	14:49	MA VPH
toluene			< 0.12	0.12	ug/g	1	LMM	4/8/20	12628	4/9/20	14:49	MA VPH
ethylbenzene			< 0.12	0.12	ug/g	1	LMM	4/8/20	12628	4/9/20	14:49	MA VPH
m&p-xylenes			< 0.12	0.12	ug/g	1	LMM	4/8/20	12628	4/9/20	14:49	MA VPH
o-xylene			< 0.12	0.12	ug/g	1	LMM	4/8/20	12628	4/9/20	14:49	MA VPH
naphthalene			< 0.29	0.29	ug/g	1	LMM	4/8/20	12628	4/9/20	14:49	MA VPH
C5-C8 Aliphatics			< 5.8	5.8	ug/g	1	LMM	4/8/20	12628	4/9/20	14:49	MA VPH
C9-C12 Aliphatics			< 5.8	5.8	ug/g	1	LMM	4/8/20	12628	4/9/20	14:49	MA VPH
C9-C10 Aromatics			< 5.8	5.8	ug/g	1	LMM	4/8/20	12628	4/9/20	14:49	MA VPH
Surrogate Recovery												
Limits												
2,5-dibromotoluene as Aromatic SUR			104	70-130	%	1	LMM	4/8/20	12628	4/9/20	14:49	MA VPH
2,5-dibromotoluene as Aliphatic SUR			105	70-130	%	1	LMM	4/8/20	12628	4/9/20	14:49	MA VPH
a,a,a-trifluorotoluene SUR			78	70-130	%	1	LMM	4/8/20	12628	4/9/20	14:49	MA VPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.

C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.

C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: Cedar Woods 2180311

Job ID: 52498

Sample#: 52498-015

Sample ID: Trip Blank

Matrix: Solid

Samples prepared in methanol within a 1:1 ratio +/- 25% mL MeOH/g soil

Received on ice at 0°C, in satisfactory condition.

Parameter	Sampled: 4/6/20 0:00		Reporting		Instr Dil'n	Analyst	Prep Date	Analysis		
	Result	Limit	Units	Factor				Batch	Date	Time
Unadjusted C5-C8 Aliphatics	< 5.0	5.0	ug/g	1	LMM	4/8/20	12628	4/9/20	11:49	MA VPH
Unadjusted C9-C12 Aliphatics	< 5.0	5.0	ug/g	1	LMM	4/8/20	12628	4/9/20	11:49	MA VPH
methyl t-butyl ether (MTBE)	< 0.10	0.10	ug/g	1	LMM	4/8/20	12628	4/9/20	11:49	MA VPH
benzene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12628	4/9/20	11:49	MA VPH
toluene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12628	4/9/20	11:49	MA VPH
ethylbenzene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12628	4/9/20	11:49	MA VPH
m&p-xylenes	< 0.10	0.10	ug/g	1	LMM	4/8/20	12628	4/9/20	11:49	MA VPH
o-xylene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12628	4/9/20	11:49	MA VPH
naphthalene	< 0.25	0.25	ug/g	1	LMM	4/8/20	12628	4/9/20	11:49	MA VPH
C5-C8 Aliphatics	< 5.0	5.0	ug/g	1	LMM	4/8/20	12628	4/9/20	11:49	MA VPH
C9-C12 Aliphatics	< 5.0	5.0	ug/g	1	LMM	4/8/20	12628	4/9/20	11:49	MA VPH
C9-C10 Aromatics	< 5.0	5.0	ug/g	1	LMM	4/8/20	12628	4/9/20	11:49	MA VPH
Surrogate Recovery										
2,5-dibromotoluene as Aromatic SUR	105	70-130	%	1	LMM	4/8/20	12628	4/9/20	11:49	MA VPH
2,5-dibromotoluene as Aliphatic SUR	105	70-130	%	1	LMM	4/8/20	12628	4/9/20	11:49	MA VPH
a,a,a-trifluorotoluene SUR	90	70-130	%	1	LMM	4/8/20	12628	4/9/20	11:49	MA VPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.

C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.

C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: Cedar Woods 2180311

Job ID: 52498

Sample#: 52498-002

Sample ID: SB-106 (0-3')

Matrix: Solid

Percent Dry: 89.1% Results expressed on a dry weight basis.

Sampled:	4/6/20	9:40	Reporting		Instr	Dil'n	Prep	Analysis				
Parameter			Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
naphthalene			< 0.21	0.21	ug/g	1	CL	4/7/20	12625	4/9/20	7:07	MA EPH
2-methylnaphthalene			< 0.21	0.21	ug/g	1	CL	4/7/20	12625	4/9/20	7:07	MA EPH
phenanthrene			0.44	0.21	ug/g	1	CL	4/7/20	12625	4/9/20	7:07	MA EPH
acenaphthene			< 0.21	0.21	ug/g	1	CL	4/7/20	12625	4/9/20	7:07	MA EPH
acenaphthylene			< 0.21	0.21	ug/g	1	CL	4/7/20	12625	4/9/20	7:07	MA EPH
fluorene			< 0.21	0.21	ug/g	1	CL	4/7/20	12625	4/9/20	7:07	MA EPH
anthracene			< 0.21	0.21	ug/g	1	CL	4/7/20	12625	4/9/20	7:07	MA EPH
fluoranthene			0.81	0.21	ug/g	1	CL	4/7/20	12625	4/9/20	7:07	MA EPH
pyrene			0.88	0.21	ug/g	1	CL	4/7/20	12625	4/9/20	7:07	MA EPH
benzo(a)anthracene			0.42	0.21	ug/g	1	CL	4/7/20	12625	4/9/20	7:07	MA EPH
chrysene			0.52	0.21	ug/g	1	CL	4/7/20	12625	4/9/20	7:07	MA EPH
benzo(b)fluoranthene			0.35	0.21	ug/g	1	CL	4/7/20	12625	4/9/20	7:07	MA EPH
benzo(k)fluoranthene			0.39	0.21	ug/g	1	CL	4/7/20	12625	4/9/20	7:07	MA EPH
benzo(a)pyrene			0.40	0.21	ug/g	1	CL	4/7/20	12625	4/9/20	7:07	MA EPH
indeno(1,2,3-cd)pyrene			0.36	0.21	ug/g	1	CL	4/7/20	12625	4/9/20	7:07	MA EPH
dibenzo(a,h)anthracene			< 0.21	0.21	ug/g	1	CL	4/7/20	12625	4/9/20	7:07	MA EPH
benzo(g,h,i)perylene			0.46	0.21	ug/g	1	CL	4/7/20	12625	4/9/20	7:07	MA EPH
Unadjusted C11-C22 Aromatics			49	21	ug/g	1	DBV	4/7/20	12625	4/9/20	22:29	MA EPH
C9-C18 Aliphatics			< 21	21	ug/g	1	DBV	4/7/20	12625	4/9/20	22:29	MA EPH
C19-C36 Aliphatics			91	21	ug/g	1	DBV	4/7/20	12625	4/9/20	22:29	MA EPH
C11-C22 Aromatics			44	21	ug/g	1	DBV	4/7/20	12625	4/9/20	22:29	MA EPH
Surrogate Recovery												
Limits												
1-chloro-octadecane SUR			55	40-140	%	1	DBV	4/7/20	12625	4/9/20	22:29	MA EPH
o-terphenyl SUR			56	40-140	%	1	DBV	4/7/20	12625	4/9/20	22:29	MA EPH
2-fluorobiphenyl SUR			66	40-140	%	1	DBV	4/7/20	12625	4/9/20	22:29	MA EPH
2-bromonaphthalene SUR			62	40-140	%	1	DBV	4/7/20	12625	4/9/20	22:29	MA EPH

Project ID: Cedar Woods 2180311

Job ID: 52498

Sample#: 52498-003

Sample ID: SB-106 (5-8')

Matrix: Solid

Percent Dry: 81.1% Results expressed on a dry weight basis.

Sampled:	4/6/20	10:00	Reporting		Instr	Dil'n	Prep	Analysis				
Parameter			Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
naphthalene			< 0.47	0.47	ug/g	1	CL	4/7/20	12625	4/9/20	8:07	MA EPH
2-methylnaphthalene			< 0.47	0.47	ug/g	1	CL	4/7/20	12625	4/9/20	8:07	MA EPH
phenanthrene			< 0.47	0.47	ug/g	1	CL	4/7/20	12625	4/9/20	8:07	MA EPH
acenaphthene			< 0.47	0.47	ug/g	1	CL	4/7/20	12625	4/9/20	8:07	MA EPH
acenaphthylene			< 0.47	0.47	ug/g	1	CL	4/7/20	12625	4/9/20	8:07	MA EPH
fluorene			< 0.47	0.47	ug/g	1	CL	4/7/20	12625	4/9/20	8:07	MA EPH
anthracene			< 0.47	0.47	ug/g	1	CL	4/7/20	12625	4/9/20	8:07	MA EPH
fluoranthene			< 0.47	0.47	ug/g	1	CL	4/7/20	12625	4/9/20	8:07	MA EPH
pyrene			< 0.47	0.47	ug/g	1	CL	4/7/20	12625	4/9/20	8:07	MA EPH
benzo(a)anthracene			< 0.47	0.47	ug/g	1	CL	4/7/20	12625	4/9/20	8:07	MA EPH
chrysene			< 0.47	0.47	ug/g	1	CL	4/7/20	12625	4/9/20	8:07	MA EPH
benzo(b)fluoranthene			< 0.47	0.47	ug/g	1	CL	4/7/20	12625	4/9/20	8:07	MA EPH
benzo(k)fluoranthene			< 0.47	0.47	ug/g	1	CL	4/7/20	12625	4/9/20	8:07	MA EPH
benzo(a)pyrene			< 0.47	0.47	ug/g	1	CL	4/7/20	12625	4/9/20	8:07	MA EPH
indeno(1,2,3-cd)pyrene			< 0.47	0.47	ug/g	1	CL	4/7/20	12625	4/9/20	8:07	MA EPH
dibenzo(a,h)anthracene			< 0.47	0.47	ug/g	1	CL	4/7/20	12625	4/9/20	8:07	MA EPH
benzo(g,h,i)perylene			< 0.47	0.47	ug/g	1	CL	4/7/20	12625	4/9/20	8:07	MA EPH
Unadjusted C11-C22 Aromatics			290	240	ug/g	5	DBV	4/7/20	12625	4/8/20	17:17	MA EPH
C9-C18 Aliphatics			< 240	240	ug/g	5	DBV	4/7/20	12625	4/8/20	17:17	MA EPH
C19-C36 Aliphatics			570	240	ug/g	5	DBV	4/7/20	12625	4/8/20	17:17	MA EPH
C11-C22 Aromatics			290	240	ug/g	5	DBV	4/7/20	12625	4/8/20	17:17	MA EPH
Surrogate Recovery												
Limits												
1-chloro-octadecane SUR			17 *	40-140	%	5	DBV	4/7/20	12625	4/8/20	17:17	MA EPH
o-terphenyl SUR			17 *	40-140	%	5	DBV	4/7/20	12625	4/8/20	17:17	MA EPH
2-fluorobiphenyl SUR			141 *	40-140	%	5	DBV	4/7/20	12625	4/8/20	17:17	MA EPH
2-bromonaphthalene SUR			125	40-140	%	5	DBV	4/7/20	12625	4/8/20	17:17	MA EPH

* The surrogate showed recovery outside the acceptance limits. Re-extraction beyond method holding time produced similar results. The re-extracted results are included.

Project ID: Cedar Woods 2180311

Job ID: 52498

Sample#: 52498-005

Sample ID: SB-105 (0-3')

Matrix: Solid

Percent Dry: 81.3% Results expressed on a dry weight basis.

Sampled:	4/6/20	10:40	Reporting		Instr	Dil'n	Prep	Analysis				
Parameter			Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
naphthalene			< 0.24	0.24	ug/g	1	CL	4/7/20	12625	4/9/20	3:36	MA EPH
2-methylnaphthalene			< 0.24	0.24	ug/g	1	CL	4/7/20	12625	4/9/20	3:36	MA EPH
phenanthrene			1.5	0.24	ug/g	1	CL	4/7/20	12625	4/9/20	3:36	MA EPH
acenaphthene			< 0.24	0.24	ug/g	1	CL	4/7/20	12625	4/9/20	3:36	MA EPH
acenaphthylene			< 0.24	0.24	ug/g	1	CL	4/7/20	12625	4/9/20	3:36	MA EPH
fluorene			< 0.24	0.24	ug/g	1	CL	4/7/20	12625	4/9/20	3:36	MA EPH
anthracene			< 0.24	0.24	ug/g	1	CL	4/7/20	12625	4/9/20	3:36	MA EPH
fluoranthene			3.2	0.24	ug/g	1	CL	4/7/20	12625	4/9/20	3:36	MA EPH
pyrene			2.9	0.24	ug/g	1	CL	4/7/20	12625	4/9/20	3:36	MA EPH
benzo(a)anthracene			1.5	0.24	ug/g	1	CL	4/7/20	12625	4/9/20	3:36	MA EPH
chrysene			1.9	0.24	ug/g	1	CL	4/7/20	12625	4/9/20	3:36	MA EPH
benzo(b)fluoranthene			1.6	0.24	ug/g	1	CL	4/7/20	12625	4/9/20	3:36	MA EPH
benzo(k)fluoranthene			1.2	0.24	ug/g	1	CL	4/7/20	12625	4/9/20	3:36	MA EPH
benzo(a)pyrene			1.4	0.24	ug/g	1	CL	4/7/20	12625	4/9/20	3:36	MA EPH
indeno(1,2,3-cd)pyrene			1.1	0.24	ug/g	1	CL	4/7/20	12625	4/9/20	3:36	MA EPH
dibenzo(a,h)anthracene			0.38	0.24	ug/g	1	CL	4/7/20	12625	4/9/20	3:36	MA EPH
benzo(g,h,i)perylene			1.2	0.24	ug/g	1	CL	4/7/20	12625	4/9/20	3:36	MA EPH
Unadjusted C11-C22 Aromatics			150	24	ug/g	1	DBV	4/7/20	12625	4/8/20	15:34	MA EPH
C9-C18 Aliphatics			< 24	24	ug/g	1	DBV	4/7/20	12625	4/8/20	15:34	MA EPH
C19-C36 Aliphatics			280	24	ug/g	1	DBV	4/7/20	12625	4/8/20	15:34	MA EPH
C11-C22 Aromatics			130	24	ug/g	1	DBV	4/7/20	12625	4/8/20	15:34	MA EPH
Surrogate Recovery												
Limits												
1-chloro-octadecane SUR			47	40-140	%	1	DBV	4/7/20	12625	4/8/20	15:34	MA EPH
o-terphenyl SUR			49	40-140	%	1	DBV	4/7/20	12625	4/8/20	15:34	MA EPH
2-fluorobiphenyl SUR			69	40-140	%	1	DBV	4/7/20	12625	4/8/20	15:34	MA EPH
2-bromonaphthalene SUR			67	40-140	%	1	DBV	4/7/20	12625	4/8/20	15:34	MA EPH

Project ID: Cedar Woods 2180311

Job ID: 52498

Sample#: 52498-006

Sample ID: SB-105 (5-8')

Matrix: Solid

Percent Dry: 88% Results expressed on a dry weight basis.

Sampled:	4/6/20	11:00	Reporting		Instr	Dil'n	Prep	Analysis				
Parameter			Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
naphthalene			< 0.22	0.22	ug/g	1	CL	4/7/20	12625	4/8/20	18:33	MA EPH
2-methylnaphthalene			< 0.22	0.22	ug/g	1	CL	4/7/20	12625	4/8/20	18:33	MA EPH
phenanthrene			< 0.22	0.22	ug/g	1	CL	4/7/20	12625	4/8/20	18:33	MA EPH
acenaphthene			< 0.22	0.22	ug/g	1	CL	4/7/20	12625	4/8/20	18:33	MA EPH
acenaphthylene			< 0.22	0.22	ug/g	1	CL	4/7/20	12625	4/8/20	18:33	MA EPH
fluorene			< 0.22	0.22	ug/g	1	CL	4/7/20	12625	4/8/20	18:33	MA EPH
anthracene			< 0.22	0.22	ug/g	1	CL	4/7/20	12625	4/8/20	18:33	MA EPH
fluoranthene			< 0.22	0.22	ug/g	1	CL	4/7/20	12625	4/8/20	18:33	MA EPH
pyrene			< 0.22	0.22	ug/g	1	CL	4/7/20	12625	4/8/20	18:33	MA EPH
benzo(a)anthracene			< 0.22	0.22	ug/g	1	CL	4/7/20	12625	4/8/20	18:33	MA EPH
chrysene			< 0.22	0.22	ug/g	1	CL	4/7/20	12625	4/8/20	18:33	MA EPH
benzo(b)fluoranthene			< 0.22	0.22	ug/g	1	CL	4/7/20	12625	4/8/20	18:33	MA EPH
benzo(k)fluoranthene			< 0.22	0.22	ug/g	1	CL	4/7/20	12625	4/8/20	18:33	MA EPH
benzo(a)pyrene			< 0.22	0.22	ug/g	1	CL	4/7/20	12625	4/8/20	18:33	MA EPH
indeno(1,2,3-cd)pyrene			< 0.22	0.22	ug/g	1	CL	4/7/20	12625	4/8/20	18:33	MA EPH
dibenzo(a,h)anthracene			< 0.22	0.22	ug/g	1	CL	4/7/20	12625	4/8/20	18:33	MA EPH
benzo(g,h,i)perylene			< 0.22	0.22	ug/g	1	CL	4/7/20	12625	4/8/20	18:33	MA EPH
Unadjusted C11-C22 Aromatics			< 22	22	ug/g	1	DBV	4/7/20	12625	4/8/20	13:18	MA EPH
C9-C18 Aliphatics			< 22	22	ug/g	1	DBV	4/7/20	12625	4/8/20	13:18	MA EPH
C19-C36 Aliphatics			23	22	ug/g	1	DBV	4/7/20	12625	4/8/20	13:18	MA EPH
C11-C22 Aromatics			< 22	22	ug/g	1	DBV	4/7/20	12625	4/8/20	13:18	MA EPH
Surrogate Recovery												
Limits												
1-chloro-octadecane SUR			58	40-140	%	1	DBV	4/7/20	12625	4/8/20	13:18	MA EPH
o-terphenyl SUR			58	40-140	%	1	DBV	4/7/20	12625	4/8/20	13:18	MA EPH
2-fluorobiphenyl SUR			66	40-140	%	1	DBV	4/7/20	12625	4/8/20	13:18	MA EPH
2-bromonaphthalene SUR			64	40-140	%	1	DBV	4/7/20	12625	4/8/20	13:18	MA EPH

Project ID: Cedar Woods 2180311

Job ID: 52498

Sample#: 52498-007

Sample ID: SB-102 (0-3')

Matrix: Solid

Percent Dry: 93% Results expressed on a dry weight basis.

Sampled:	4/6/20	11:45	Reporting		Instr	Dil'n	Prep	Analysis				
Parameter			Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
naphthalene			< 0.20	0.20	ug/g	1	CL	4/7/20	12625	4/9/20	7:37	MA EPH
2-methylnaphthalene			< 0.20	0.20	ug/g	1	CL	4/7/20	12625	4/9/20	7:37	MA EPH
phenanthrene			< 0.20	0.20	ug/g	1	CL	4/7/20	12625	4/9/20	7:37	MA EPH
acenaphthene			< 0.20	0.20	ug/g	1	CL	4/7/20	12625	4/9/20	7:37	MA EPH
acenaphthylene			< 0.20	0.20	ug/g	1	CL	4/7/20	12625	4/9/20	7:37	MA EPH
fluorene			< 0.20	0.20	ug/g	1	CL	4/7/20	12625	4/9/20	7:37	MA EPH
anthracene			< 0.20	0.20	ug/g	1	CL	4/7/20	12625	4/9/20	7:37	MA EPH
fluoranthene			< 0.20	0.20	ug/g	1	CL	4/7/20	12625	4/9/20	7:37	MA EPH
pyrene			< 0.20	0.20	ug/g	1	CL	4/7/20	12625	4/9/20	7:37	MA EPH
benzo(a)anthracene			< 0.20	0.20	ug/g	1	CL	4/7/20	12625	4/9/20	7:37	MA EPH
chrysene			< 0.20	0.20	ug/g	1	CL	4/7/20	12625	4/9/20	7:37	MA EPH
benzo(b)fluoranthene			< 0.20	0.20	ug/g	1	CL	4/7/20	12625	4/9/20	7:37	MA EPH
benzo(k)fluoranthene			< 0.20	0.20	ug/g	1	CL	4/7/20	12625	4/9/20	7:37	MA EPH
benzo(a)pyrene			< 0.20	0.20	ug/g	1	CL	4/7/20	12625	4/9/20	7:37	MA EPH
indeno(1,2,3-cd)pyrene			< 0.20	0.20	ug/g	1	CL	4/7/20	12625	4/9/20	7:37	MA EPH
dibenzo(a,h)anthracene			< 0.20	0.20	ug/g	1	CL	4/7/20	12625	4/9/20	7:37	MA EPH
benzo(g,h,i)perylene			< 0.20	0.20	ug/g	1	CL	4/7/20	12625	4/9/20	7:37	MA EPH
Unadjusted C11-C22 Aromatics			51	20	ug/g	1	DBV	4/7/20	12625	4/9/20	23:03	MA EPH
C9-C18 Aliphatics			< 20	20	ug/g	1	DBV	4/7/20	12625	4/9/20	23:03	MA EPH
C19-C36 Aliphatics			130	20	ug/g	1	DBV	4/7/20	12625	4/9/20	23:03	MA EPH
C11-C22 Aromatics			50	20	ug/g	1	DBV	4/7/20	12625	4/9/20	23:03	MA EPH
Surrogate Recovery												
Limits												
1-chloro-octadecane SUR			43	40-140	%	1	DBV	4/7/20	12625	4/9/20	23:03	MA EPH
o-terphenyl SUR			44	40-140	%	1	DBV	4/7/20	12625	4/9/20	23:03	MA EPH
2-fluorobiphenyl SUR			66	40-140	%	1	DBV	4/7/20	12625	4/9/20	23:03	MA EPH
2-bromonaphthalene SUR			62	40-140	%	1	DBV	4/7/20	12625	4/9/20	23:03	MA EPH

Project ID: Cedar Woods 2180311

Job ID: 52498

Sample#: 52498-009

Sample ID: SB-102 (11-14')

Matrix: Solid

Percent Dry: 40% Results expressed on a dry weight basis.

Sampled:	4/6/20	11:40	Reporting		Instr	Dil'n	Prep	Analysis				
Parameter			Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
naphthalene			< 0.46	0.46	ug/g	1	CL	4/7/20	12625	4/9/20	2:36	MA EPH
2-methylnaphthalene			< 0.46	0.46	ug/g	1	CL	4/7/20	12625	4/9/20	2:36	MA EPH
phenanthrene			< 0.46	0.46	ug/g	1	CL	4/7/20	12625	4/9/20	2:36	MA EPH
acenaphthene			< 0.46	0.46	ug/g	1	CL	4/7/20	12625	4/9/20	2:36	MA EPH
acenaphthylene			< 0.46	0.46	ug/g	1	CL	4/7/20	12625	4/9/20	2:36	MA EPH
fluorene			< 0.46	0.46	ug/g	1	CL	4/7/20	12625	4/9/20	2:36	MA EPH
anthracene			< 0.46	0.46	ug/g	1	CL	4/7/20	12625	4/9/20	2:36	MA EPH
fluoranthene			0.48	0.46	ug/g	1	CL	4/7/20	12625	4/9/20	2:36	MA EPH
pyrene			0.56	0.46	ug/g	1	CL	4/7/20	12625	4/9/20	2:36	MA EPH
benzo(a)anthracene			< 0.46	0.46	ug/g	1	CL	4/7/20	12625	4/9/20	2:36	MA EPH
chrysene			< 0.46	0.46	ug/g	1	CL	4/7/20	12625	4/9/20	2:36	MA EPH
benzo(b)fluoranthene			< 0.46	0.46	ug/g	1	CL	4/7/20	12625	4/9/20	2:36	MA EPH
benzo(k)fluoranthene			< 0.46	0.46	ug/g	1	CL	4/7/20	12625	4/9/20	2:36	MA EPH
benzo(a)pyrene			< 0.46	0.46	ug/g	1	CL	4/7/20	12625	4/9/20	2:36	MA EPH
indeno(1,2,3-cd)pyrene			< 0.46	0.46	ug/g	1	CL	4/7/20	12625	4/9/20	2:36	MA EPH
dibenzo(a,h)anthracene			< 0.46	0.46	ug/g	1	CL	4/7/20	12625	4/9/20	2:36	MA EPH
benzo(g,h,i)perylene			< 0.46	0.46	ug/g	1	CL	4/7/20	12625	4/9/20	2:36	MA EPH
Unadjusted C11-C22 Aromatics			< 46	46	ug/g	1	DBV	4/7/20	12625	4/8/20	15:00	MA EPH
C9-C18 Aliphatics			< 46	46	ug/g	1	DBV	4/7/20	12625	4/8/20	15:00	MA EPH
C19-C36 Aliphatics			80	46	ug/g	1	DBV	4/7/20	12625	4/8/20	15:00	MA EPH
C11-C22 Aromatics			< 46	46	ug/g	1	DBV	4/7/20	12625	4/8/20	15:00	MA EPH
Surrogate Recovery												
Limits												
1-chloro-octadecane SUR			54	40-140	%	1	DBV	4/7/20	12625	4/8/20	15:00	MA EPH
o-terphenyl SUR			58	40-140	%	1	DBV	4/7/20	12625	4/8/20	15:00	MA EPH
2-fluorobiphenyl SUR			66	40-140	%	1	DBV	4/7/20	12625	4/8/20	15:00	MA EPH
2-bromonaphthalene SUR			62	40-140	%	1	DBV	4/7/20	12625	4/8/20	15:00	MA EPH

Project ID: Cedar Woods 2180311

Job ID: 52498

Sample#: 52498-010

Sample ID: SB-101 (0-3')

Matrix: Solid

Percent Dry: 90.7% Results expressed on a dry weight basis.

Sampled:	4/6/20	12:55	Reporting		Instr	Dil'n	Prep	Analysis				
Parameter			Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
naphthalene			< 0.21	0.21	ug/g	1	CL	4/7/20	12625	4/8/20	22:35	MA EPH
2-methylnaphthalene			< 0.21	0.21	ug/g	1	CL	4/7/20	12625	4/8/20	22:35	MA EPH
phenanthrene			< 0.21	0.21	ug/g	1	CL	4/7/20	12625	4/8/20	22:35	MA EPH
acenaphthene			< 0.21	0.21	ug/g	1	CL	4/7/20	12625	4/8/20	22:35	MA EPH
acenaphthylene			< 0.21	0.21	ug/g	1	CL	4/7/20	12625	4/8/20	22:35	MA EPH
fluorene			< 0.21	0.21	ug/g	1	CL	4/7/20	12625	4/8/20	22:35	MA EPH
anthracene			< 0.21	0.21	ug/g	1	CL	4/7/20	12625	4/8/20	22:35	MA EPH
fluoranthene			0.22	0.21	ug/g	1	CL	4/7/20	12625	4/8/20	22:35	MA EPH
pyrene			0.24	0.21	ug/g	1	CL	4/7/20	12625	4/8/20	22:35	MA EPH
benzo(a)anthracene			< 0.21	0.21	ug/g	1	CL	4/7/20	12625	4/8/20	22:35	MA EPH
chrysene			< 0.21	0.21	ug/g	1	CL	4/7/20	12625	4/8/20	22:35	MA EPH
benzo(b)fluoranthene			< 0.21	0.21	ug/g	1	CL	4/7/20	12625	4/8/20	22:35	MA EPH
benzo(k)fluoranthene			< 0.21	0.21	ug/g	1	CL	4/7/20	12625	4/8/20	22:35	MA EPH
benzo(a)pyrene			< 0.21	0.21	ug/g	1	CL	4/7/20	12625	4/8/20	22:35	MA EPH
indeno(1,2,3-cd)pyrene			< 0.21	0.21	ug/g	1	CL	4/7/20	12625	4/8/20	22:35	MA EPH
dibenzo(a,h)anthracene			< 0.21	0.21	ug/g	1	CL	4/7/20	12625	4/8/20	22:35	MA EPH
benzo(g,h,i)perylene			< 0.21	0.21	ug/g	1	CL	4/7/20	12625	4/8/20	22:35	MA EPH
Unadjusted C11-C22 Aromatics			< 21	21	ug/g	1	DBV	4/7/20	12625	4/8/20	13:52	MA EPH
C9-C18 Aliphatics			< 21	21	ug/g	1	DBV	4/7/20	12625	4/8/20	13:52	MA EPH
C19-C36 Aliphatics			35	21	ug/g	1	DBV	4/7/20	12625	4/8/20	13:52	MA EPH
C11-C22 Aromatics			< 21	21	ug/g	1	DBV	4/7/20	12625	4/8/20	13:52	MA EPH
Surrogate Recovery												
Limits												
1-chloro-octadecane SUR			61	40-140	%	1	DBV	4/7/20	12625	4/8/20	13:52	MA EPH
o-terphenyl SUR			63	40-140	%	1	DBV	4/7/20	12625	4/8/20	13:52	MA EPH
2-fluorobiphenyl SUR			67	40-140	%	1	DBV	4/7/20	12625	4/8/20	13:52	MA EPH
2-bromonaphthalene SUR			64	40-140	%	1	DBV	4/7/20	12625	4/8/20	13:52	MA EPH

Project ID: Cedar Woods 2180311

Job ID: 52498

Sample#: 52498-011

Sample ID: SB-101 (9-12')

Matrix: Solid

Percent Dry: 74% Results expressed on a dry weight basis.

Sampled:	4/6/20	13:05	Reporting		Instr	Dil'n	Prep	Analysis				
Parameter			Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
naphthalene			< 0.25	0.25	ug/g	1	CL	4/7/20	12625	4/9/20	3:06	MA EPH
2-methylnaphthalene			< 0.25	0.25	ug/g	1	CL	4/7/20	12625	4/9/20	3:06	MA EPH
phenanthrene			2.1	0.25	ug/g	1	CL	4/7/20	12625	4/9/20	3:06	MA EPH
acenaphthene			< 0.25	0.25	ug/g	1	CL	4/7/20	12625	4/9/20	3:06	MA EPH
acenaphthylene			< 0.25	0.25	ug/g	1	CL	4/7/20	12625	4/9/20	3:06	MA EPH
fluorene			< 0.25	0.25	ug/g	1	CL	4/7/20	12625	4/9/20	3:06	MA EPH
anthracene			0.40	0.25	ug/g	1	CL	4/7/20	12625	4/9/20	3:06	MA EPH
fluoranthene			2.1	0.25	ug/g	1	CL	4/7/20	12625	4/9/20	3:06	MA EPH
pyrene			2.3	0.25	ug/g	1	CL	4/7/20	12625	4/9/20	3:06	MA EPH
benzo(a)anthracene			0.98	0.25	ug/g	1	CL	4/7/20	12625	4/9/20	3:06	MA EPH
chrysene			1.0	0.25	ug/g	1	CL	4/7/20	12625	4/9/20	3:06	MA EPH
benzo(b)fluoranthene			0.88	0.25	ug/g	1	CL	4/7/20	12625	4/9/20	3:06	MA EPH
benzo(k)fluoranthene			0.71	0.25	ug/g	1	CL	4/7/20	12625	4/9/20	3:06	MA EPH
benzo(a)pyrene			0.89	0.25	ug/g	1	CL	4/7/20	12625	4/9/20	3:06	MA EPH
indeno(1,2,3-cd)pyrene			0.63	0.25	ug/g	1	CL	4/7/20	12625	4/9/20	3:06	MA EPH
dibenzo(a,h)anthracene			< 0.25	0.25	ug/g	1	CL	4/7/20	12625	4/9/20	3:06	MA EPH
benzo(g,h,i)perylene			0.72	0.25	ug/g	1	CL	4/7/20	12625	4/9/20	3:06	MA EPH
Unadjusted C11-C22 Aromatics			54	25	ug/g	1	DBV	4/7/20	12625	4/8/20	14:26	MA EPH
C9-C18 Aliphatics			< 25	25	ug/g	1	DBV	4/7/20	12625	4/8/20	14:26	MA EPH
C19-C36 Aliphatics			82	25	ug/g	1	DBV	4/7/20	12625	4/8/20	14:26	MA EPH
C11-C22 Aromatics			41	25	ug/g	1	DBV	4/7/20	12625	4/8/20	14:26	MA EPH
Surrogate Recovery												
Limits												
1-chloro-octadecane SUR			57	40-140	%	1	DBV	4/7/20	12625	4/8/20	14:26	MA EPH
o-terphenyl SUR			63	40-140	%	1	DBV	4/7/20	12625	4/8/20	14:26	MA EPH
2-fluorobiphenyl SUR			69	40-140	%	1	DBV	4/7/20	12625	4/8/20	14:26	MA EPH
2-bromonaphthalene SUR			67	40-140	%	1	DBV	4/7/20	12625	4/8/20	14:26	MA EPH

Project ID: Cedar Woods 2180311

Job ID: 52498

Sample#: 52498-016

Sample ID: SB-106 (5-8')REX

Matrix: Solid

Percent Dry: 81.1% Results expressed on a dry weight basis.

Parameter	Sampled: 4/6/20	10:00	Reporting	Instr	Dil'n	Prep	Analysis				
			Result	Limit	Units	Analyst	Date	Batch	Date	Time	Reference
naphthalene		< 2.4	2.4	ug/g	5	CL	4/9/20	12630	4/9/20	21:15	MA EPH
2-methylnaphthalene		< 2.4	2.4	ug/g	5	CL	4/9/20	12630	4/9/20	21:15	MA EPH
phenanthrene		< 2.4	2.4	ug/g	5	CL	4/9/20	12630	4/9/20	21:15	MA EPH
acenaphthene		< 2.4	2.4	ug/g	5	CL	4/9/20	12630	4/9/20	21:15	MA EPH
acenaphthylene		< 2.4	2.4	ug/g	5	CL	4/9/20	12630	4/9/20	21:15	MA EPH
fluorene		< 2.4	2.4	ug/g	5	CL	4/9/20	12630	4/9/20	21:15	MA EPH
anthracene		< 2.4	2.4	ug/g	5	CL	4/9/20	12630	4/9/20	21:15	MA EPH
fluoranthene		< 2.4	2.4	ug/g	5	CL	4/9/20	12630	4/9/20	21:15	MA EPH
pyrene		< 2.4	2.4	ug/g	5	CL	4/9/20	12630	4/9/20	21:15	MA EPH
benzo(a)anthracene		< 2.4	2.4	ug/g	5	CL	4/9/20	12630	4/9/20	21:15	MA EPH
chrysene		< 2.4	2.4	ug/g	5	CL	4/9/20	12630	4/9/20	21:15	MA EPH
benzo(b)fluoranthene		< 2.4	2.4	ug/g	5	CL	4/9/20	12630	4/9/20	21:15	MA EPH
benzo(k)fluoranthene		< 2.4	2.4	ug/g	5	CL	4/9/20	12630	4/9/20	21:15	MA EPH
benzo(a)pyrene		< 2.4	2.4	ug/g	5	CL	4/9/20	12630	4/9/20	21:15	MA EPH
indeno(1,2,3-cd)pyrene		< 2.4	2.4	ug/g	5	CL	4/9/20	12630	4/9/20	21:15	MA EPH
dibenzo(a,h)anthracene		< 2.4	2.4	ug/g	5	CL	4/9/20	12630	4/9/20	21:15	MA EPH
benzo(g,h,i)perylene		< 2.4	2.4	ug/g	5	CL	4/9/20	12630	4/9/20	21:15	MA EPH
Unadjusted C11-C22 Aromatics		410	240	ug/g	5	DBV	4/9/20	12630	4/9/20	23:38	MA EPH
C9-C18 Aliphatics		< 240	240	ug/g	5	DBV	4/9/20	12630	4/9/20	23:38	MA EPH
C19-C36 Aliphatics		830	240	ug/g	5	DBV	4/9/20	12630	4/9/20	23:38	MA EPH
C11-C22 Aromatics		410	240	ug/g	5	DBV	4/9/20	12630	4/9/20	23:38	MA EPH
Surrogate Recovery											
Limits											
1-chloro-octadecane SUR		21 *	40-140	%	5	DBV	4/9/20	12630	4/9/20	23:38	MA EPH
o-terphenyl SUR		23 *	40-140	%	5	DBV	4/9/20	12630	4/9/20	23:38	MA EPH
2-fluorobiphenyl SUR		118	40-140	%	5	DBV	4/9/20	12630	4/9/20	23:38	MA EPH
2-bromonaphthalene SUR		107	40-140	%	5	DBV	4/9/20	12630	4/9/20	23:38	MA EPH

* The surrogate showed recovery outside the acceptance limits.

Note: Dilution was required due to sample matrix interference.

Project ID: Cedar Woods 2180311

Job ID: 52498

Sample#: 52498-002

Sample ID: SB-106 (0-3')

Matrix: Solid

Percent Dry: 89.1% Results expressed on a dry weight basis.

Parameter	Sampled: 4/6/20 9:40		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Antimony	0.90	0.56	ug/g	5	AGN	4/8/20	12626	4/10/20	0:52	SW3051A6020A	
Arsenic	4.0	2.8	ug/g	5	AGN	4/8/20	12626	4/9/20	2:01	SW3051A6020A	
Barium	200 DM	5.6	ug/g	5	AGN	4/8/20	12626	4/10/20	0:52	SW3051A6020A	
D = The RPD for the sample duplicate, run as internal QC, was outside the 20% acceptance range. M = The recovery for the matrix spike was 161%. The acceptance criteria is 75-125%.											
Beryllium	< 0.56	0.56	ug/g	5	AGN	4/8/20	12626	4/9/20	2:01	SW3051A6020A	
Cadmium	< 0.56	0.56	ug/g	5	AGN	4/8/20	12626	4/9/20	2:01	SW3051A6020A	
Chromium	16	5.6	ug/g	5	AGN	4/8/20	12626	4/10/20	0:52	SW3051A6020A	
Lead	120	2.8	ug/g	5	AGN	4/8/20	12626	4/10/20	0:52	SW3051A6020A	
Mercury	0.17	0.14	ug/g	1	AGN	4/7/20	12622	4/7/20	18:25	SW7471B	
Nickel	12	5.6	ug/g	5	AGN	4/8/20	12626	4/10/20	0:52	SW3051A6020A	
Selenium	< 5.6	5.6	ug/g	5	AGN	4/8/20	12626	4/9/20	2:01	SW3051A6020A	
Silver	< 2.8	2.8	ug/g	5	AGN	4/8/20	12626	4/9/20	2:01	SW3051A6020A	
Thallium	< 0.56	0.56	ug/g	5	AGN	4/8/20	12626	4/9/20	2:01	SW3051A6020A	
Vanadium	17	5.6	ug/g	5	AGN	4/8/20	12626	4/10/20	0:52	SW3051A6020A	
Zinc	190 M	5.6	ug/g	5	AGN	4/8/20	12626	4/10/20	0:52	SW3051A6020A	

M = The recovery for the matrix spike was 141%. The acceptance criteria is 75-125%.

Sample#: 52498-003

Sample ID: SB-106 (5-8')

Matrix: Solid

Percent Dry: 81.1% Results expressed on a dry weight basis.

Parameter	Sampled: 4/6/20 10:00		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Antimony	0.78	0.59	ug/g	5	AGN	4/8/20	12626	4/10/20	1:20	SW3051A6020A	
Arsenic	3.2	3.0	ug/g	5	AGN	4/8/20	12626	4/9/20	2:29	SW3051A6020A	
Barium	32	5.9	ug/g	5	AGN	4/8/20	12626	4/10/20	1:20	SW3051A6020A	
Beryllium	< 0.59	0.59	ug/g	5	AGN	4/8/20	12626	4/9/20	2:29	SW3051A6020A	
Cadmium	< 0.59	0.59	ug/g	5	AGN	4/8/20	12626	4/9/20	2:29	SW3051A6020A	
Chromium	23	5.9	ug/g	5	AGN	4/8/20	12626	4/10/20	1:20	SW3051A6020A	
Lead	150	3.0	ug/g	5	AGN	4/8/20	12626	4/10/20	1:20	SW3051A6020A	
Mercury	< 0.15	0.15	ug/g	1	AGN	4/7/20	12622	4/7/20	18:27	SW7471B	
Nickel	9.8	5.9	ug/g	5	AGN	4/8/20	12626	4/10/20	1:20	SW3051A6020A	
Selenium	< 5.9	5.9	ug/g	5	AGN	4/8/20	12626	4/9/20	2:29	SW3051A6020A	
Silver	< 3.0	3.0	ug/g	5	AGN	4/8/20	12626	4/9/20	2:29	SW3051A6020A	
Thallium	< 0.59	0.59	ug/g	5	AGN	4/8/20	12626	4/9/20	2:29	SW3051A6020A	
Vanadium	12	5.9	ug/g	5	AGN	4/8/20	12626	4/10/20	1:20	SW3051A6020A	
Zinc	91	5.9	ug/g	5	AGN	4/8/20	12626	4/10/20	1:20	SW3051A6020A	

Project ID: Cedar Woods 2180311

Job ID: 52498

Sample#: 52498-005

Sample ID: SB-105 (0-3')

Matrix: Solid

Percent Dry: 81.3% Results expressed on a dry weight basis.

Parameter	Sampled: 4/6/20 10:40		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Antimony	4.7	0.60	ug/g	5	AGN	4/8/20	12626	4/10/20	1:29	SW3051A6020A	
Arsenic	7.3	3.0	ug/g	5	AGN	4/8/20	12626	4/10/20	1:29	SW3051A6020A	
Barium	310	6.0	ug/g	5	AGN	4/8/20	12626	4/10/20	1:29	SW3051A6020A	
Beryllium	< 0.60	0.60	ug/g	5	AGN	4/8/20	12626	4/9/20	2:38	SW3051A6020A	
Cadmium	2.0	0.60	ug/g	5	AGN	4/8/20	12626	4/9/20	2:38	SW3051A6020A	
Chromium	18	6.0	ug/g	5	AGN	4/8/20	12626	4/10/20	1:29	SW3051A6020A	
Lead	650	3.0	ug/g	5	AGN	4/8/20	12626	4/10/20	1:29	SW3051A6020A	
Mercury	2.9	0.79	ug/g	5	AGN	4/7/20	12622	4/7/20	18:53	SW7471B	
Nickel	18	6.0	ug/g	5	AGN	4/8/20	12626	4/10/20	1:29	SW3051A6020A	
Selenium	< 6.0	6.0	ug/g	5	AGN	4/8/20	12626	4/9/20	2:38	SW3051A6020A	
Silver	< 3.0	3.0	ug/g	5	AGN	4/8/20	12626	4/9/20	2:38	SW3051A6020A	
Thallium	< 0.60	0.60	ug/g	5	AGN	4/8/20	12626	4/9/20	2:38	SW3051A6020A	
Vanadium	19	6.0	ug/g	5	AGN	4/8/20	12626	4/10/20	1:29	SW3051A6020A	
Zinc	770	6.0	ug/g	5	AGN	4/8/20	12626	4/10/20	1:29	SW3051A6020A	

Sample#: 52498-006

Sample ID: SB-105 (5-8')

Matrix: Solid

Percent Dry: 88% Results expressed on a dry weight basis.

Parameter	Sampled: 4/6/20 11:00		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Antimony	< 0.55	0.55	ug/g	5	AGN	4/8/20	12626	4/9/20	3:16	SW3051A6020A	
Arsenic	3.0	2.7	ug/g	5	AGN	4/8/20	12626	4/9/20	3:16	SW3051A6020A	
Barium	23	5.5	ug/g	5	AGN	4/8/20	12626	4/10/20	1:39	SW3051A6020A	
Beryllium	< 0.55	0.55	ug/g	5	AGN	4/8/20	12626	4/9/20	3:16	SW3051A6020A	
Cadmium	< 0.55	0.55	ug/g	5	AGN	4/8/20	12626	4/9/20	3:16	SW3051A6020A	
Chromium	11	5.5	ug/g	5	AGN	4/8/20	12626	4/10/20	1:39	SW3051A6020A	
Lead	5.0	2.7	ug/g	5	AGN	4/8/20	12626	4/9/20	3:16	SW3051A6020A	
Mercury	< 0.15	0.15	ug/g	1	AGN	4/7/20	12622	4/7/20	18:31	SW7471B	
Nickel	14	5.5	ug/g	5	AGN	4/8/20	12626	4/10/20	1:39	SW3051A6020A	
Selenium	< 5.5	5.5	ug/g	5	AGN	4/8/20	12626	4/9/20	3:16	SW3051A6020A	
Silver	< 2.7	2.7	ug/g	5	AGN	4/8/20	12626	4/9/20	3:16	SW3051A6020A	
Thallium	< 0.55	0.55	ug/g	5	AGN	4/8/20	12626	4/9/20	3:16	SW3051A6020A	
Vanadium	14	5.5	ug/g	5	AGN	4/8/20	12626	4/10/20	1:39	SW3051A6020A	
Zinc	69	5.5	ug/g	5	AGN	4/8/20	12626	4/10/20	1:39	SW3051A6020A	

Project ID: Cedar Woods 2180311

Job ID: 52498

Sample#: 52498-007

Sample ID: SB-102 (0-3')

Matrix: Solid

Percent Dry: 93% Results expressed on a dry weight basis.

Parameter	Sampled: 4/6/20 11:45		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Antimony	< 0.54	0.54	ug/g	5	AGN	4/8/20	12626	4/9/20	3:25	SW3051A6020A	
Arsenic	3.3	2.7	ug/g	5	AGN	4/8/20	12626	4/9/20	3:25	SW3051A6020A	
Barium	27	5.4	ug/g	5	AGN	4/8/20	12626	4/10/20	1:48	SW3051A6020A	
Beryllium	< 0.54	0.54	ug/g	5	AGN	4/8/20	12626	4/9/20	3:25	SW3051A6020A	
Cadmium	< 0.54	0.54	ug/g	5	AGN	4/8/20	12626	4/9/20	3:25	SW3051A6020A	
Chromium	17	5.4	ug/g	5	AGN	4/8/20	12626	4/10/20	1:48	SW3051A6020A	
Lead	16	2.7	ug/g	5	AGN	4/8/20	12626	4/10/20	1:48	SW3051A6020A	
Mercury	< 0.13	0.13	ug/g	1	AGN	4/7/20	12622	4/7/20	18:33	SW7471B	
Nickel	23	5.4	ug/g	5	AGN	4/8/20	12626	4/10/20	1:48	SW3051A6020A	
Selenium	< 5.4	5.4	ug/g	5	AGN	4/8/20	12626	4/9/20	3:25	SW3051A6020A	
Silver	< 2.7	2.7	ug/g	5	AGN	4/8/20	12626	4/9/20	3:25	SW3051A6020A	
Thallium	< 0.54	0.54	ug/g	5	AGN	4/8/20	12626	4/9/20	3:25	SW3051A6020A	
Vanadium	20	5.4	ug/g	5	AGN	4/8/20	12626	4/10/20	1:48	SW3051A6020A	
Zinc	31	5.4	ug/g	5	AGN	4/8/20	12626	4/10/20	1:48	SW3051A6020A	

Sample#: 52498-009

Sample ID: SB-102 (11-14')

Matrix: Solid

Percent Dry: 40% Results expressed on a dry weight basis.

Parameter	Sampled: 4/6/20 11:40		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Antimony	< 1.1	1.1	ug/g	5	AGN	4/8/20	12626	4/10/20	2:25	SW3051A6020A	
Arsenic	10	5.6	ug/g	5	AGN	4/8/20	12626	4/9/20	3:34	SW3051A6020A	
Barium	56	11	ug/g	5	AGN	4/8/20	12626	4/10/20	2:25	SW3051A6020A	
Beryllium	< 1.1	1.1	ug/g	5	AGN	4/8/20	12626	4/9/20	3:34	SW3051A6020A	
Cadmium	< 1.1	1.1	ug/g	5	AGN	4/8/20	12626	4/9/20	3:34	SW3051A6020A	
Chromium	41	11	ug/g	5	AGN	4/8/20	12626	4/10/20	2:25	SW3051A6020A	
Lead	190	5.6	ug/g	5	AGN	4/8/20	12626	4/10/20	2:25	SW3051A6020A	
Mercury	< 0.31	0.31	ug/g	1	AGN	4/7/20	12622	4/7/20	18:34	SW7471B	
Nickel	64	11	ug/g	5	AGN	4/8/20	12626	4/10/20	2:25	SW3051A6020A	
Selenium	< 11	11	ug/g	5	AGN	4/8/20	12626	4/9/20	3:34	SW3051A6020A	
Silver	< 5.6	5.6	ug/g	5	AGN	4/8/20	12626	4/9/20	3:34	SW3051A6020A	
Thallium	< 1.1	1.1	ug/g	5	AGN	4/8/20	12626	4/9/20	3:34	SW3051A6020A	
Vanadium	17	11	ug/g	5	AGN	4/8/20	12626	4/10/20	2:25	SW3051A6020A	
Zinc	530	11	ug/g	5	AGN	4/8/20	12626	4/10/20	2:25	SW3051A6020A	

Project ID: Cedar Woods 2180311

Job ID: 52498

Sample#: 52498-010

Sample ID: SB-101 (0-3')

Matrix: Solid

Percent Dry: 90.7% Results expressed on a dry weight basis.

Parameter	Sampled: 4/6/20 12:55		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Antimony	< 0.52	0.52	ug/g	5	AGN	4/8/20	12626	4/9/20	3:44	SW3051A6020A	
Arsenic	3.3	2.6	ug/g	5	AGN	4/8/20	12626	4/9/20	3:44	SW3051A6020A	
Barium	18	5.2	ug/g	5	AGN	4/8/20	12626	4/10/20	2:35	SW3051A6020A	
Beryllium	< 0.52	0.52	ug/g	5	AGN	4/8/20	12626	4/9/20	3:44	SW3051A6020A	
Cadmium	< 0.52	0.52	ug/g	5	AGN	4/8/20	12626	4/9/20	3:44	SW3051A6020A	
Chromium	7.3	5.2	ug/g	5	AGN	4/8/20	12626	4/10/20	2:35	SW3051A6020A	
Lead	8.7	2.6	ug/g	5	AGN	4/8/20	12626	4/10/20	2:35	SW3051A6020A	
Mercury	< 0.15	0.15	ug/g	1	AGN	4/7/20	12622	4/7/20	18:36	SW7471B	
Nickel	7.4	5.2	ug/g	5	AGN	4/8/20	12626	4/10/20	2:35	SW3051A6020A	
Selenium	< 5.2	5.2	ug/g	5	AGN	4/8/20	12626	4/9/20	3:44	SW3051A6020A	
Silver	< 2.6	2.6	ug/g	5	AGN	4/8/20	12626	4/9/20	3:44	SW3051A6020A	
Thallium	< 0.52	0.52	ug/g	5	AGN	4/8/20	12626	4/9/20	3:44	SW3051A6020A	
Vanadium	11	5.2	ug/g	5	AGN	4/8/20	12626	4/10/20	2:35	SW3051A6020A	
Zinc	17	5.2	ug/g	5	AGN	4/8/20	12626	4/10/20	2:35	SW3051A6020A	

Sample#: 52498-011

Sample ID: SB-101 (9-12')

Matrix: Solid

Percent Dry: 74% Results expressed on a dry weight basis.

Parameter	Sampled: 4/6/20 13:05		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Antimony	2.7	0.68	ug/g	5	AGN	4/8/20	12626	4/10/20	2:44	SW3051A6020A	
Arsenic	28	3.4	ug/g	5	AGN	4/8/20	12626	4/10/20	2:44	SW3051A6020A	
Barium	140	6.8	ug/g	5	AGN	4/8/20	12626	4/10/20	2:44	SW3051A6020A	
Beryllium	< 0.68	0.68	ug/g	5	AGN	4/8/20	12626	4/9/20	3:53	SW3051A6020A	
Cadmium	1.3	0.68	ug/g	5	AGN	4/8/20	12626	4/10/20	2:44	SW3051A6020A	
Chromium	51	6.8	ug/g	5	AGN	4/8/20	12626	4/10/20	2:44	SW3051A6020A	
Lead	230	3.4	ug/g	5	AGN	4/8/20	12626	4/10/20	2:44	SW3051A6020A	
Mercury	0.58	0.18	ug/g	1	AGN	4/7/20	12622	4/7/20	18:42	SW7471B	
Nickel	14	6.8	ug/g	5	AGN	4/8/20	12626	4/10/20	2:44	SW3051A6020A	
Selenium	< 6.8	6.8	ug/g	5	AGN	4/8/20	12626	4/9/20	3:53	SW3051A6020A	
Silver	< 3.4	3.4	ug/g	5	AGN	4/8/20	12626	4/9/20	3:53	SW3051A6020A	
Thallium	< 0.68	0.68	ug/g	5	AGN	4/8/20	12626	4/9/20	3:53	SW3051A6020A	
Vanadium	15	6.8	ug/g	5	AGN	4/8/20	12626	4/10/20	2:44	SW3051A6020A	
Zinc	220	6.8	ug/g	5	AGN	4/8/20	12626	4/10/20	2:44	SW3051A6020A	

Project ID: Cedar Woods 2180311

Job ID: 52498

Sample#: 52498-012

Sample ID: SB-103 (0-3')

Matrix: Solid

Percent Dry: 93% Results expressed on a dry weight basis.

Parameter	Sampled:	4/6/20	12:20	Reporting	Instr	Dil'n	Prep	Analysis			Reference	
				Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time
Antimony				< 0.51	0.51	ug/g	5	AGN	4/8/20	12626	4/9/20	4:02
Arsenic				3.5	2.5	ug/g	5	AGN	4/8/20	12626	4/9/20	4:02
Barium				25	5.1	ug/g	5	AGN	4/8/20	12626	4/10/20	2:53
Beryllium				< 0.51	0.51	ug/g	5	AGN	4/8/20	12626	4/9/20	4:02
Cadmium				< 0.51	0.51	ug/g	5	AGN	4/8/20	12626	4/9/20	4:02
Chromium				6.9	5.1	ug/g	5	AGN	4/8/20	12626	4/10/20	2:53
Lead				22	2.5	ug/g	5	AGN	4/8/20	12626	4/10/20	2:53
Mercury				< 0.15	0.15	ug/g	1	AGN	4/7/20	12622	4/7/20	18:48
Nickel				6.3	5.1	ug/g	5	AGN	4/8/20	12626	4/10/20	2:53
Selenium				< 5.1	5.1	ug/g	5	AGN	4/8/20	12626	4/9/20	4:02
Silver				< 2.5	2.5	ug/g	5	AGN	4/8/20	12626	4/9/20	4:02
Thallium				< 0.51	0.51	ug/g	5	AGN	4/8/20	12626	4/9/20	4:02
Vanadium				10	5.1	ug/g	5	AGN	4/8/20	12626	4/10/20	2:53
Zinc				19	5.1	ug/g	5	AGN	4/8/20	12626	4/10/20	2:53

Sample#: 52498-013

Sample ID: SB-103 (3-5')

Matrix: Solid

Percent Dry: 81.1% Results expressed on a dry weight basis.

Parameter	Sampled:	4/6/20	12:20	Reporting	Instr	Dil'n	Prep	Analysis			Reference	
				Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time
Antimony				3.7	0.62	ug/g	5	AGN	4/8/20	12626	4/10/20	3:03
Arsenic				13	3.1	ug/g	5	AGN	4/8/20	12626	4/10/20	3:03
Barium				250	6.2	ug/g	5	AGN	4/8/20	12626	4/10/20	3:03
Beryllium				< 0.62	0.62	ug/g	5	AGN	4/8/20	12626	4/9/20	4:12
Cadmium				4.9	0.62	ug/g	5	AGN	4/8/20	12626	4/10/20	3:03
Chromium				9.4	6.2	ug/g	5	AGN	4/8/20	12626	4/10/20	3:03
Lead				710	3.1	ug/g	5	AGN	4/8/20	12626	4/10/20	3:03
Mercury				0.58	0.16	ug/g	1	AGN	4/7/20	12622	4/7/20	18:49
Nickel				12	6.2	ug/g	5	AGN	4/8/20	12626	4/10/20	3:03
Selenium				< 6.2	6.2	ug/g	5	AGN	4/8/20	12626	4/9/20	4:12
Silver				< 3.1	3.1	ug/g	5	AGN	4/8/20	12626	4/9/20	4:12
Thallium				< 0.62	0.62	ug/g	5	AGN	4/8/20	12626	4/9/20	4:12
Vanadium				10.0	6.2	ug/g	5	AGN	4/8/20	12626	4/10/20	3:03
Zinc				920	6.2	ug/g	5	AGN	4/8/20	12626	4/10/20	3:03

Project ID: Cedar Woods 2180311

Job ID: 52498

Sample#: 52498-014

Sample ID: SB-103 (7-10')

Matrix: Solid

Percent Dry: 76.8% Results expressed on a dry weight basis.

Parameter	Sampled: 4/6/20		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Antimony	< 0.60	0.60	ug/g	5	AGN	4/8/20	12626	4/9/20	4:21	SW3051A6020A	
Arsenic	3.3	3.0	ug/g	5	AGN	4/8/20	12626	4/9/20	4:21	SW3051A6020A	
Barium	36	6.0	ug/g	5	AGN	4/8/20	12626	4/10/20	3:12	SW3051A6020A	
Beryllium	< 0.60	0.60	ug/g	5	AGN	4/8/20	12626	4/9/20	4:21	SW3051A6020A	
Cadmium	< 0.60	0.60	ug/g	5	AGN	4/8/20	12626	4/9/20	4:21	SW3051A6020A	
Chromium	18	6.0	ug/g	5	AGN	4/8/20	12626	4/10/20	3:12	SW3051A6020A	
Lead	8.4	3.0	ug/g	5	AGN	4/8/20	12626	4/10/20	3:12	SW3051A6020A	
Mercury	< 0.17	0.17	ug/g	1	AGN	4/7/20	12622	4/7/20	18:51	SW7471B	
Nickel	13	6.0	ug/g	5	AGN	4/8/20	12626	4/10/20	3:12	SW3051A6020A	
Selenium	< 6.0	6.0	ug/g	5	AGN	4/8/20	12626	4/9/20	4:21	SW3051A6020A	
Silver	< 3.0	3.0	ug/g	5	AGN	4/8/20	12626	4/9/20	4:21	SW3051A6020A	
Thallium	< 0.60	0.60	ug/g	5	AGN	4/8/20	12626	4/9/20	4:21	SW3051A6020A	
Vanadium	25	6.0	ug/g	5	AGN	4/8/20	12626	4/10/20	3:12	SW3051A6020A	
Zinc	18	6.0	ug/g	5	AGN	4/8/20	12626	4/10/20	3:12	SW3051A6020A	

Project ID: Cedar Woods 2180311

Job ID: 52498

Sample#: 52498-004

Sample ID: SB-106 (3-4')

Matrix: Solid

Percent Dry: 88.6% Results expressed on a dry weight basis.

Parameter	Sampled: 4/6/20 9:50		Reporting		Instr Dil'n	Analyst	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Date		Batch	Date	Time		
Chromium, Hexavalent	0.50	0.45	ug/g	1	SFM		2001871	4/10/20	11:30	SW3060A7196A	
Oxidation Reduction Potential	430		mV	1	WAS		2001824	4/7/20	8:00	ASTM1498-08	
pH	5.9		pH	1	WAS		2001823	4/7/20	7:47	SW9045C	

Sample#: 52498-005

Sample ID: SB-105 (0-3')

Matrix: Solid

Percent Dry: 81.3% Results expressed on a dry weight basis.

Parameter	Sampled: 4/6/20 10:40		Reporting		Instr Dil'n	Analyst	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Date		Batch	Date	Time		
Chromium, Hexavalent	< 0.48	0.48	ug/g	1	SFM		2001871	4/10/20	11:30	SW3060A7196A	
Oxidation Reduction Potential	450		mV	1	WAS		2001824	4/7/20	8:10	ASTM1498-08	
pH	6.8		pH	1	WAS		2001823	4/7/20	7:53	SW9045C	

Sample#: 52498-009

Sample ID: SB-102 (11-14')

Matrix: Solid

Percent Dry: 40% Results expressed on a dry weight basis.

Parameter	Sampled: 4/6/20 11:40		Reporting		Instr Dil'n	Analyst	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Date		Batch	Date	Time		
Chromium, Hexavalent	< 1.00	1.00	ug/g	1	SFM		2001871	4/10/20	11:30	SW3060A7196A	
Oxidation Reduction Potential	49		mV	1	WAS		2001824	4/7/20	8:14	ASTM1498-08	
pH	6.9		pH	1	WAS		2001823	4/7/20	8:04	SW9045C	

Sample#: 52498-011

Sample ID: SB-101 (9-12')

Matrix: Solid

Percent Dry: 40% Results expressed on a dry weight basis.

Parameter	Sampled: 4/6/20 13:05		Reporting		Instr Dil'n	Analyst	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Date		Batch	Date	Time		
Chromium, Hexavalent	3.8	2.8	ug/g	5	SFM		2001871	4/10/20	11:30	SW3060A7196A	
Oxidation Reduction Potential	180		mV	1	WAS		2001824	4/7/20	8:26	ASTM1498-08	
pH	6.1		pH	1	WAS		2001823	4/7/20	7:55	SW9045C	

Sample#: 52498-013

Sample ID: SB-103 (3-5')

Matrix: Solid

Percent Dry: 74% Results expressed on a dry weight basis.

Parameter	Sampled: 4/6/20 12:20		Reporting		Instr Dil'n	Analyst	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Date		Batch	Date	Time		
Chromium, Hexavalent	< 0.49	0.49	ug/g	1	SFM		2001871	4/10/20	11:30	SW3060A7196A	
Oxidation Reduction Potential	250 D		mV	1	WAS		2001824	4/7/20	8:39	ASTM1498-08	
pH	6.4		pH	1	WAS		2001823	4/7/20	8:00	SW9045C	

D = The RPD for the sample duplicate, run as internal QC, was outside the 10mV acceptance range. The duplicate result is 370 mV.

pH

6.4

pH

1

WAS

2001823

4/7/20

8:00

SW9045C

Quality Control Report



124 Heritage Avenue Unit 16
Portsmouth, NH 03801
www.absoluteresourceassociates.com

MassDEP Analytical Protocol Certification Form

Laboratory Name: Absolute Resource Associates

Project #: 2180311

Project Location: Massachusetts

RTN:

This Form provides certifications for the following data set: list Laboratory Sample ID Number(s): 52498

Matrices: Groundwater/Surface Water Soil/Sediment Drinking Water Air Other:

CAM Protocol (check all that apply below):

8260 VOC CAM II A <input type="checkbox"/>	7470/7471 Hg CAM III B <input checked="" type="checkbox"/>	MassDEP VPH (GC/PID/FID) CAM IV A <input checked="" type="checkbox"/>	8082 PCB CAM V A <input type="checkbox"/>	9014 Total Cyanide/PAC CAM VI A <input type="checkbox"/>	6860 Perchlorate CAM VIII B <input type="checkbox"/>
8270 SVOC CAM II B <input type="checkbox"/>	7010 Metals CAM III C <input type="checkbox"/>	MassDEP VPH (GC/MS) CAM IV C <input type="checkbox"/>	8081 Pesticides CAM V B <input type="checkbox"/>	7196 Hex Cr CAM VI B <input checked="" type="checkbox"/>	MassDEP APH CAM IX A <input type="checkbox"/>
6010 Metals CAM III A <input type="checkbox"/>	6020 Metals CAM III D <input checked="" type="checkbox"/>	MassDEP EPH CAM IV B <input checked="" type="checkbox"/>	8151 Herbicides CAM V C <input type="checkbox"/>	8330 Explosives CAM VIII A <input type="checkbox"/>	TO-15 VOC CAM IX B <input type="checkbox"/>

Affirmative Responses to Questions A through F are required for "Presumptive Certainty" status

A	Were all samples received in a condition consistent with those described on the Chain-of-Custody, properly preserved (including temperature) in the field or laboratory, and prepared/analyzed within method holding times?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B	Were the analytical method(s) and all associated QC requirements specified in the selected CAM protocol(s) followed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
C	Were all required corrective actions and analytical response actions specified in the selected CAM protocol(s) implemented for all identified performance standard non-conformances?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
D	Does the laboratory report comply with all the reporting requirements specified in CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data"?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
E	VPH, EPH, APH, and TO-15 only a. VPH, EPH, and APH Methods only: Was each method conducted without significant modification(s)? (Refer to the individual method(s) for a list of significant modifications). b. APH and TO-15 Methods only: Was the complete analyte list reported for each method?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> No
F	Were all applicable CAM protocol QC and performance standard non-conformances identified and evaluated in a laboratory narrative (including all "No" responses to Questions A through E)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Responses to Questions G, H and I below are required for "Presumptive Certainty" status

G	Were the reporting limits at or below all CAM reporting limits specified in the selected CAM protocol(s)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No ¹
---	---	--

Data User Note: Data that achieve "Presumptive Certainty" status may not necessarily meet the data usability and representativeness requirements described in 310 CMR 40.1056 (2)(k) and WSC-07-350.

H	Were all QC performance standards specified in the CAM protocol(s) achieved?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No ¹
I	Were results reported for the complete analyte list specified in the selected CAM protocol(s)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No ¹

¹All negative responses must be addressed in an attached laboratory narrative.

I, the undersigned, attest under the pains and penalties of perjury that, based upon my personal inquiry of those responsible for obtaining the information, the material contained in this analytical report is, to the best of my knowledge and belief, is accurate and complete.

Signature: 

Position: Chief Operating Officer

Printed Name: Aaron DeWees

Date: 5/1/20

Sample Integrity Table

Parameter	Method	Matrix	Minimum Volume	Recommended Container(s)	Required Preservation	Holding Time
Volatile Organics	EPA 8260	Aqueous	40mL	2 x 40mL VOA Vials with Teflon lined septa	Cool to $\leq 6^{\circ}\text{C}$ 1:1 HCl to pH <2	14 Days
Volatile Organics	EPA 8260	Solid	40mL	1 x 40mL VOA Vial with 10mLs Methanol <u>and</u> 1 unpreserved container for percent moisture	Cool to $\leq 6^{\circ}\text{C}$ Methanol	14 Days
Semivolatile Organics	EPA 8270	Aqueous	1L	1L Amber Glass Bottle w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	7 Days
Semivolatile Organics	EPA 8270	Solid	20g	4oz Amber Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	14 Days
Organochlorine Pesticides	EPA 8081	Aqueous	1L	1L Amber Glass Bottle w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	7 Days
Organochlorine Pesticides	EPA 8081	Solid	20g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	14 Days
PCBs	EPA 8082	Aqueous	1L	1L Amber Glass Bottle w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	365 Days
PCBs	EPA 8082	Solid	20g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	365 Days
Herbicides (subcontracted)	EPA 8151	Aqueous	1L	1L Amber Glass Bottle w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	7 Days
Herbicides (subcontracted)	EPA 8151	Solid	30g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	14 Days
MA DEP VPH	MADEP VPH	Aqueous	40mL	2 x 40mL VOA Vials with Teflon lined septa	Cool to $\leq 6^{\circ}\text{C}$ 1:1 HCl to pH <2	14 Days
MA DEP VPH	MADEP VPH	Solid	40mL	1 x 40mL VOA Vial with 10mLs Methanol <u>and</u> 1 unpreserved container for percent moisture	Cool to $\leq 6^{\circ}\text{C}$ Methanol	28 Days
MA DEP EPH	MADEP EPH	Aqueous	1L	1L Amber Glass Bottle w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$ 1:1 HCl to pH <2	14 Days
MA DEP EPH	MADEP EPH	Solid	30g	4oz Amber Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	14 Days
Total Metals	EPA 6010	Aqueous	100mL	250mL Polyethylene Bottle	1:1 HNO ₃ to pH <2	180 Days
Dissolved Metals	EPA 6010	Aqueous	100mL	250mL Polyethylene Bottle	Filter First 1:1 HNO ₃ to pH <2	180 Days
Total Metals	EPA 6010	Solid	15g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	180 Days
Total Mercury (may be combined with Total Metals)	EPA 7470	Aqueous	100mL	125mL Polyethylene Bottle	1:1 HNO ₃ to pH <2	28 Days
Total Mercury (may be combined with Total Metals)	EPA 7471	Solid	15g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	28 Days
Chromium, Hexavalent	EPA 7196	Aqueous	100mL	125mL Polyethylene Bottle	Cool to $\leq 6^{\circ}\text{C}$ (NH4)2SO ₄ buffer	28 Days
Chromium, Hexavalent (subcontract)	EPA 7196	Solid	15g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	30 Days
Cyanide, Total	EPA 9014	Aqueous	125mL	125mL Polyethylene Bottle	Cool to $\leq 6^{\circ}\text{C}$ 1:1 NaOH to pH >8	14 Days
Cyanide, Total	EPA 9014	Solid	15g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	14 Days



Case Narrative

Lab # 52498

Sample Receiving and Chain of Custody Discrepancies

Samples were received in acceptable condition, between 0 and 6 degrees C, on ice, and in accordance with sample handling, preservation and integrity guidelines.

As noted on the result page, the VPH samples did not meet the 1:1 +/-25% methanol to soil ratio.

Calibration

No exceptions noted.

Method Blank

No exceptions noted.

Surrogate Recoveries

EPH: Sample 52498-003 had recoveries for both extraction surrogates below acceptance criteria and one fractionation surrogate above acceptance criteria. The sample was re-extracted beyond method holding time with similar results. Both extractions are included.

VPH: The surrogate a,a,a-trifluorotoluene was below acceptance criteria in sample 52498-011.

Laboratory Control Sample Results

VOC: The LCSD2001516 did not meet the acceptance criteria for t-butanol (TBA). Since <10% of the compounds were outside of the acceptance criteria, reanalysis is not required.

Matrix Spike/Matrix Spike Duplicate/Duplicate Results

Metals: The percent recovery for barium in the matrix spike for sample 52498-002 was 161% the recovery for Zinc was 141%, outside the acceptance criteria of 75-125%. The duplicate of sample 52498-002 had an RPD for barium that was outside the acceptance criteria. Results have been qualified accordingly.

ORP: The duplicate of sample 52498-013 was outside the 10 mV limit. Both results have been included.

Other

VPH: The trap used for VPH analysis is a Tekmar STRATUM Purge Trap 9. The column used for VPH analysis is a Restek Rtx-502.2, 105m, 0.53mmID, and 3um df.

MassDEP Analytical Protocol Certification Form Questions A through I

No explanation is needed for Questions A through I answered in the affirmative.

Question G: The CAM protocol reporting limits were not achieved for this project due to dilutions necessary for sample analysis. Box G is "No."

Question H: See surrogate section above. Box H is "No."

GLOSSARY

%R	Percent Recovery
BLK	Blank (Method Blank, Preparation Blank)
CCB	Continuing Calibration Blank
CCV	Continuing Calibration Verification
CRM	Certified Reference Material (associated with solid Metals samples)
CRMD	Certified Reference Material Duplicate (associated with solid Metals samples)
Dil'n	Dilution
DL	Detection Limit
DUP	Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
LOD	Limit of Detection
LOQ	Limit of Quantitation
MB	Methanol Blank (associated with solid VOC samples)
MLCS	Methanol Laboratory Control Sample (associated with solid VOC samples)
MLCSD	Methanol Laboratory Control Sample Duplicate (associated with solid VOC samples)
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PB	Preparation Blank
QC	Quality Control
RL	Reporting Limit
RPD	Relative Percent Difference
SUR	Surrogate



124 Heritage Avenue Unit 16
Portsmouth, NH 03801
www.absoluteresourceassociates.com

- QC Report -

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit	
MA VPH	MB12628	Unadjusted C5-C8 Aliphatics		<	5.0	ug/g					
		Unadjusted C9-C12 Aliphatics		<	5.0	ug/g					
		methyl t-butyl ether (MTBE)		<	0.10	ug/g					
		benzene		<	0.10	ug/g					
		toluene		<	0.10	ug/g					
		ethylbenzene		<	0.10	ug/g					
		m&p-xlenes		<	0.10	ug/g					
		o-xylene		<	0.10	ug/g					
		naphthalene		<	0.25	ug/g					
		C5-C8 Aliphatics		<	5.0	ug/g					
		C9-C12 Aliphatics		<	5.0	ug/g					
		C9-C10 Aromatics		<	5.0	ug/g					
		2,5-dibromotoluene as Aromatic SUR		113	%			70	130		
		2,5-dibromotoluene as Aliphatic SUR		112	%			70	130		
		a,a,a-trifluorotoluene SUR		90	%			70	130		
MA VPH	MLCS12628	Unadjusted C5-C8 Aliphatics		14	ug/g	15	93	70	130		
		Unadjusted C9-C12 Aliphatics		13	ug/g	15	89	70	130		
		methyl t-butyl ether (MTBE)		4.6	ug/g	5	92	70	130		
		benzene		4.8	ug/g	5	97	70	130		
		toluene		4.8	ug/g	5	95	70	130		
		ethylbenzene		4.8	ug/g	5	96	70	130		
		m&p-xlenes		9.7	ug/g	10	97	70	130		
		o-xylene		4.8	ug/g	5	96	70	130		
		naphthalene		5.0	ug/g	5	100	70	130		
		C5-C8 Aliphatics		<	5.0	ug/g		70	130		
		C9-C12 Aliphatics		<	5.0	ug/g		70	130		
		C9-C10 Aromatics		5.1	ug/g	5	102	70	130		
		2,5-dibromotoluene as Aromatic SUR		111	%			70	130		
		2,5-dibromotoluene as Aliphatic SUR		112	%			70	130		
		a,a,a-trifluorotoluene SUR		86	%			70	130		
MA VPH	MLCSD12628	Unadjusted C5-C8 Aliphatics		14	ug/g	15	93	70	130	0	25
		Unadjusted C9-C12 Aliphatics		14	ug/g	15	90	70	130	2	25
		methyl t-butyl ether (MTBE)		4.7	ug/g	5	93	70	130	1	25
		benzene		4.9	ug/g	5	99	70	130	2	25
		toluene		4.9	ug/g	5	98	70	130	3	25
		ethylbenzene		4.9	ug/g	5	99	70	130	3	25
		m&p-xlenes		10.0	ug/g	10	100	70	130	3	25
		o-xylene		4.9	ug/g	5	99	70	130	2	25
		naphthalene		5.1	ug/g	5	102	70	130	2	25
		C5-C8 Aliphatics		<	5.0	ug/g		70	130		25
		C9-C12 Aliphatics		<	5.0	ug/g		70	130		25
		C9-C10 Aromatics		5.2	ug/g	5	103	70	130	1	25
		2,5-dibromotoluene as Aromatic SUR		99	%			70	130		
		2,5-dibromotoluene as Aliphatic SUR		100	%			70	130		
		a,a,a-trifluorotoluene SUR		90	%			70	130		

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
MA EPH	BLK12625	naphthalene		<	0.20	ug/g				
		2-methylnaphthalene		<	0.20	ug/g				
		phenanthrene		<	0.20	ug/g				
		acenaphthene		<	0.20	ug/g				
		acenaphthylene		<	0.20	ug/g				
		fluorene		<	0.20	ug/g				
		anthracene		<	0.20	ug/g				
		fluoranthene		<	0.20	ug/g				
		pyrene		<	0.20	ug/g				
		benzo(a)anthracene		<	0.20	ug/g				
		chrysene		<	0.20	ug/g				
		benzo(b)fluoranthene		<	0.20	ug/g				
		benzo(k)fluoranthene		<	0.20	ug/g				
		benzo(a)pyrene		<	0.20	ug/g				
		indeno(1,2,3-cd)pyrene		<	0.20	ug/g				
		dibenzo(a,h)anthracene		<	0.20	ug/g				
		benzo(g,h,i)perylene		<	0.20	ug/g				
		Unadjusted C11-C22 Aromatics		<	20	ug/g				
		C9-C18 Aliphatics		<	20	ug/g				
		C19-C36 Aliphatics		<	20	ug/g				
		C11-C22 Aromatics		<	20	ug/g				
		1-chloro-octadecane SUR		52	%		40	140		
		o-terphenyl SUR		53	%		40	140		
		2-fluorobiphenyl SUR		67	%		40	140		
		2-bromonaphthalene SUR		65	%		40	140		

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
MA EPH	LCS12625	naphthalene		3.0	ug/g	6	50	40	140	
		2-methylnaphthalene		3.0	ug/g	6	50	40	140	
		phenanthrene		3.6	ug/g	6	60	40	140	
		acenaphthene		3.3	ug/g	6	55	40	140	
		acenaphthylene		3.1	ug/g	6	51	40	140	
		fluorene		3.4	ug/g	6	57	40	140	
		anthracene		3.5	ug/g	6	58	40	140	
		fluoranthene		3.8	ug/g	6	64	40	140	
		pyrene		4.1	ug/g	6	69	40	140	
		benzo(a)anthracene		4.1	ug/g	6	68	40	140	
		chrysene		4.2	ug/g	6	71	40	140	
		benzo(b)fluoranthene		4.0	ug/g	6	67	40	140	
		benzo(k)fluoranthene		3.9	ug/g	6	65	40	140	
		benzo(a)pyrene		4.0	ug/g	6	66	40	140	
		indeno(1,2,3-cd)pyrene		4.2	ug/g	6	71	40	140	
		dibenzo(a,h)anthracene		4.2	ug/g	6	70	40	140	
		benzo(g,h,i)perylene		4.2	ug/g	6	69	40	140	
		Unadjusted C11-C22 Aromatics		68	ug/g	102	66	40	140	
		C9-C18 Aliphatics		20	ug/g	36	57	40	140	
		C19-C36 Aliphatics		56	ug/g	48	116	40	140	
		C11-C22 Aromatics	<	20	ug/g			40	140	
		1-chloro-octadecane SUR		60	%			40	140	
		o-terphenyl SUR		58	%			40	140	
		2-fluorobiphenyl SUR		65	%			40	140	
		2-bromonaphthalene SUR		64	%			40	140	

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
MA EPH	LCSD12625	naphthalene		2.9	ug/g	6	48	40 140	2	25
		2-methylnaphthalene		2.9	ug/g	6	49	40 140	3	25
		phenanthrene		3.5	ug/g	6	59	40 140	1	25
		acenaphthene		3.3	ug/g	6	55	40 140	0	25
		acenaphthylene		3.1	ug/g	6	51	40 140	0	25
		fluorene		3.4	ug/g	6	57	40 140	1	25
		anthracene		3.4	ug/g	6	57	40 140	1	25
		fluoranthene		3.7	ug/g	6	61	40 140	4	25
		pyrene		4.0	ug/g	6	67	40 140	3	25
		benzo(a)anthracene		4.0	ug/g	6	66	40 140	3	25
		chrysene		4.1	ug/g	6	68	40 140	4	25
		benzo(b)fluoranthene		4.0	ug/g	6	66	40 140	1	25
		benzo(k)fluoranthene		3.8	ug/g	6	63	40 140	3	25
		benzo(a)pyrene		3.9	ug/g	6	64	40 140	3	25
		indeno(1,2,3-cd)pyrene		4.2	ug/g	6	69	40 140	2	25
		dibenzo(a,h)anthracene		4.1	ug/g	6	69	40 140	2	25
		benzo(g,h,i)perylene		4.1	ug/g	6	68	40 140	1	25
		Unadjusted C11-C22 Aromatics		65	ug/g	102	63	40 140	5	25
		C9-C18 Aliphatics		<	20	ug/g	36	52	40	140
		C19-C36 Aliphatics			54	ug/g	48	113	40	140
		C11-C22 Aromatics		<	20	ug/g		40	140	25
		1-chloro-octadecane SUR		55	%			40 140		
		o-terphenyl SUR		55	%			40 140		
		2-fluorobiphenyl SUR		68	%			40 140		
		2-bromonaphthalene SUR		66	%			40 140		

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
MA EPH	BLK12630	naphthalene		<	0.20	ug/g				
		2-methylnaphthalene		<	0.20	ug/g				
		phenanthrene		<	0.20	ug/g				
		acenaphthene		<	0.20	ug/g				
		acenaphthylene		<	0.20	ug/g				
		fluorene		<	0.20	ug/g				
		anthracene		<	0.20	ug/g				
		fluoranthene		<	0.20	ug/g				
		pyrene		<	0.20	ug/g				
		benzo(a)anthracene		<	0.20	ug/g				
		chrysene		<	0.20	ug/g				
		benzo(b)fluoranthene		<	0.20	ug/g				
		benzo(k)fluoranthene		<	0.20	ug/g				
		benzo(a)pyrene		<	0.20	ug/g				
		indeno(1,2,3-cd)pyrene		<	0.20	ug/g				
		dibenzo(a,h)anthracene		<	0.20	ug/g				
		benzo(g,h,i)perylene		<	0.20	ug/g				
		Unadjusted C11-C22 Aromatics		<	20	ug/g				
		C9-C18 Aliphatics		<	20	ug/g				
		C19-C36 Aliphatics		<	20	ug/g				
		C11-C22 Aromatics		<	20	ug/g				
		1-chloro-octadecane SUR		52	%		40	140		
		o-terphenyl SUR		59	%		40	140		
		2-fluorobiphenyl SUR		66	%		40	140		
		2-bromonaphthalene SUR		64	%		40	140		

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
MA EPH	LCS12630	naphthalene		3.1	ug/g	6	51	40	140	
		2-methylnaphthalene		3.1	ug/g	6	52	40	140	
		phenanthrene		3.6	ug/g	6	60	40	140	
		acenaphthene		3.3	ug/g	6	56	40	140	
		acenaphthylene		3.3	ug/g	6	54	40	140	
		fluorene		3.6	ug/g	6	60	40	140	
		anthracene		3.5	ug/g	6	59	40	140	
		fluoranthene		4.0	ug/g	6	66	40	140	
		pyrene		4.2	ug/g	6	70	40	140	
		benzo(a)anthracene		4.3	ug/g	6	71	40	140	
		chrysene		4.4	ug/g	6	73	40	140	
		benzo(b)fluoranthene		4.4	ug/g	6	73	40	140	
		benzo(k)fluoranthene		3.9	ug/g	6	65	40	140	
		benzo(a)pyrene		4.1	ug/g	6	68	40	140	
		indeno(1,2,3-cd)pyrene		4.4	ug/g	6	73	40	140	
		dibenzo(a,h)anthracene		4.4	ug/g	6	73	40	140	
		benzo(g,h,i)perylene		4.4	ug/g	6	73	40	140	
		Unadjusted C11-C22 Aromatics		65	ug/g	102	64	40	140	
		C9-C18 Aliphatics		<	20	ug/g	36	44	40	140
		C19-C36 Aliphatics			49	ug/g	48	102	40	140
		C11-C22 Aromatics		<	20	ug/g		40	140	
		1-chloro-octadecane SUR		52	%			40	140	
		o-terphenyl SUR		57	%			40	140	
		2-fluorobiphenyl SUR		64	%			40	140	
		2-bromonaphthalene SUR		61	%			40	140	

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
MA EPH	LCSD12630	naphthalene		2.9	ug/g	6	48	40 140	6	25
		2-methylnaphthalene		2.9	ug/g	6	49	40 140	6	25
		phenanthrene		3.5	ug/g	6	59	40 140	2	25
		acenaphthene		3.3	ug/g	6	55	40 140	1	25
		acenaphthylene		3.1	ug/g	6	52	40 140	4	25
		fluorene		3.6	ug/g	6	59	40 140	1	25
		anthracene		3.5	ug/g	6	59	40 140	0	25
		fluoranthene		4.1	ug/g	6	68	40 140	3	25
		pyrene		4.0	ug/g	6	66	40 140	5	25
		benzo(a)anthracene		4.2	ug/g	6	70	40 140	2	25
		chrysene		4.3	ug/g	6	71	40 140	2	25
		benzo(b)fluoranthene		4.1	ug/g	6	68	40 140	8	25
		benzo(k)fluoranthene		4.2	ug/g	6	70	40 140	8	25
		benzo(a)pyrene		4.1	ug/g	6	68	40 140	0	25
		indeno(1,2,3-cd)pyrene		4.2	ug/g	6	71	40 140	4	25
		dibenzo(a,h)anthracene		4.2	ug/g	6	71	40 140	3	25
		benzo(g,h,i)perylene		4.1	ug/g	6	69	40 140	6	25
		Unadjusted C11-C22 Aromatics		67	ug/g	102	66	40 140	3	25
		C9-C18 Aliphatics		<	20	ug/g	36	53	40	140
		C19-C36 Aliphatics			54	ug/g	48	112	40	140
		C11-C22 Aromatics		<	20	ug/g		40	140	25
		1-chloro-octadecane SUR		63	%			40 140		
		o-terphenyl SUR		60	%			40 140		
		2-fluorobiphenyl SUR		60	%			40 140		
		2-bromonaphthalene SUR		59	%			40 140		

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit	
SW3051A6020A	BLK12626	Silver		<	ug/g	2.5					
		Arsenic		<	ug/g	2.5					
		Barium		<	ug/g	5.0					
		Beryllium		<	ug/g	0.50					
		Cadmium		<	ug/g	0.50					
		Chromium		<	ug/g	5.0					
		Nickel		<	ug/g	5.0					
		Lead		<	ug/g	2.5					
		Antimony		<	ug/g	0.50					
		Selenium		<	ug/g	5.0					
		Thallium		<	ug/g	0.50					
		Vanadium		<	ug/g	5.0					
		Zinc		<	ug/g	5.0					
SW3051A6020A	CRM12626	Silver		47.3	ug/g	53.8		31.9	59.7		
		Arsenic		172	ug/g	219		129	240		
		Barium		634	ug/g	788		509	867		
		Beryllium		204	ug/g	247		160	272		
		Cadmium		155	ug/g	175		111	192		
		Chromium		301	ug/g	375		223	414		
		Nickel		258	ug/g	318		193	358		
		Lead		269	ug/g	321		207	353		
		Antimony		97.6	ug/g	159		15.9	180		
		Selenium		117	ug/g	145		78.5	160		
		Thallium		89.0	ug/g	98.6		53.7	111		
		Vanadium		205	ug/g	267		168	294		
		Zinc		239	ug/g	311		190	352		
SW3051A6020A	CRMD12626	Silver		45.8	ug/g	53.8		31.9	59.7	3	20
		Arsenic		168	ug/g	219		129	240	2	20
		Barium		592	ug/g	788		509	867	7	20
		Beryllium		205	ug/g	247		160	272	1	20
		Cadmium		147	ug/g	175		111	192	6	20
		Chromium		294	ug/g	375		223	414	2	20
		Nickel		254	ug/g	318		193	358	1	20
		Lead		251	ug/g	321		207	353	7	20
		Antimony		92.7	ug/g	159		15.9	180	5	20
		Selenium		106	ug/g	145		78.5	160	10	20
		Thallium		83.4	ug/g	98.6		53.7	111	6	20
		Vanadium		196	ug/g	267		168	294	5	20
		Zinc		230	ug/g	311		190	352	4	20

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
SW3051A6020A	DUP12626	Silver	52498-002	<	2.6	ug/g				20
		Arsenic	52498-002		4.8	ug/g			19	20
		Barium	52498-002		300	ug/g			39 *	20
		Beryllium	52498-002	<	0.51	ug/g				20
		Cadmium	52498-002		0.53	ug/g			43	20
		Chromium	52498-002		18	ug/g			15	20
		Nickel	52498-002		12	ug/g			3	20
		Lead	52498-002		140	ug/g			13	20
		Antimony	52498-002		0.83	ug/g			9	20
		Selenium	52498-002	<	5.1	ug/g				20
		Thallium	52498-002	<	0.51	ug/g				20
		Vanadium	52498-002		17	ug/g			2	20
		Zinc	52498-002		230	ug/g			17	20
SW3051A6020A	MS12626	Silver	52498-002	120	ug/g	125	97	75	125	
		Arsenic	52498-002	200	ug/g	250	78	75	125	
		Barium	52498-002	610	ug/g	250	161 *	75	125	
		Beryllium	52498-002	240	ug/g	250	96	75	125	
		Cadmium	52498-002	240	ug/g	250	97	75	125	
		Chromium	52498-002	240	ug/g	250	90	75	125	
		Nickel	52498-002	230	ug/g	250	87	75	125	
		Lead	52498-002	400	ug/g	250	110	75	125	
		Antimony	52498-002	240	ug/g	250	94	75	125	
		Selenium	52498-002	200	ug/g	250	78	75	125	
		Vanadium	52498-002	240	ug/g	250	89	75	125	
		Zinc	52498-002	550	ug/g	250	141 *	75	125	
SW7471B	BLK12622	Mercury		<	0.14	ug/g				
SW7471B	CRM12622	Mercury			0.249	ug/g	0.221		0.0908	0.351
SW7471B	CRMD12622	Mercury			0.223	ug/g	0.221		0.0908	0.351
SW7471B	DUP12622	Mercury	52490-001	<	0.14	ug/g				35
SW7471B	MS12622	Mercury	52490-001		0.40	ug/g	0.333	119	80	120

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
SW3060A7196A	CRM2001871	Chromium, Hexavalent		110	ug/g	260		93.3	350	
SW3060A7196A	CRMD2001871	Chromium, Hexavalent		100	ug/g	260		93.3	350	30
SW3060A7196A	DUP2001871	Chromium, Hexavalent	52498-013	<	0.48	ug/g				20
SW3060A7196A	MS2001871	Chromium, Hexavalent	52513-004	<	0.50	ug/g	25.01	1 *	75	125
SW3060A7196A	MS2001871	Chromium, Hexavalent	52537-009	<	0.55	ug/g	27.25	1 *	75	125
SW3060A7196A	MSD2001871	Chromium, Hexavalent	52513-004	<	0.49	ug/g	24.43	1 *	75	125
SW3060A7196A	MSD2001871	Chromium, Hexavalent	52537-009	<	0.55	ug/g	27.35	1 *	75	125
SW3060A7196A	PB2001871	Chromium, Hexavalent		<	0.40	ug/g				
SW9045C	DUP2001823	pH	52498-004		6.0	pH				

AROMATIC HYDROCARBON BREAKTHROUGH CALCULATION

Method: MADEP EPH 2019 Rev 2.1

lcs12625		Acceptance Criteria	Date of Analysis
	Aliphatic Breakthrough (%)		
naphthalene	0.3%	<5.0%	4/8/2020
2-methylnaphthalene	0.2%	<5.0%	4/8/2020

lcisd12625		Acceptance Criteria	Date of Analysis
	Aliphatic Breakthrough (%)		
naphthalene	0.3%	<5.0%	4/8/2020
2-methylnaphthalene	0.3%	<5.0%	4/8/2020

AROMATIC HYDROCARBON BREAKTHROUGH CALCULATION

Method: MADEP EPH 2019 Rev 2.1

	lcs12630		
	Aliphatic Breakthrough	Acceptance	Date of Analysis
	(%)	Criteria	
naphthalene	0.6%	<5.0%	4/9/2020
2-methylnaphthalene	0.2%	<5.0%	4/9/2020

	lcsl2630		
	Aliphatic Breakthrough	Acceptance	Date of Analysis
	(%)	Criteria	
naphthalene	0.4%	<5.0%	4/9/2020
2-methylnaphthalene	0.2%	<5.0%	4/9/2020



124 Heritage Avenue #16

Portsmouth, NH 03801

603-436-2001

absoluteressourcesassociates.com

Company Name:

WESTON & SAMPSON

Company Address:

55 WALKERS BROOK DR READING, MA

Report To:
SARAH DESTEFANO & JILL MURPHYPhone #:
1800 SAMPSON

Invoice to: SARAH DESTEFANO

Email: DESTEFANOS@NSEINC.COM

PO #: FRAMINGHAM BROWNFIELDS

Project Name: CEDAR WOODS

Project #: 2180311

Project Location: NH (MA) ME VT

Accreditation Required? N/Y: Y

Protocol: RCRA SDWA NPDES

MCP NHDES DOD

Reporting: QAPP MDW GW-1 S-1

Limits: EPA DW Other

Quote # N/A

 NH Reimbursement PricingCHAIN-OF-CUSTODY RECORD
AND ANALYSIS REQUEST

52498

ANALYSIS REQUEST

Lab Sample ID (Lab Use Only)	Field ID	# CONTAINERS	Matrix	Preservation Method	Sampling			SAMPLER
					WATER	SOLID	OTHER	
SB-100 (0-1')		X	HCl	HNO ₃ H ₂ SO ₄ NaOH MeOH	X	4/6/20	0920	<input type="checkbox"/> VOC 8260 <input type="checkbox"/> VOC 8260 NHDES <input type="checkbox"/> VOC 8260 MADEP <input type="checkbox"/> VOC 624.1 <input type="checkbox"/> VOC BTEX MIBE, only <input type="checkbox"/> VOC 8021 VT <input checked="" type="checkbox"/> VPH MADEP <input type="checkbox"/> GRO 8015 <input type="checkbox"/> 1,4-Dioxane <input type="checkbox"/> VOC 524.2 <input type="checkbox"/> VOC 524.2 NH List <input type="checkbox"/> Gases-List: <input checked="" type="checkbox"/> TPH <input type="checkbox"/> DRO 8015 <input checked="" type="checkbox"/> EPH MADEP <input type="checkbox"/> TPH Fingerprint <input type="checkbox"/> 8270PAH <input type="checkbox"/> 8270ABN <input type="checkbox"/> 625.1 <input type="checkbox"/> EDB <input type="checkbox"/> 8082 PCB <input type="checkbox"/> 8081 Pesticides <input type="checkbox"/> 608.3 Pest/PCB <input type="checkbox"/> O&G 1664 <input type="checkbox"/> Mineral O&G 1664 <input type="checkbox"/> pH <input type="checkbox"/> BOD <input type="checkbox"/> Conductivity <input type="checkbox"/> Turbidity <input type="checkbox"/> Apparent Color <input type="checkbox"/> TSS <input type="checkbox"/> TDS <input type="checkbox"/> TS <input type="checkbox"/> TVS <input type="checkbox"/> Alkalinity <input type="checkbox"/> Acidity <input type="checkbox"/> RCRA Metals <input type="checkbox"/> Priority Pollutant Metals <input type="checkbox"/> TAL Metals <input type="checkbox"/> Hardness <input checked="" type="checkbox"/> Total Metals-list: MCP 14 METALS <input type="checkbox"/> Dissolved Metals-list: <input type="checkbox"/> Ammonia <input type="checkbox"/> COD <input type="checkbox"/> TN <input type="checkbox"/> TOC <input type="checkbox"/> Ferrous Iron <input type="checkbox"/> T-Phosphorus <input type="checkbox"/> Bacteria P/A <input type="checkbox"/> Bacteria MPN <input type="checkbox"/> Enterococci <input type="checkbox"/> Cyanide <input type="checkbox"/> Sulfide <input type="checkbox"/> Nitrate + Nitrite <input type="checkbox"/> Ortho P <input type="checkbox"/> Phenols <input type="checkbox"/> Nitrate <input type="checkbox"/> Nitrite <input type="checkbox"/> Chloride <input type="checkbox"/> Sulfate <input type="checkbox"/> Bromide <input type="checkbox"/> Fluoride <input type="checkbox"/> Corrosivity <input type="checkbox"/> Ignitability/FP <input type="checkbox"/> TCLP Metals <input type="checkbox"/> TCLP VOC <input type="checkbox"/> TCLP SVOC <input type="checkbox"/> TCLP Pesticide <input type="checkbox"/> Subcontract: <input type="checkbox"/> Grain Size <input type="checkbox"/> Herbicides <input type="checkbox"/> Asbestos <input type="checkbox"/> PFAS
-02 SB-100 (0-1')		X			X	0940		
-03 SB-100 (5-8')	X			X		1006		
-04 SB-100 (3-4')	X			X		0950		
-05 SB-105 (0-3')	X			X		1040		
-06 SB-105 (5-8')	X			X		1100		
-07 SB-102 (0-3')	X			X		1145		
-08 SB-102 (0-1')	X			X		1130		
-09 SB-102 (11-14')	X			X		1140		
-10 SB-101 (0-3')	X			X		1255		
-11 SB-101 (9-12')	X			X		1305		

TAT REQUESTED

Priority (24 hr)* Expedited (48 hr)* Standard

(10 Business Days)

*Date Needed 5-1 DAY

See absoluteressourcesassociates.com
for sample acceptance policy and
current accreditation lists.SPECIAL INSTRUCTIONS
*VPH w/ TARGET VOCs

REPORTING INSTRUCTIONS

 HARD COPY REQUIRED EDD

PDF (e-mail address) Murphy j@NSEINC.COM

RECEIVED ON ICE YES NOTEMPERATURE °C

CUSTODY RECORD

QSD-01 Revision 11/06/19

Relinquished by Sampler:

Date 4/6/20 Time 1340

Received by:

Date 4-6 Time 1:48

Relinquished by:

Date 4-6 Time 15:43

Received by:

Date Date Time

Relinquished by:

Date Date Time

Received by Laboratory:

Date 4/6/20 Time 15:43



124 Heritage Avenue #16
Portsmouth, NH 03801
603-436-2001
absoluteressourcesassociates.com

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

52498

ANALYSIS REQUEST

Company Name:	
Company Address:	SEE PAGE
Report To:	1 OF 2
Phone #:	
Invoice to:	
Email:	
PO #:	

Project Name:	
Project #:	
Project Location:	NH MA ME VT
Accreditation Required? N/Y:	
Protocol:	RCRA SDWA NPDES
	MCP NHDDES DOD
Reporting	QAPP GW-1 S-1
Limits:	EPA DW Other
Quote #:	
<input type="checkbox"/> NH Reimbursement Pricing	

Lab Sample ID (Lab Use Only)	Field ID	# CONTAINERS	Matrix	Preservation Method	Sampling		SAMPLER	
					WATER	SOLID		OTHER
52498-12	SB-103(0-3')	X		HNO ₃	X	4/6/20	1220	
-13	SB-103(3-5')	X		H ₂ SO ₄	X	4/6/20	1220	
-14	SB-103(7-10')	X		NaOH	X	4/6/20	1225	
-15	TREP BLANK	X		MeOH	X	4/6/20		
								<input type="checkbox"/> VOC 8260 <input type="checkbox"/> VOC 8260 NHDES <input type="checkbox"/> VOC 8260 MADEP
								<input type="checkbox"/> VOC 624.1 <input type="checkbox"/> VOC BTEX MBE, only <input type="checkbox"/> VOC 8021VT
								<input checked="" type="checkbox"/> VPH MADEP <input type="checkbox"/> GRO 8015 <input type="checkbox"/> 1,4-Dioxane *
								<input type="checkbox"/> VOC 524.2 <input type="checkbox"/> VOC 524.2 NH List <input type="checkbox"/> Gases-List:
								<input type="checkbox"/> TPH <input type="checkbox"/> DRO 8015 <input checked="" type="checkbox"/> EPH MADEP <input type="checkbox"/> TPH Fingerprint
								<input type="checkbox"/> 8270PAH <input type="checkbox"/> 8270ABN <input type="checkbox"/> 625.1 <input type="checkbox"/> EDB
								<input type="checkbox"/> 8082 PCB <input type="checkbox"/> 8081 Pesticides <input type="checkbox"/> 608.3 Pest/PCB
								<input type="checkbox"/> 0&G 1664 <input type="checkbox"/> Mineral O&G 1664
								<input type="checkbox"/> pH <input type="checkbox"/> BOD <input type="checkbox"/> Conductivity <input type="checkbox"/> Turbidity <input type="checkbox"/> Apparent Color
								<input type="checkbox"/> TSS <input type="checkbox"/> TDS <input type="checkbox"/> TS <input type="checkbox"/> TVS <input type="checkbox"/> Alkalinity <input type="checkbox"/> Acidity
								<input type="checkbox"/> RCRA Metals <input type="checkbox"/> Priority Pollutant Metals <input type="checkbox"/> TAL Metals <input type="checkbox"/> Hardness
								<input checked="" type="checkbox"/> Total Metals-list: <input checked="" type="checkbox"/> MCP 14 METALS
								<input type="checkbox"/> Dissolved Metals-list:
								<input type="checkbox"/> Ammonia <input type="checkbox"/> COD <input type="checkbox"/> TKN <input type="checkbox"/> TN <input type="checkbox"/> TOC <input type="checkbox"/> Ferrous Iron
								<input type="checkbox"/> T-Phosphorus <input type="checkbox"/> Bacteria P/A <input type="checkbox"/> Bacteria MPN <input type="checkbox"/> Enterococci
								<input type="checkbox"/> Cyanide <input type="checkbox"/> Sulfide <input type="checkbox"/> Nitrate + Nitrite <input type="checkbox"/> Ortho P <input type="checkbox"/> Phenols
								<input type="checkbox"/> Nitrate <input type="checkbox"/> Nitrite <input type="checkbox"/> Chloride <input type="checkbox"/> Sulfate <input type="checkbox"/> Bromide <input type="checkbox"/> Fluoride
								<input type="checkbox"/> Corrosivity <input type="checkbox"/> Ignitability/FP
								<input type="checkbox"/> TCLP Metals <input type="checkbox"/> TCLP VOC <input type="checkbox"/> TCLP SVOC <input type="checkbox"/> TCLP Pesticide
								<input type="checkbox"/> Subcontract <input type="checkbox"/> Grain Size <input type="checkbox"/> Herbicides <input type="checkbox"/> Asbestos <input type="checkbox"/> PFAS
								<input checked="" type="checkbox"/> HEXAVALENT CHROMIUM (CP IN)

Lab Sample ID (Lab Use Only)	Field ID	# CONTAINERS	Matrix	Preservation Method	Sampling	SAMPLER		
WATER	SOLID	OTHER	HCl	DATE	TIME			
52498-12	SB-103(0-3')	X		HNO ₃	X	4/6/20	1220	
-13	SB-103(3-5')	X		H ₂ SO ₄	X	4/6/20	1220	
-14	SB-103(7-10')	X		NaOH	X	4/6/20	1225	
-15	TREP BLANK	X		MeOH	X	4/6/20		

TAT REQUESTED		See absoluteressourcesassociates.com for sample acceptance policy and current accreditation lists.		SPECIAL INSTRUCTIONS *VPH w/TARGET VOCs			
Priority (24 hr)* <input type="checkbox"/>		Expedited (48 hr)* <input type="checkbox"/>		Standard <input type="checkbox"/>			
(10 Business Days) *Date Needed <u>5-DAY</u>							
REPORTING INSTRUCTIONS		PDF (e-mail address)				RECEIVED ON ICE <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	TEMPERATURE <u>0</u> °C
<input type="checkbox"/> HARD COPY REQUIRED		<input type="checkbox"/> EDD				Date <u>4-6</u> Time <u>11:40</u>	Date <u>4-6</u> Time <u>11:40</u>
CUSTODY RECORD		Relinquished by Sampler: <u>[Signature]</u>		Date <u>4/6/20</u>	Time <u>1340</u>	Received by: <u>[Signature]</u>	Date <u>4-6</u> Time <u>11:40</u>
		Relinquished by: <u>[Signature]</u>		Date <u>4-6</u>	Time <u>1543</u>	Received by: <u>[Signature]</u>	Date <u>4-6</u> Time <u>1543</u>
		Relinquished by: <u>[Signature]</u>		Date	Time	Received by Laboratory: <u>[Signature]</u>	Date <u>4/6/20</u> Time <u>1543</u>
QSD-01 Revision 11/06/19							

Laboratory Report



Absolute Resource associates

124 Heritage Avenue Portsmouth NH 03801

Jill Murphy

Weston & Sampson

55 Walkers Brook Drive

Reading, MA 01867

PO Number: Framingham Brownfields

Job ID: 52513

Date Received: 4/7/20

Project: Cedar Woods 21

Attached please find results for the analysis of the samples received on the date referenced above.

Unless otherwise noted in the attached report, the analyses performed met the requirements of Absolute Resource Associates' Quality Assurance Plan. The Standard Operating Procedures are based upon USEPA SW-846, USEPA Methods for Chemical Analysis of Water and Wastewater, Standard Methods for the Examination of Water and Wastewater and other recognized methodologies. The results contained in this report pertain only to the samples as indicated on the chain of custody.

Absolute Resource Associates maintains certification with the agencies listed below. The reported results apply to the sample(s) in the condition as received at the time the laboratory took custody. This report shall not be reproduced except in full and with approval from the laboratory. The liability of ARA is limited to the cost of the requested analyses, unless otherwise agreed upon in writing.

We appreciate the opportunity to provide laboratory services. If you have any questions regarding the enclosed report, please contact the laboratory and we will be glad to assist you.

Sincerely,
Absolute Resource Associates

Aaron DeWees
Chief Operating Officer

Date of Approval: 5/4/2020
Total number of pages: 69

Absolute Resource Associates Certifications

New Hampshire 1732
Maine NH902

Massachusetts M-NH902

Sample Association Table

Field ID	Matrix	Date-Time Sampled	Lab#	Analysis
SB-104 (0-3')	Solid	4/7/2020 8:45	52513-001	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 Zinc in solids by 6020
SB-104 (8-10')	Solid	4/7/2020 8:55	52513-002	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Hexavalent Chromium in solids by SW3060A7196A Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 ORP in solids by ASTM-1498-08 pH in solids by SW9045C Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 VPH in solids by MA DEP Method Zinc in solids by 6020

Sample Association Table

Field ID	Matrix	Date-Time Sampled	Lab#	Analysis
SB-107 (0-3')	Solid	4/7/2020 10:00	52513-004	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Field Specified Laboratory Duplicate Field Specified Matrix Spike Hexavalent Chromium in solids by SW3060A7196A Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 ORP in solids by ASTM-1498-08 pH in solids by SW9045C Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 VPH in solids by MA DEP Method Zinc in solids by 6020
SB-107 (10-11')	Solid	4/7/2020 10:20	52513-005	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 VPH in solids by MA DEP Method Zinc in solids by 6020

Sample Association Table

Field ID	Matrix	Date-Time Sampled	Lab#	Analysis
SB-108 (0-3')	Solid	4/7/2020 10:50	52513-007	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 Zinc in solids by 6020
SB-108 (6-9')	Solid	4/7/2020 11:00	52513-008	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Hexavalent Chromium in solids by SW3060A7196A Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 ORP in solids by ASTM-1498-08 pH in solids by SW9045C Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 VOCs in solids by 8260 VPH in solids by MA DEP Method Zinc in solids by 6020

Sample Association Table

Field ID	Matrix	Date-Time Sampled	Lab#	Analysis
SB-109 (0-3')	Solid	4/7/2020 11:40	52513-010	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 Zinc in solids by 6020
SB-109 (5-8')	Solid	4/7/2020 11:45	52513-011	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Hexavalent Chromium in solids by SW3060A7196A Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 ORP in solids by ASTM-1498-08 pH in solids by SW9045C Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 VPH in solids by MA DEP Method Zinc in solids by 6020

Sample Association Table

Field ID	Matrix	Date-Time Sampled	Lab#	Analysis
SB-110 (0-3')	Solid	4/7/2020 12:50	52513-013	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 Zinc in solids by 6020
SB-110 (5-8')	Solid	4/7/2020 12:55	52513-014	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Hexavalent Chromium in solids by SW3060A7196A Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 ORP in solids by ASTM-1498-08 pH in solids by SW9045C Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 VPH in solids by MA DEP Method Zinc in solids by 6020

Sample Association Table

Field ID	Matrix	Date-Time Sampled	Lab#	Analysis
SB-112 (0-3')	Solid	4/7/2020 13:20	52513-016	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 Zinc in solids by 6020
SB-112 (5-8')	Solid	4/7/2020 13:25	52513-017	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Hexavalent Chromium in solids by SW3060A7196A Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 ORP in solids by ASTM-1498-08 pH in solids by SW9045C Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 VPH in solids by MA DEP Method Zinc in solids by 6020

Sample Association Table

Field ID	Matrix	Date-Time Sampled	Lab#	Analysis
DUP-1	Solid	4/7/2020 0:00	52513-018	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 VPH in solids by MA DEP Method Zinc in solids by 6020
Trip Blank	Solid	4/7/2020 0:00	52513-019	VOCs in solids by 8260

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-008

Sample ID: SB-108 (6-9')

Matrix: Solid Percent Dry: 80.4% Results expressed on a dry weight basis.

Samples prepared in methanol at a ratio of 0.67 mL MeOH/g soil.

Received on ice at 2°C, in satisfactory condition.

Parameter	Sampled: 4/7/20 11:00		Reporting		Instr Dil'n	Analyst	Prep Date	Analysis			Reference
	Result	Limit	Units	Factor				Batch	Date	Time	
dichlorodifluoromethane	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
chloromethane	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
vinyl chloride	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
bromomethane	< 0.27	0.27	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
chloroethane	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
trichlorofluoromethane	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
diethyl ether	< 0.54	0.54	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
acetone	< 2.7	2.7	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
1,1-dichloroethene	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
methylene chloride	< 0.27	0.27	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
carbon disulfide	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
methyl t-butyl ether (MTBE)	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
trans-1,2-dichloroethene	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
isopropyl ether (DIPE)	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
ethyl t-butyl ether (ETBE)	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
1,1-dichloroethane	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
t-butanol (TBA)	< 2.7	2.7	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
2-butanone (MEK)	< 0.32	0.32	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
2,2-dichloropropane	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
cis-1,2-dichloroethene	0.20	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
chloroform	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
bromochloromethane	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
tetrahydrofuran (THF)	< 0.54	0.54	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
1,1,1-trichloroethane	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
1,1-dichloropropene	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
t-amyl-methyl ether (TAME)	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
carbon tetrachloride	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
1,2-dichloroethane	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
benzene	0.19	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
trichloroethene	0.36	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
1,2-dichloropropane	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
bromodichloromethane	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
1,4-dioxane	< 2.7	2.7	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
dibromomethane	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
4-methyl-2-pentanone (MIBK)	< 0.49	0.49	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
cis-1,3-dichloropropene	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
toluene	0.46	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
trans-1,3-dichloropropene	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
2-hexanone	< 0.54	0.54	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
1,1,2-trichloroethane	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	
1,3-dichloropropane	< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36	SW5035A8260D	

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-008

Sample ID: SB-108 (6-9')

Matrix: Solid Percent Dry: 80.4% Results expressed on a dry weight basis.

Samples prepared in methanol at a ratio of 0.67 mL MeOH/g soil.

Received on ice at 2°C, in satisfactory condition.

Sampled:	4/7/20	11:00	Reporting		Instr Dil'n	Prep	Analysis			Reference	
Parameter			Result	Limit	Units	Factor	Analyst	Batch	Date	Time	
tetrachloroethene			< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
dibromochloromethane			< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
1,2-dibromoethane (EDB)			< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
chlorobenzene			< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
1,1,1,2-tetrachloroethane			< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
ethylbenzene			0.59	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
m&p-xylenes			2.9	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
o-xylene			0.53	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
styrene			< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
bromoform			< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
isopropylbenzene			0.34	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
1,1,2,2-tetrachloroethane			< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
1,2,3-trichloropropane			< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
n-propylbenzene			0.93	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
bromobenzene			< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
1,3,5-trimethylbenzene			2.3	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
2-chlorotoluene			< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
4-chlorotoluene			< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
tert-butylbenzene			< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
1,2,4-trimethylbenzene			6.9	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
sec-butylbenzene			0.26	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
1,3-dichlorobenzene			< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
4-isopropyltoluene			0.30	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
1,4-dichlorobenzene			< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
1,2-dichlorobenzene			< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
n-butylbenzene			< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
1,2-dibromo-3-chloropropane (DBCP)			< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
1,2,4-trichlorobenzene			< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
hexachlorobutadiene			< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
naphthalene			1.8	0.27	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
1,2,3-trichlorobenzene			< 0.11	0.11	ug/g	1	LMM	4/8/20	12627	4/10/20	9:36
Surrogate Recovery			Limits								
dibromofluoromethane SUR			81	78-114	%	1	LMM	4/8/20	12627	4/10/20	9:36
toluene-D8 SUR			98	88-110	%	1	LMM	4/8/20	12627	4/10/20	9:36
4-bromofluorobenzene SUR			116 *	86-115	%	1	LMM	4/8/20	12627	4/10/20	9:36
a,a,a-trifluorotoluene SUR			89	70-130	%	1	LMM	4/8/20	12627	4/10/20	9:36

* The surrogate showed recovery outside the acceptance limits as a result of hydrocarbons present in the sample.

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-019

Sample ID: Trip Blank

Matrix: Solid

Samples prepared in methanol within a 1:1 ratio +/- 25% mL MeOH/g soil

Received on ice at 2°C, in satisfactory condition.

Parameter	Sampled: 4/7/20 0:00		Reporting		Instr Dil'n	Analyst	Prep Date	Analysis		
	Result	Limit	Units	Factor				Batch	Date	Time
dichlorodifluoromethane	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
chloromethane	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
vinyl chloride	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
bromomethane	< 0.25	0.25	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
chloroethane	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
trichlorofluoromethane	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
diethyl ether	< 0.50	0.50	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
acetone	< 2.5	2.5	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
1,1-dichloroethene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
methylene chloride	< 0.25	0.25	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
carbon disulfide	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
methyl t-butyl ether (MTBE)	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
trans-1,2-dichloroethene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
isopropyl ether (DIPE)	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
ethyl t-butyl ether (ETBE)	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
1,1-dichloroethane	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
t-butanol (TBA)	< 2.5	2.5	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
2-butanone (MEK)	< 0.30	0.30	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
2,2-dichloropropane	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
cis-1,2-dichloroethene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
chloroform	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
bromochloromethane	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
tetrahydrofuran (THF)	< 0.50	0.50	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
1,1,1-trichloroethane	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
1,1-dichloropropene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
t-amyl-methyl ether (TAME)	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
carbon tetrachloride	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
1,2-dichloroethane	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
benzene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
trichloroethene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
1,2-dichloropropane	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
bromodichloromethane	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
1,4-dioxane	< 2.5	2.5	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
dibromomethane	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
4-methyl-2-pentanone (MIBK)	< 0.45	0.45	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
cis-1,3-dichloropropene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
toluene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
trans-1,3-dichloropropene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
2-hexanone	< 0.50	0.50	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
1,1,2-trichloroethane	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
1,3-dichloropropane	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-019

Sample ID: Trip Blank

Matrix: Solid

Samples prepared in methanol within a 1:1 ratio +/- 25% mL MeOH/g soil

Received on ice at 2°C, in satisfactory condition.

Parameter	Sampled: 4/7/20 0:00		Reporting		Instr Dil'n	Analyst	Prep Date	Analysis		
	Result	Limit	Units	Factor				Batch	Date	Time
tetrachloroethene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
dibromochloromethane	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
1,2-dibromoethane (EDB)	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
chlorobenzene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
1,1,1,2-tetrachloroethane	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
ethylbenzene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
m&p-xylenes	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
o-xylene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
styrene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
bromoform	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
isopropylbenzene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
1,1,2,2-tetrachloroethane	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
1,2,3-trichloropropane	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
n-propylbenzene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
bromobenzene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
1,3,5-trimethylbenzene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
2-chlorotoluene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
4-chlorotoluene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
tert-butylbenzene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
1,2,4-trimethylbenzene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
sec-butylbenzene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
1,3-dichlorobenzene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
4-isopropyltoluene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
1,4-dichlorobenzene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
1,2-dichlorobenzene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
n-butylbenzene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
1,2-dibromo-3-chloropropane (DBCP)	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
1,2,4-trichlorobenzene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
hexachlorobutadiene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
naphthalene	< 0.25	0.25	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
1,2,3-trichlorobenzene	< 0.10	0.10	ug/g	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
Surrogate Recovery		Limits								
dibromofluoromethane SUR	98	78-114	%	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
toluene-D8 SUR	105	88-110	%	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
4-bromofluorobenzene SUR	110	86-115	%	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D
a,a,a-trifluorotoluene SUR	110	70-130	%	1	LMM	4/8/20	12627	4/9/20	12:48	SW5035A8260D

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-002

Sample ID: SB-104 (8-10')

Matrix: Solid Percent Dry: 83.1% Results expressed on a dry weight basis.

Samples prepared in methanol at a ratio of 0.64 mL MeOH/g soil.

Received on ice at 2°C, in satisfactory condition.

Parameter	Sampled: 4/7/20 8:55		Reporting		Instr Dil'n	Analyst	Prep Date	Analysis		
	Result	Limit	Units	Factor				Batch	Date	Time
Unadjusted C5-C8 Aliphatics	< 4.9	4.9	ug/g	1	LMM	4/8/20	12628	4/9/20	15:19	MA VPH
Unadjusted C9-C12 Aliphatics	< 4.9	4.9	ug/g	1	LMM	4/8/20	12628	4/9/20	15:19	MA VPH
methyl t-butyl ether (MTBE)	< 0.097	0.097	ug/g	1	LMM	4/8/20	12628	4/9/20	15:19	MA VPH
benzene	< 0.097	0.097	ug/g	1	LMM	4/8/20	12628	4/9/20	15:19	MA VPH
toluene	< 0.097	0.097	ug/g	1	LMM	4/8/20	12628	4/9/20	15:19	MA VPH
ethylbenzene	< 0.097	0.097	ug/g	1	LMM	4/8/20	12628	4/9/20	15:19	MA VPH
m&p-xylenes	< 0.097	0.097	ug/g	1	LMM	4/8/20	12628	4/9/20	15:19	MA VPH
o-xylene	< 0.097	0.097	ug/g	1	LMM	4/8/20	12628	4/9/20	15:19	MA VPH
naphthalene	< 0.24	0.24	ug/g	1	LMM	4/8/20	12628	4/9/20	15:19	MA VPH
C5-C8 Aliphatics	< 4.9	4.9	ug/g	1	LMM	4/8/20	12628	4/9/20	15:19	MA VPH
C9-C12 Aliphatics	< 4.9	4.9	ug/g	1	LMM	4/8/20	12628	4/9/20	15:19	MA VPH
C9-C10 Aromatics	< 4.9	4.9	ug/g	1	LMM	4/8/20	12628	4/9/20	15:19	MA VPH
Surrogate Recovery										
2,5-dibromotoluene as Aromatic SUR	106	70-130	%	1	LMM	4/8/20	12628	4/9/20	15:19	MA VPH
2,5-dibromotoluene as Aliphatic SUR	107	70-130	%	1	LMM	4/8/20	12628	4/9/20	15:19	MA VPH
a,a,a-trifluorotoluene SUR	79	70-130	%	1	LMM	4/8/20	12628	4/9/20	15:19	MA VPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.

C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.

C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-004

Sample ID: SB-107 (0-3')

Matrix: Solid Percent Dry: 79% Results expressed on a dry weight basis.

Samples prepared in methanol at a ratio of 0.65 mL MeOH/g soil.

Received on ice at 2°C, in satisfactory condition.

Parameter	Sampled: 4/7/20 10:00		Reporting		Instr Dil'n	Analyst	Prep Date	Analysis		
	Result	Limit	Units	Factor				Batch	Date	Time
Unadjusted C5-C8 Aliphatics	7.6	5.4	ug/g	1	LMM	4/8/20	12628	4/9/20	15:49	MA VPH
Unadjusted C9-C12 Aliphatics	< 5.4	5.4	ug/g	1	LMM	4/8/20	12628	4/9/20	15:49	MA VPH
methyl t-butyl ether (MTBE)	< 0.11	0.11	ug/g	1	LMM	4/8/20	12628	4/9/20	15:49	MA VPH
benzene	< 0.11	0.11	ug/g	1	LMM	4/8/20	12628	4/9/20	15:49	MA VPH
toluene	< 0.11	0.11	ug/g	1	LMM	4/8/20	12628	4/9/20	15:49	MA VPH
ethylbenzene	< 0.11	0.11	ug/g	1	LMM	4/8/20	12628	4/9/20	15:49	MA VPH
m&p-xylenes	< 0.11	0.11	ug/g	1	LMM	4/8/20	12628	4/9/20	15:49	MA VPH
o-xylene	< 0.11	0.11	ug/g	1	LMM	4/8/20	12628	4/9/20	15:49	MA VPH
naphthalene	< 0.27	0.27	ug/g	1	LMM	4/8/20	12628	4/9/20	15:49	MA VPH
C5-C8 Aliphatics	7.6	5.4	ug/g	1	LMM	4/8/20	12628	4/9/20	15:49	MA VPH
C9-C12 Aliphatics	< 5.4	5.4	ug/g	1	LMM	4/8/20	12628	4/9/20	15:49	MA VPH
C9-C10 Aromatics	< 5.4	5.4	ug/g	1	LMM	4/8/20	12628	4/9/20	15:49	MA VPH
Surrogate Recovery										
2,5-dibromotoluene as Aromatic SUR	106	70-130	%	1	LMM	4/8/20	12628	4/9/20	15:49	MA VPH
2,5-dibromotoluene as Aliphatic SUR	106	70-130	%	1	LMM	4/8/20	12628	4/9/20	15:49	MA VPH
a,a,a-trifluorotoluene SUR	32 *	70-130	%	1	LMM	4/8/20	12628	4/9/20	15:49	MA VPH

* **This surrogate showed recovery outside the acceptance limits.**

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.

C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.

C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-005

Sample ID: SB-107 (10-11')

Matrix: Solid Percent Dry: 84.5% Results expressed on a dry weight basis.

Samples prepared in methanol at a ratio of 0.64 mL MeOH/g soil.

Received on ice at 2°C, in satisfactory condition.

Parameter	Sampled: 4/7/20 10:20		Reporting		Instr Dil'n	Analyst	Prep Date	Analysis		
	Result	Limit	Units	Factor				Batch	Date	Time
Unadjusted C5-C8 Aliphatics	26	4.7	ug/g	1	LMM	4/8/20	12628	4/9/20	16:19	MA VPH
Unadjusted C9-C12 Aliphatics	62	4.7	ug/g	1	LMM	4/8/20	12628	4/9/20	16:19	MA VPH
methyl t-butyl ether (MTBE)	< 0.094	0.094	ug/g	1	LMM	4/8/20	12628	4/9/20	16:19	MA VPH
benzene	< 0.094	0.094	ug/g	1	LMM	4/8/20	12628	4/9/20	16:19	MA VPH
toluene	< 0.094	0.094	ug/g	1	LMM	4/8/20	12628	4/9/20	16:19	MA VPH
ethylbenzene	0.48	0.094	ug/g	1	LMM	4/8/20	12628	4/9/20	16:19	MA VPH
m&p-xylenes	1.6	0.094	ug/g	1	LMM	4/8/20	12628	4/9/20	16:19	MA VPH
o-xylene	< 0.094	0.094	ug/g	1	LMM	4/8/20	12628	4/9/20	16:19	MA VPH
naphthalene	1.3	0.23	ug/g	1	LMM	4/8/20	12628	4/9/20	16:19	MA VPH
C5-C8 Aliphatics	26	4.7	ug/g	1	LMM	4/8/20	12628	4/9/20	16:19	MA VPH
C9-C12 Aliphatics	22	4.7	ug/g	1	LMM	4/8/20	12628	4/9/20	16:19	MA VPH
C9-C10 Aromatics	39	4.7	ug/g	1	LMM	4/8/20	12628	4/9/20	16:19	MA VPH
Surrogate Recovery										
2,5-dibromotoluene as Aromatic SUR	121	70-130	%	1	LMM	4/8/20	12628	4/9/20	16:19	MA VPH
2,5-dibromotoluene as Aliphatic SUR	136 *	70-130	%	1	LMM	4/8/20	12628	4/9/20	16:19	MA VPH
a,a,a-trifluorotoluene SUR	115	70-130	%	1	LMM	4/8/20	12628	4/9/20	16:19	MA VPH

* **The surrogate showed recovery outside the acceptance limits as a result of hydrocarbons present in the sample.**

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.

C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.

C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-008

Sample ID: SB-108 (6-9')

Matrix: Solid Percent Dry: 80.4% Results expressed on a dry weight basis.

Samples prepared in methanol at a ratio of 0.67 mL MeOH/g soil.

Received on ice at 2°C, in satisfactory condition.

Parameter	Sampled: 4/7/20 11:00		Reporting		Instr Dil'n	Analyst	Prep Date	Analysis		
	Result	Limit	Units	Factor				Batch	Date	Time
Unadjusted C5-C8 Aliphatics	31	5.4	ug/g	1	LMM	4/8/20	12628	4/9/20	16:49	MA VPH
Unadjusted C9-C12 Aliphatics	95	5.4	ug/g	1	LMM	4/8/20	12628	4/9/20	16:49	MA VPH
methyl t-butyl ether (MTBE)	< 0.11	0.11	ug/g	1	LMM	4/8/20	12628	4/9/20	16:49	MA VPH
benzene	0.30	0.11	ug/g	1	LMM	4/8/20	12628	4/9/20	16:49	MA VPH
toluene	0.42	0.11	ug/g	1	LMM	4/8/20	12628	4/9/20	16:49	MA VPH
ethylbenzene	0.49	0.11	ug/g	1	LMM	4/8/20	12628	4/9/20	16:49	MA VPH
m&p-xylenes	2.7	0.11	ug/g	1	LMM	4/8/20	12628	4/9/20	16:49	MA VPH
o-xylene	0.45	0.11	ug/g	1	LMM	4/8/20	12628	4/9/20	16:49	MA VPH
naphthalene	1.9	0.27	ug/g	1	LMM	4/8/20	12628	4/9/20	16:49	MA VPH
C5-C8 Aliphatics	30	5.4	ug/g	1	LMM	4/8/20	12628	4/9/20	16:49	MA VPH
C9-C12 Aliphatics	24	5.4	ug/g	1	LMM	4/8/20	12628	4/9/20	16:49	MA VPH
C9-C10 Aromatics	67	5.4	ug/g	1	LMM	4/8/20	12628	4/9/20	16:49	MA VPH
Surrogate Recovery										
2,5-dibromotoluene as Aromatic SUR	98	70-130	%	1	LMM	4/8/20	12628	4/9/20	16:49	MA VPH
2,5-dibromotoluene as Aliphatic SUR	98	70-130	%	1	LMM	4/8/20	12628	4/9/20	16:49	MA VPH
a,a,a-trifluorotoluene SUR	96	70-130	%	1	LMM	4/8/20	12628	4/9/20	16:49	MA VPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.

C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.

C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-011

Sample ID: SB-109 (5-8')

Matrix: Solid Percent Dry: 23.7% Results expressed on a dry weight basis.

Samples prepared in methanol at a ratio of 0.63 mL MeOH/g soil.

Received on ice at 2°C, in satisfactory condition.

Parameter	Sampled: 4/7/20 11:45		Reporting		Instr Dil'n	Analyst	Prep Date	Analysis		
	Result	Limit	Units	Factor				Batch	Date	Time
Unadjusted C5-C8 Aliphatics	< 29	29	ug/g	1	LMM	4/8/20	12628	4/9/20	17:19	MA VPH
Unadjusted C9-C12 Aliphatics	< 29	29	ug/g	1	LMM	4/8/20	12628	4/9/20	17:19	MA VPH
methyl t-butyl ether (MTBE)	< 0.59	0.59	ug/g	1	LMM	4/8/20	12628	4/9/20	17:19	MA VPH
benzene	< 0.59	0.59	ug/g	1	LMM	4/8/20	12628	4/9/20	17:19	MA VPH
toluene	< 0.59	0.59	ug/g	1	LMM	4/8/20	12628	4/9/20	17:19	MA VPH
ethylbenzene	< 0.59	0.59	ug/g	1	LMM	4/8/20	12628	4/9/20	17:19	MA VPH
m&p-xylenes	< 0.59	0.59	ug/g	1	LMM	4/8/20	12628	4/9/20	17:19	MA VPH
o-xylene	< 0.59	0.59	ug/g	1	LMM	4/8/20	12628	4/9/20	17:19	MA VPH
naphthalene	< 1.5	1.5	ug/g	1	LMM	4/8/20	12628	4/9/20	17:19	MA VPH
C5-C8 Aliphatics	< 29	29	ug/g	1	LMM	4/8/20	12628	4/9/20	17:19	MA VPH
C9-C12 Aliphatics	< 29	29	ug/g	1	LMM	4/8/20	12628	4/9/20	17:19	MA VPH
C9-C10 Aromatics	< 29	29	ug/g	1	LMM	4/8/20	12628	4/9/20	17:19	MA VPH
Surrogate Recovery										
2,5-dibromotoluene as Aromatic SUR	100	70-130	%	1	LMM	4/8/20	12628	4/9/20	17:19	MA VPH
2,5-dibromotoluene as Aliphatic SUR	98	70-130	%	1	LMM	4/8/20	12628	4/9/20	17:19	MA VPH
a,a,a-trifluorotoluene SUR	75	70-130	%	1	LMM	4/8/20	12628	4/9/20	17:19	MA VPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.

C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.

C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-014

Sample ID: SB-110 (5-8')

Matrix: Solid Percent Dry: 17.7% Results expressed on a dry weight basis.

Samples prepared in methanol at a ratio of 0.65 mL MeOH/g soil.

Received on ice at 2°C, in satisfactory condition.

Sampled:	4/7/20	12:55	Reporting		Instr Dil'n	Prep	Analysis					
Parameter			Result	Limit	Units	Factor	Analyst	Batch	Date	Time	Reference	
Unadjusted C5-C8 Aliphatics			< 42	42	ug/g	1	LMM	4/8/20	12628	4/9/20	17:49	MA VPH
Unadjusted C9-C12 Aliphatics			< 42	42	ug/g	1	LMM	4/8/20	12628	4/9/20	17:49	MA VPH
methyl t-butyl ether (MTBE)			< 0.83	0.83	ug/g	1	LMM	4/8/20	12628	4/9/20	17:49	MA VPH
benzene			< 0.83	0.83	ug/g	1	LMM	4/8/20	12628	4/9/20	17:49	MA VPH
toluene			< 0.83	0.83	ug/g	1	LMM	4/8/20	12628	4/9/20	17:49	MA VPH
ethylbenzene			< 0.83	0.83	ug/g	1	LMM	4/8/20	12628	4/9/20	17:49	MA VPH
m&p-xylenes			< 0.83	0.83	ug/g	1	LMM	4/8/20	12628	4/9/20	17:49	MA VPH
o-xylene			< 0.83	0.83	ug/g	1	LMM	4/8/20	12628	4/9/20	17:49	MA VPH
naphthalene			< 2.1	2.1	ug/g	1	LMM	4/8/20	12628	4/9/20	17:49	MA VPH
C5-C8 Aliphatics			< 42	42	ug/g	1	LMM	4/8/20	12628	4/9/20	17:49	MA VPH
C9-C12 Aliphatics			< 42	42	ug/g	1	LMM	4/8/20	12628	4/9/20	17:49	MA VPH
C9-C10 Aromatics			< 42	42	ug/g	1	LMM	4/8/20	12628	4/9/20	17:49	MA VPH
Surrogate Recovery												
2,5-dibromotoluene as Aromatic SUR			102	70-130	%	1	LMM	4/8/20	12628	4/9/20	17:49	MA VPH
2,5-dibromotoluene as Aliphatic SUR			103	70-130	%	1	LMM	4/8/20	12628	4/9/20	17:49	MA VPH
a,a,a-trifluorotoluene SUR			158 *	70-130	%	1	LMM	4/8/20	12628	4/9/20	17:49	MA VPH

* This surrogate showed recovery outside the acceptance limits. This is likely a result of high moisture content in the sample.

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.

C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.

C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-017

Sample ID: SB-112 (5-8')

Matrix: Solid Percent Dry: 52.4% Results expressed on a dry weight basis.

Samples prepared in methanol at a ratio of 0.61 mL MeOH/g soil.

Received on ice at 2°C, in satisfactory condition.

Parameter	Sampled: 4/7/20 13:25		Reporting		Instr Dil'n	Analyst	Prep Date	Analysis		
	Result	Limit	Units	Factor				Batch	Date	Time
Unadjusted C5-C8 Aliphatics	< 10	10	ug/g	1	LMM	4/8/20	12628	4/9/20	18:19	MA VPH
Unadjusted C9-C12 Aliphatics	< 10	10	ug/g	1	LMM	4/8/20	12628	4/9/20	18:19	MA VPH
methyl t-butyl ether (MTBE)	< 0.21	0.21	ug/g	1	LMM	4/8/20	12628	4/9/20	18:19	MA VPH
benzene	< 0.21	0.21	ug/g	1	LMM	4/8/20	12628	4/9/20	18:19	MA VPH
toluene	< 0.21	0.21	ug/g	1	LMM	4/8/20	12628	4/9/20	18:19	MA VPH
ethylbenzene	< 0.21	0.21	ug/g	1	LMM	4/8/20	12628	4/9/20	18:19	MA VPH
m&p-xylenes	< 0.21	0.21	ug/g	1	LMM	4/8/20	12628	4/9/20	18:19	MA VPH
o-xylene	< 0.21	0.21	ug/g	1	LMM	4/8/20	12628	4/9/20	18:19	MA VPH
naphthalene	< 0.52	0.52	ug/g	1	LMM	4/8/20	12628	4/9/20	18:19	MA VPH
C5-C8 Aliphatics	< 10	10	ug/g	1	LMM	4/8/20	12628	4/9/20	18:19	MA VPH
C9-C12 Aliphatics	< 10	10	ug/g	1	LMM	4/8/20	12628	4/9/20	18:19	MA VPH
C9-C10 Aromatics	< 10	10	ug/g	1	LMM	4/8/20	12628	4/9/20	18:19	MA VPH
Surrogate Recovery										
2,5-dibromotoluene as Aromatic SUR	105	70-130	%	1	LMM	4/8/20	12628	4/9/20	18:19	MA VPH
2,5-dibromotoluene as Aliphatic SUR	106	70-130	%	1	LMM	4/8/20	12628	4/9/20	18:19	MA VPH
a,a,a-trifluorotoluene SUR	75	70-130	%	1	LMM	4/8/20	12628	4/9/20	18:19	MA VPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.

C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.

C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-018

Sample ID: DUP-1

Matrix: Solid Percent Dry: 23.7% Results expressed on a dry weight basis.

Samples prepared in methanol at a ratio of 0.63 mL MeOH/g soil.

Received on ice at 2°C, in satisfactory condition.

Sampled:	4/7/20 0:00	Reporting		Instr	Dil'n	Prep	Analysis			
Parameter		Result	Limit	Units	Factor	Analyst	Batch	Date	Time	Reference
Unadjusted C5-C8 Aliphatics		< 29	29	ug/g	1	LMM 4/8/20	12628	4/9/20	18:49	MA VPH
Unadjusted C9-C12 Aliphatics		< 29	29	ug/g	1	LMM 4/8/20	12628	4/9/20	18:49	MA VPH
methyl t-butyl ether (MTBE)		< 0.59	0.59	ug/g	1	LMM 4/8/20	12628	4/9/20	18:49	MA VPH
benzene		< 0.59	0.59	ug/g	1	LMM 4/8/20	12628	4/9/20	18:49	MA VPH
toluene		< 0.59	0.59	ug/g	1	LMM 4/8/20	12628	4/9/20	18:49	MA VPH
ethylbenzene		< 0.59	0.59	ug/g	1	LMM 4/8/20	12628	4/9/20	18:49	MA VPH
m&p-xylenes		< 0.59	0.59	ug/g	1	LMM 4/8/20	12628	4/9/20	18:49	MA VPH
o-xylene		< 0.59	0.59	ug/g	1	LMM 4/8/20	12628	4/9/20	18:49	MA VPH
naphthalene		< 1.5	1.5	ug/g	1	LMM 4/8/20	12628	4/9/20	18:49	MA VPH
C5-C8 Aliphatics		< 29	29	ug/g	1	LMM 4/8/20	12628	4/9/20	18:49	MA VPH
C9-C12 Aliphatics		< 29	29	ug/g	1	LMM 4/8/20	12628	4/9/20	18:49	MA VPH
C9-C10 Aromatics		< 29	29	ug/g	1	LMM 4/8/20	12628	4/9/20	18:49	MA VPH
Surrogate Recovery										
2,5-dibromotoluene as Aromatic SUR		107	70-130	%	1	LMM 4/8/20	12628	4/9/20	18:49	MA VPH
2,5-dibromotoluene as Aliphatic SUR		105	70-130	%	1	LMM 4/8/20	12628	4/9/20	18:49	MA VPH
a,a,a-trifluorotoluene SUR		71	70-130	%	1	LMM 4/8/20	12628	4/9/20	18:49	MA VPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.

C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.

C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-001

Sample ID: SB-104 (0-3')

Matrix: Solid

Percent Dry: 89.3% Results expressed on a dry weight basis.

Sampled:	4/7/20	8:45	Reporting	Instr	Dil'n	Prep	Analysis				
Parameter		Result	Limit	Units	Factor	Analyst	Batch	Date	Time	Reference	
naphthalene		< 0.20	0.20	ug/g	1	CL	4/8/20	12630	4/9/20	18:13	MA EPH
2-methylnaphthalene		< 0.20	0.20	ug/g	1	CL	4/8/20	12630	4/9/20	18:13	MA EPH
phenanthrene		0.39	0.20	ug/g	1	CL	4/8/20	12630	4/9/20	18:13	MA EPH
acenaphthene		< 0.20	0.20	ug/g	1	CL	4/8/20	12630	4/9/20	18:13	MA EPH
acenaphthylene		< 0.20	0.20	ug/g	1	CL	4/8/20	12630	4/9/20	18:13	MA EPH
fluorene		< 0.20	0.20	ug/g	1	CL	4/8/20	12630	4/9/20	18:13	MA EPH
anthracene		< 0.20	0.20	ug/g	1	CL	4/8/20	12630	4/9/20	18:13	MA EPH
fluoranthene		0.80	0.20	ug/g	1	CL	4/8/20	12630	4/9/20	18:13	MA EPH
pyrene		0.85	0.20	ug/g	1	CL	4/8/20	12630	4/9/20	18:13	MA EPH
benzo(a)anthracene		0.40	0.20	ug/g	1	CL	4/8/20	12630	4/9/20	18:13	MA EPH
chrysene		0.56	0.20	ug/g	1	CL	4/8/20	12630	4/9/20	18:13	MA EPH
benzo(b)fluoranthene		0.46	0.20	ug/g	1	CL	4/8/20	12630	4/9/20	18:13	MA EPH
benzo(k)fluoranthene		0.44	0.20	ug/g	1	CL	4/8/20	12630	4/9/20	18:13	MA EPH
benzo(a)pyrene		0.44	0.20	ug/g	1	CL	4/8/20	12630	4/9/20	18:13	MA EPH
indeno(1,2,3-cd)pyrene		0.30	0.20	ug/g	1	CL	4/8/20	12630	4/9/20	18:13	MA EPH
dibenzo(a,h)anthracene		< 0.20	0.20	ug/g	1	CL	4/8/20	12630	4/9/20	18:13	MA EPH
benzo(g,h,i)perylene		0.35	0.20	ug/g	1	CL	4/8/20	12630	4/9/20	18:13	MA EPH
Unadjusted C11-C22 Aromatics		31	20	ug/g	1	DBV	4/8/20	12630	4/9/20	12:48	MA EPH
C9-C18 Aliphatics		< 20	20	ug/g	1	DBV	4/8/20	12630	4/9/20	12:48	MA EPH
C19-C36 Aliphatics		34	20	ug/g	1	DBV	4/8/20	12630	4/9/20	12:48	MA EPH
C11-C22 Aromatics		25	20	ug/g	1	DBV	4/8/20	12630	4/9/20	12:48	MA EPH
Surrogate Recovery											
Limits											
1-chloro-octadecane SUR		55	40-140	%	1	DBV	4/8/20	12630	4/9/20	12:48	MA EPH
o-terphenyl SUR		61	40-140	%	1	DBV	4/8/20	12630	4/9/20	12:48	MA EPH
2-fluorobiphenyl SUR		65	40-140	%	1	DBV	4/8/20	12630	4/9/20	12:48	MA EPH
2-bromonaphthalene SUR		63	40-140	%	1	DBV	4/8/20	12630	4/9/20	12:48	MA EPH

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-002

Sample ID: SB-104 (8-10')

Matrix: Solid

Percent Dry: 83.1% Results expressed on a dry weight basis.

Parameter	Sampled:	4/7/20	8:55	Reporting	Instr	Dil'n	Prep	Analysis				
				Result	Limit	Units	Analyst	Date	Batch	Date	Time	Reference
naphthalene				< 0.22	0.22	ug/g	CL	4/8/20	12630	4/9/20	19:44	MA EPH
2-methylnaphthalene				< 0.22	0.22	ug/g	CL	4/8/20	12630	4/9/20	19:44	MA EPH
phenanthrene				< 0.22	0.22	ug/g	CL	4/8/20	12630	4/9/20	19:44	MA EPH
acenaphthene				< 0.22	0.22	ug/g	CL	4/8/20	12630	4/9/20	19:44	MA EPH
acenaphthylene				< 0.22	0.22	ug/g	CL	4/8/20	12630	4/9/20	19:44	MA EPH
fluorene				< 0.22	0.22	ug/g	CL	4/8/20	12630	4/9/20	19:44	MA EPH
anthracene				< 0.22	0.22	ug/g	CL	4/8/20	12630	4/9/20	19:44	MA EPH
fluoranthene				< 0.22	0.22	ug/g	CL	4/8/20	12630	4/9/20	19:44	MA EPH
pyrene				< 0.22	0.22	ug/g	CL	4/8/20	12630	4/9/20	19:44	MA EPH
benzo(a)anthracene				< 0.22	0.22	ug/g	CL	4/8/20	12630	4/9/20	19:44	MA EPH
chrysene				< 0.22	0.22	ug/g	CL	4/8/20	12630	4/9/20	19:44	MA EPH
benzo(b)fluoranthene				< 0.22	0.22	ug/g	CL	4/8/20	12630	4/9/20	19:44	MA EPH
benzo(k)fluoranthene				< 0.22	0.22	ug/g	CL	4/8/20	12630	4/9/20	19:44	MA EPH
benzo(a)pyrene				< 0.22	0.22	ug/g	CL	4/8/20	12630	4/9/20	19:44	MA EPH
indeno(1,2,3-cd)pyrene				< 0.22	0.22	ug/g	CL	4/8/20	12630	4/9/20	19:44	MA EPH
dibenzo(a,h)anthracene				< 0.22	0.22	ug/g	CL	4/8/20	12630	4/9/20	19:44	MA EPH
benzo(g,h,i)perylene				< 0.22	0.22	ug/g	CL	4/8/20	12630	4/9/20	19:44	MA EPH
Unadjusted C11-C22 Aromatics				< 22	22	ug/g	1	DBV 4/8/20	12630	4/9/20	21:55	MA EPH
C9-C18 Aliphatics				< 22	22	ug/g	1	DBV 4/8/20	12630	4/9/20	21:55	MA EPH
C19-C36 Aliphatics				100	22	ug/g	1	DBV 4/8/20	12630	4/9/20	21:55	MA EPH
C11-C22 Aromatics				< 22	22	ug/g	1	DBV 4/8/20	12630	4/9/20	21:55	MA EPH
Surrogate Recovery												
						Limits						
1-chloro-octadecane SUR				65	40-140	%	1	DBV 4/8/20	12630	4/9/20	21:55	MA EPH
o-terphenyl SUR				71	40-140	%	1	DBV 4/8/20	12630	4/9/20	21:55	MA EPH
2-fluorobiphenyl SUR				70	40-140	%	1	DBV 4/8/20	12630	4/9/20	21:55	MA EPH
2-bromonaphthalene SUR				69	40-140	%	1	DBV 4/8/20	12630	4/9/20	21:55	MA EPH

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-004

Sample ID: SB-107 (0-3')

Matrix: Solid

Percent Dry: 79% Results expressed on a dry weight basis.

Parameter	Sampled:	4/7/20	10:00	Reporting	Instr	Dil'n	Prep	Analysis					
				Result	Limit	Units	Analyst	Date	Date	Time	Reference		
naphthalene				< 0.23	0.23	ug/g	CL	4/8/20	12630	4/9/20	14:41	MA EPH	
2-methylnaphthalene				< 0.23	0.23	ug/g	CL	4/8/20	12630	4/9/20	14:41	MA EPH	
phenanthrene				< 0.23	0.23	ug/g	CL	4/8/20	12630	4/9/20	14:41	MA EPH	
acenaphthene				< 0.23	0.23	ug/g	CL	4/8/20	12630	4/9/20	14:41	MA EPH	
acenaphthylene				< 0.23	0.23	ug/g	CL	4/8/20	12630	4/9/20	14:41	MA EPH	
fluorene				< 0.23	0.23	ug/g	CL	4/8/20	12630	4/9/20	14:41	MA EPH	
anthracene				< 0.23	0.23	ug/g	CL	4/8/20	12630	4/9/20	14:41	MA EPH	
fluoranthene				0.25	0.23	ug/g	CL	4/8/20	12630	4/9/20	14:41	MA EPH	
pyrene				< 0.23	0.23	ug/g	CL	4/8/20	12630	4/9/20	14:41	MA EPH	
benzo(a)anthracene				< 0.23	0.23	ug/g	CL	4/8/20	12630	4/9/20	14:41	MA EPH	
chrysene				< 0.23	0.23	ug/g	CL	4/8/20	12630	4/9/20	14:41	MA EPH	
benzo(b)fluoranthene				< 0.23	0.23	ug/g	CL	4/8/20	12630	4/9/20	14:41	MA EPH	
benzo(k)fluoranthene				< 0.23	0.23	ug/g	CL	4/8/20	12630	4/9/20	14:41	MA EPH	
benzo(a)pyrene				< 0.23	0.23	ug/g	CL	4/8/20	12630	4/9/20	14:41	MA EPH	
indeno(1,2,3-cd)pyrene				< 0.23	0.23	ug/g	CL	4/8/20	12630	4/9/20	14:41	MA EPH	
dibenzo(a,h)anthracene				< 0.23	0.23	ug/g	CL	4/8/20	12630	4/9/20	14:41	MA EPH	
benzo(g,h,i)perylene				< 0.23	0.23	ug/g	CL	4/8/20	12630	4/9/20	14:41	MA EPH	
Unadjusted C11-C22 Aromatics				< 23	23	ug/g	1	DBV	4/8/20	12630	4/9/20	13:22	MA EPH
C9-C18 Aliphatics				< 23	23	ug/g	1	DBV	4/8/20	12630	4/9/20	13:22	MA EPH
C19-C36 Aliphatics				36	23	ug/g	1	DBV	4/8/20	12630	4/9/20	13:22	MA EPH
C11-C22 Aromatics				< 23	23	ug/g	1	DBV	4/8/20	12630	4/9/20	13:22	MA EPH
Surrogate Recovery				Limits									
1-chloro-octadecane SUR				55	40-140	%	1	DBV	4/8/20	12630	4/9/20	13:22	MA EPH
o-terphenyl SUR				54	40-140	%	1	DBV	4/8/20	12630	4/9/20	13:22	MA EPH
2-fluorobiphenyl SUR				63	40-140	%	1	DBV	4/8/20	12630	4/9/20	13:22	MA EPH
2-bromonaphthalene SUR				59	40-140	%	1	DBV	4/8/20	12630	4/9/20	13:22	MA EPH

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-005

Sample ID: SB-107 (10-11')

Matrix: Solid

Percent Dry: 84.5% Results expressed on a dry weight basis.

Sampled:	4/7/20	10:20	Reporting	Instr	Dil'n	Prep	Analysis				
Parameter		Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
naphthalene		< 0.23	0.23	ug/g	1	CL	4/8/20	12630	4/9/20	18:44	MA EPH
2-methylnaphthalene		< 0.23	0.23	ug/g	1	CL	4/8/20	12630	4/9/20	18:44	MA EPH
phenanthrene		< 0.23	0.23	ug/g	1	CL	4/8/20	12630	4/9/20	18:44	MA EPH
acenaphthene		< 0.23	0.23	ug/g	1	CL	4/8/20	12630	4/9/20	18:44	MA EPH
acenaphthylene		< 0.23	0.23	ug/g	1	CL	4/8/20	12630	4/9/20	18:44	MA EPH
fluorene		< 0.23	0.23	ug/g	1	CL	4/8/20	12630	4/9/20	18:44	MA EPH
anthracene		< 0.23	0.23	ug/g	1	CL	4/8/20	12630	4/9/20	18:44	MA EPH
fluoranthene		< 0.23	0.23	ug/g	1	CL	4/8/20	12630	4/9/20	18:44	MA EPH
pyrene		< 0.23	0.23	ug/g	1	CL	4/8/20	12630	4/9/20	18:44	MA EPH
benzo(a)anthracene		< 0.23	0.23	ug/g	1	CL	4/8/20	12630	4/9/20	18:44	MA EPH
chrysene		< 0.23	0.23	ug/g	1	CL	4/8/20	12630	4/9/20	18:44	MA EPH
benzo(b)fluoranthene		< 0.23	0.23	ug/g	1	CL	4/8/20	12630	4/9/20	18:44	MA EPH
benzo(k)fluoranthene		< 0.23	0.23	ug/g	1	CL	4/8/20	12630	4/9/20	18:44	MA EPH
benzo(a)pyrene		< 0.23	0.23	ug/g	1	CL	4/8/20	12630	4/9/20	18:44	MA EPH
indeno(1,2,3-cd)pyrene		< 0.23	0.23	ug/g	1	CL	4/8/20	12630	4/9/20	18:44	MA EPH
dibenzo(a,h)anthracene		< 0.23	0.23	ug/g	1	CL	4/8/20	12630	4/9/20	18:44	MA EPH
benzo(g,h,i)perylene		< 0.23	0.23	ug/g	1	CL	4/8/20	12630	4/9/20	18:44	MA EPH
Unadjusted C11-C22 Aromatics		77	23	ug/g	1	DBV	4/8/20	12630	4/9/20	21:21	MA EPH
C9-C18 Aliphatics		34	23	ug/g	1	DBV	4/8/20	12630	4/14/20	12:58	MA EPH
C19-C36 Aliphatics		410	23	ug/g	1	DBV	4/8/20	12630	4/14/20	12:58	MA EPH
C11-C22 Aromatics		76	23	ug/g	1	DBV	4/8/20	12630	4/9/20	21:21	MA EPH
Surrogate Recovery											
Limits											
1-chloro-octadecane SUR		60	40-140	%	1	DBV	4/8/20	12630	4/14/20	12:58	MA EPH
o-terphenyl SUR		63	40-140	%	1	DBV	4/8/20	12630	4/9/20	21:21	MA EPH
2-fluorobiphenyl SUR		65	40-140	%	1	DBV	4/8/20	12630	4/9/20	21:21	MA EPH
2-bromonaphthalene SUR		64	40-140	%	1	DBV	4/8/20	12630	4/9/20	21:21	MA EPH

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-007

Sample ID: SB-108 (0-3')

Matrix: Solid

Percent Dry: 73.6% Results expressed on a dry weight basis.

Sampled:	4/7/20	10:50	Reporting	Instr	Dil'n	Prep	Analysis				
Parameter		Result	Limit	Units	Factor	Analyst	Batch	Date	Time	Reference	
naphthalene		< 0.26	0.26	ug/g	1	CL	4/8/20	12630	4/9/20	15:11	MA EPH
2-methylnaphthalene		< 0.26	0.26	ug/g	1	CL	4/8/20	12630	4/9/20	15:11	MA EPH
phenanthrene		< 0.26	0.26	ug/g	1	CL	4/8/20	12630	4/9/20	15:11	MA EPH
acenaphthene		< 0.26	0.26	ug/g	1	CL	4/8/20	12630	4/9/20	15:11	MA EPH
acenaphthylene		< 0.26	0.26	ug/g	1	CL	4/8/20	12630	4/9/20	15:11	MA EPH
fluorene		< 0.26	0.26	ug/g	1	CL	4/8/20	12630	4/9/20	15:11	MA EPH
anthracene		< 0.26	0.26	ug/g	1	CL	4/8/20	12630	4/9/20	15:11	MA EPH
fluoranthene		< 0.26	0.26	ug/g	1	CL	4/8/20	12630	4/9/20	15:11	MA EPH
pyrene		< 0.26	0.26	ug/g	1	CL	4/8/20	12630	4/9/20	15:11	MA EPH
benzo(a)anthracene		< 0.26	0.26	ug/g	1	CL	4/8/20	12630	4/9/20	15:11	MA EPH
chrysene		< 0.26	0.26	ug/g	1	CL	4/8/20	12630	4/9/20	15:11	MA EPH
benzo(b)fluoranthene		< 0.26	0.26	ug/g	1	CL	4/8/20	12630	4/9/20	15:11	MA EPH
benzo(k)fluoranthene		< 0.26	0.26	ug/g	1	CL	4/8/20	12630	4/9/20	15:11	MA EPH
benzo(a)pyrene		< 0.26	0.26	ug/g	1	CL	4/8/20	12630	4/9/20	15:11	MA EPH
indeno(1,2,3-cd)pyrene		< 0.26	0.26	ug/g	1	CL	4/8/20	12630	4/9/20	15:11	MA EPH
dibenzo(a,h)anthracene		< 0.26	0.26	ug/g	1	CL	4/8/20	12630	4/9/20	15:11	MA EPH
benzo(g,h,i)perylene		< 0.26	0.26	ug/g	1	CL	4/8/20	12630	4/9/20	15:11	MA EPH
Unadjusted C11-C22 Aromatics		< 26	26	ug/g	1	DBV	4/8/20	12630	4/9/20	13:56	MA EPH
C9-C18 Aliphatics		< 26	26	ug/g	1	DBV	4/8/20	12630	4/9/20	13:56	MA EPH
C19-C36 Aliphatics		39	26	ug/g	1	DBV	4/8/20	12630	4/9/20	13:56	MA EPH
C11-C22 Aromatics		< 26	26	ug/g	1	DBV	4/8/20	12630	4/9/20	13:56	MA EPH
Surrogate Recovery		Limits									
1-chloro-octadecane SUR		60	40-140	%	1	DBV	4/8/20	12630	4/9/20	13:56	MA EPH
o-terphenyl SUR		57	40-140	%	1	DBV	4/8/20	12630	4/9/20	13:56	MA EPH
2-fluorobiphenyl SUR		60	40-140	%	1	DBV	4/8/20	12630	4/9/20	13:56	MA EPH
2-bromonaphthalene SUR		58	40-140	%	1	DBV	4/8/20	12630	4/9/20	13:56	MA EPH

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-008

Sample ID: SB-108 (6-9')

Matrix: Solid

Percent Dry: 80.4% Results expressed on a dry weight basis.

Parameter	Sampled:	4/7/20	11:00	Reporting	Instr	Dil'n	Prep	Analysis					
				Result	Limit	Units	Analyst	Date	Batch	Date	Time	Reference	
naphthalene				0.50	0.24	ug/g	CL	4/8/20	12630	4/9/20	20:15	MA EPH	
2-methylnaphthalene				0.57	0.24	ug/g	CL	4/8/20	12630	4/9/20	20:15	MA EPH	
phenanthrene				2.1	0.24	ug/g	CL	4/8/20	12630	4/9/20	20:15	MA EPH	
acenaphthene				< 0.24	0.24	ug/g	CL	4/8/20	12630	4/9/20	20:15	MA EPH	
acenaphthylene				< 0.24	0.24	ug/g	CL	4/8/20	12630	4/9/20	20:15	MA EPH	
fluorene				0.37	0.24	ug/g	CL	4/8/20	12630	4/9/20	20:15	MA EPH	
anthracene				0.46	0.24	ug/g	CL	4/8/20	12630	4/9/20	20:15	MA EPH	
fluoranthene				1.9	0.24	ug/g	CL	4/8/20	12630	4/9/20	20:15	MA EPH	
pyrene				2.1	0.24	ug/g	CL	4/8/20	12630	4/9/20	20:15	MA EPH	
benzo(a)anthracene				0.79	0.24	ug/g	CL	4/8/20	12630	4/9/20	20:15	MA EPH	
chrysene				0.87	0.24	ug/g	CL	4/8/20	12630	4/9/20	20:15	MA EPH	
benzo(b)fluoranthene				0.64	0.24	ug/g	CL	4/8/20	12630	4/9/20	20:15	MA EPH	
benzo(k)fluoranthene				0.57	0.24	ug/g	CL	4/8/20	12630	4/9/20	20:15	MA EPH	
benzo(a)pyrene				0.70	0.24	ug/g	CL	4/8/20	12630	4/9/20	20:15	MA EPH	
indeno(1,2,3-cd)pyrene				0.36	0.24	ug/g	CL	4/8/20	12630	4/9/20	20:15	MA EPH	
dibenzo(a,h)anthracene				< 0.24	0.24	ug/g	CL	4/8/20	12630	4/9/20	20:15	MA EPH	
benzo(g,h,i)perylene				0.51	0.24	ug/g	CL	4/8/20	12630	4/9/20	20:15	MA EPH	
Unadjusted C11-C22 Aromatics				360	24	ug/g	1	DBV	4/8/20	12630	4/9/20	20:46	MA EPH
C9-C18 Aliphatics				92	24	ug/g	1	DBV	4/8/20	12630	4/9/20	20:46	MA EPH
C19-C36 Aliphatics				1900	24	ug/g	1	DBV	4/8/20	12630	4/9/20	20:46	MA EPH
C11-C22 Aromatics				350	24	ug/g	1	DBV	4/8/20	12630	4/9/20	20:46	MA EPH
Surrogate Recovery													
1-chloro-octadecane SUR				58	40-140	%	1	DBV	4/8/20	12630	4/9/20	20:46	MA EPH
o-terphenyl SUR				62	40-140	%	1	DBV	4/8/20	12630	4/9/20	20:46	MA EPH
2-fluorobiphenyl SUR				68	40-140	%	1	DBV	4/8/20	12630	4/9/20	20:46	MA EPH
2-bromonaphthalene SUR				72	40-140	%	1	DBV	4/8/20	12630	4/9/20	20:46	MA EPH

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-010

Sample ID: SB-109 (0-3')

Matrix: Solid

Percent Dry: 70.9% Results expressed on a dry weight basis.

Parameter	Sampled:	4/7/20	11:40	Reporting	Instr	Dil'n	Prep	Analysis					
				Result	Limit	Units	Analyst	Date	Batch	Date	Time	Reference	
naphthalene				< 0.28	0.28	ug/g	1	CL	4/8/20	12630	4/9/20	15:41	MA EPH
2-methylnaphthalene				< 0.28	0.28	ug/g	1	CL	4/8/20	12630	4/9/20	15:41	MA EPH
phenanthrene				< 0.28	0.28	ug/g	1	CL	4/8/20	12630	4/9/20	15:41	MA EPH
acenaphthene				< 0.28	0.28	ug/g	1	CL	4/8/20	12630	4/9/20	15:41	MA EPH
acenaphthylene				< 0.28	0.28	ug/g	1	CL	4/8/20	12630	4/9/20	15:41	MA EPH
fluorene				< 0.28	0.28	ug/g	1	CL	4/8/20	12630	4/9/20	15:41	MA EPH
anthracene				< 0.28	0.28	ug/g	1	CL	4/8/20	12630	4/9/20	15:41	MA EPH
fluoranthene				< 0.28	0.28	ug/g	1	CL	4/8/20	12630	4/9/20	15:41	MA EPH
pyrene				< 0.28	0.28	ug/g	1	CL	4/8/20	12630	4/9/20	15:41	MA EPH
benzo(a)anthracene				< 0.28	0.28	ug/g	1	CL	4/8/20	12630	4/9/20	15:41	MA EPH
chrysene				< 0.28	0.28	ug/g	1	CL	4/8/20	12630	4/9/20	15:41	MA EPH
benzo(b)fluoranthene				< 0.28	0.28	ug/g	1	CL	4/8/20	12630	4/9/20	15:41	MA EPH
benzo(k)fluoranthene				< 0.28	0.28	ug/g	1	CL	4/8/20	12630	4/9/20	15:41	MA EPH
benzo(a)pyrene				< 0.28	0.28	ug/g	1	CL	4/8/20	12630	4/9/20	15:41	MA EPH
indeno(1,2,3-cd)pyrene				< 0.28	0.28	ug/g	1	CL	4/8/20	12630	4/9/20	15:41	MA EPH
dibenzo(a,h)anthracene				< 0.28	0.28	ug/g	1	CL	4/8/20	12630	4/9/20	15:41	MA EPH
benzo(g,h,i)perylene				< 0.28	0.28	ug/g	1	CL	4/8/20	12630	4/9/20	15:41	MA EPH
Unadjusted C11-C22 Aromatics				< 28	28	ug/g	1	DBV	4/8/20	12630	4/9/20	14:31	MA EPH
C9-C18 Aliphatics				< 28	28	ug/g	1	DBV	4/8/20	12630	4/9/20	14:31	MA EPH
C19-C36 Aliphatics				42	28	ug/g	1	DBV	4/8/20	12630	4/9/20	14:31	MA EPH
C11-C22 Aromatics				< 28	28	ug/g	1	DBV	4/8/20	12630	4/9/20	14:31	MA EPH
Surrogate Recovery													
1-chloro-octadecane SUR				56	40-140	%	1	DBV	4/8/20	12630	4/9/20	14:31	MA EPH
o-terphenyl SUR				61	40-140	%	1	DBV	4/8/20	12630	4/9/20	14:31	MA EPH
2-fluorobiphenyl SUR				68	40-140	%	1	DBV	4/8/20	12630	4/9/20	14:31	MA EPH
2-bromonaphthalene SUR				65	40-140	%	1	DBV	4/8/20	12630	4/9/20	14:31	MA EPH

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-011

Sample ID: SB-109 (5-8')

Matrix: Solid

Percent Dry: 23.7% Results expressed on a dry weight basis.

Parameter	Sampled:	4/7/20	11:45	Reporting		Instr	Dil'n	Prep	Analysis				
				Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
naphthalene				< 0.78	0.78	ug/g	1	CL	4/8/20	12630	4/9/20	16:12	MA EPH
2-methylnaphthalene				< 0.78	0.78	ug/g	1	CL	4/8/20	12630	4/9/20	16:12	MA EPH
phenanthrene				0.80	0.78	ug/g	1	CL	4/8/20	12630	4/9/20	16:12	MA EPH
acenaphthene				< 0.78	0.78	ug/g	1	CL	4/8/20	12630	4/9/20	16:12	MA EPH
acenaphthylene				< 0.78	0.78	ug/g	1	CL	4/8/20	12630	4/9/20	16:12	MA EPH
fluorene				< 0.78	0.78	ug/g	1	CL	4/8/20	12630	4/9/20	16:12	MA EPH
anthracene				< 0.78	0.78	ug/g	1	CL	4/8/20	12630	4/9/20	16:12	MA EPH
fluoranthene				1.5	0.78	ug/g	1	CL	4/8/20	12630	4/9/20	16:12	MA EPH
pyrene				1.7	0.78	ug/g	1	CL	4/8/20	12630	4/9/20	16:12	MA EPH
benzo(a)anthracene				0.78	0.78	ug/g	1	CL	4/8/20	12630	4/9/20	16:12	MA EPH
chrysene				0.96	0.78	ug/g	1	CL	4/8/20	12630	4/9/20	16:12	MA EPH
benzo(b)fluoranthene				0.89	0.78	ug/g	1	CL	4/8/20	12630	4/9/20	16:12	MA EPH
benzo(k)fluoranthene				< 0.78	0.78	ug/g	1	CL	4/8/20	12630	4/9/20	16:12	MA EPH
benzo(a)pyrene				0.91	0.78	ug/g	1	CL	4/8/20	12630	4/9/20	16:12	MA EPH
indeno(1,2,3-cd)pyrene				< 0.78	0.78	ug/g	1	CL	4/8/20	12630	4/9/20	16:12	MA EPH
dibenzo(a,h)anthracene				< 0.78	0.78	ug/g	1	CL	4/8/20	12630	4/9/20	16:12	MA EPH
benzo(g,h,i)perylene				< 0.78	0.78	ug/g	1	CL	4/8/20	12630	4/9/20	16:12	MA EPH
Unadjusted C11-C22 Aromatics				110	78	ug/g	1	DBV	4/8/20	12630	4/9/20	15:05	MA EPH
C9-C18 Aliphatics				< 78	78	ug/g	1	DBV	4/8/20	12630	4/9/20	15:05	MA EPH
C19-C36 Aliphatics				290	78	ug/g	1	DBV	4/8/20	12630	4/9/20	15:05	MA EPH
C11-C22 Aromatics				100	78	ug/g	1	DBV	4/8/20	12630	4/9/20	15:05	MA EPH
Surrogate Recovery													
Limits													
1-chloro-octadecane SUR				62	40-140	%	1	DBV	4/8/20	12630	4/9/20	15:05	MA EPH
o-terphenyl SUR				63	40-140	%	1	DBV	4/8/20	12630	4/9/20	15:05	MA EPH
2-fluorobiphenyl SUR				63	40-140	%	1	DBV	4/8/20	12630	4/9/20	15:05	MA EPH
2-bromonaphthalene SUR				60	40-140	%	1	DBV	4/8/20	12630	4/9/20	15:05	MA EPH

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-013

Sample ID: SB-110 (0-3')

Matrix: Solid

Percent Dry: 88.3% Results expressed on a dry weight basis.

Parameter	Sampled:	4/7/20	12:50	Reporting	Instr	Dil'n	Prep	Analysis					
				Result	Limit	Units	Analyst	Date	Batch	Date	Time	Reference	
naphthalene				< 0.22	0.22	ug/g	1	CL	4/8/20	12630	4/9/20	16:42	MA EPH
2-methylnaphthalene				< 0.22	0.22	ug/g	1	CL	4/8/20	12630	4/9/20	16:42	MA EPH
phenanthrene				1.1	0.22	ug/g	1	CL	4/8/20	12630	4/9/20	16:42	MA EPH
acenaphthene				< 0.22	0.22	ug/g	1	CL	4/8/20	12630	4/9/20	16:42	MA EPH
acenaphthylene				< 0.22	0.22	ug/g	1	CL	4/8/20	12630	4/9/20	16:42	MA EPH
fluorene				< 0.22	0.22	ug/g	1	CL	4/8/20	12630	4/9/20	16:42	MA EPH
anthracene				< 0.22	0.22	ug/g	1	CL	4/8/20	12630	4/9/20	16:42	MA EPH
fluoranthene				1.3	0.22	ug/g	1	CL	4/8/20	12630	4/9/20	16:42	MA EPH
pyrene				1.4	0.22	ug/g	1	CL	4/8/20	12630	4/9/20	16:42	MA EPH
benzo(a)anthracene				0.59	0.22	ug/g	1	CL	4/8/20	12630	4/9/20	16:42	MA EPH
chrysene				0.74	0.22	ug/g	1	CL	4/8/20	12630	4/9/20	16:42	MA EPH
benzo(b)fluoranthene				0.57	0.22	ug/g	1	CL	4/8/20	12630	4/9/20	16:42	MA EPH
benzo(k)fluoranthene				0.53	0.22	ug/g	1	CL	4/8/20	12630	4/9/20	16:42	MA EPH
benzo(a)pyrene				0.63	0.22	ug/g	1	CL	4/8/20	12630	4/9/20	16:42	MA EPH
indeno(1,2,3-cd)pyrene				0.36	0.22	ug/g	1	CL	4/8/20	12630	4/9/20	16:42	MA EPH
dibenzo(a,h)anthracene				< 0.22	0.22	ug/g	1	CL	4/8/20	12630	4/9/20	16:42	MA EPH
benzo(g,h,i)perylene				0.42	0.22	ug/g	1	CL	4/8/20	12630	4/9/20	16:42	MA EPH
Unadjusted C11-C22 Aromatics				62	22	ug/g	1	DBV	4/8/20	12630	4/9/20	15:39	MA EPH
C9-C18 Aliphatics				< 22	22	ug/g	1	DBV	4/8/20	12630	4/9/20	15:39	MA EPH
C19-C36 Aliphatics				68	22	ug/g	1	DBV	4/8/20	12630	4/9/20	15:39	MA EPH
C11-C22 Aromatics				53	22	ug/g	1	DBV	4/8/20	12630	4/9/20	15:39	MA EPH
Surrogate Recovery													
1-chloro-octadecane SUR				45	40-140	%	1	DBV	4/8/20	12630	4/9/20	15:39	MA EPH
o-terphenyl SUR				54	40-140	%	1	DBV	4/8/20	12630	4/9/20	15:39	MA EPH
2-fluorobiphenyl SUR				73	40-140	%	1	DBV	4/8/20	12630	4/9/20	15:39	MA EPH
2-bromonaphthalene SUR				72	40-140	%	1	DBV	4/8/20	12630	4/9/20	15:39	MA EPH

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-014

Sample ID: SB-110 (5-8')

Matrix: Solid

Percent Dry: 17.7% Results expressed on a dry weight basis.

Parameter	Sampled:	4/7/20	12:55	Reporting	Instr	Dil'n	Prep	Analysis				
				Result	Limit	Units	Analyst	Date	Batch	Date	Time	Reference
naphthalene				< 1.1	1.1	ug/g	CL	4/8/20	12630	4/9/20	14:10	MA EPH
2-methylnaphthalene				< 1.1	1.1	ug/g	CL	4/8/20	12630	4/9/20	14:10	MA EPH
phenanthrene				< 1.1	1.1	ug/g	CL	4/8/20	12630	4/9/20	14:10	MA EPH
acenaphthene				< 1.1	1.1	ug/g	CL	4/8/20	12630	4/9/20	14:10	MA EPH
acenaphthylene				< 1.1	1.1	ug/g	CL	4/8/20	12630	4/9/20	14:10	MA EPH
fluorene				< 1.1	1.1	ug/g	CL	4/8/20	12630	4/9/20	14:10	MA EPH
anthracene				< 1.1	1.1	ug/g	CL	4/8/20	12630	4/9/20	14:10	MA EPH
fluoranthene				< 1.1	1.1	ug/g	CL	4/8/20	12630	4/9/20	14:10	MA EPH
pyrene				< 1.1	1.1	ug/g	CL	4/8/20	12630	4/9/20	14:10	MA EPH
benzo(a)anthracene				< 1.1	1.1	ug/g	CL	4/8/20	12630	4/9/20	14:10	MA EPH
chrysene				< 1.1	1.1	ug/g	CL	4/8/20	12630	4/9/20	14:10	MA EPH
benzo(b)fluoranthene				< 1.1	1.1	ug/g	CL	4/8/20	12630	4/9/20	14:10	MA EPH
benzo(k)fluoranthene				< 1.1	1.1	ug/g	CL	4/8/20	12630	4/9/20	14:10	MA EPH
benzo(a)pyrene				< 1.1	1.1	ug/g	CL	4/8/20	12630	4/9/20	14:10	MA EPH
indeno(1,2,3-cd)pyrene				< 1.1	1.1	ug/g	CL	4/8/20	12630	4/9/20	14:10	MA EPH
dibenzo(a,h)anthracene				< 1.1	1.1	ug/g	CL	4/8/20	12630	4/9/20	14:10	MA EPH
benzo(g,h,i)perylene				< 1.1	1.1	ug/g	CL	4/8/20	12630	4/9/20	14:10	MA EPH
Unadjusted C11-C22 Aromatics				< 110	110	ug/g	1	DBV 4/8/20	12630	4/9/20	16:13	MA EPH
C9-C18 Aliphatics				< 110	110	ug/g	1	DBV 4/8/20	12630	4/9/20	16:13	MA EPH
C19-C36 Aliphatics				140	110	ug/g	1	DBV 4/8/20	12630	4/9/20	16:13	MA EPH
C11-C22 Aromatics				< 110	110	ug/g	1	DBV 4/8/20	12630	4/9/20	16:13	MA EPH
Surrogate Recovery												
1-chloro-octadecane SUR				44	40-140	%	1	DBV 4/8/20	12630	4/9/20	16:13	MA EPH
o-terphenyl SUR				47	40-140	%	1	DBV 4/8/20	12630	4/9/20	16:13	MA EPH
2-fluorobiphenyl SUR				65	40-140	%	1	DBV 4/8/20	12630	4/9/20	16:13	MA EPH
2-bromonaphthalene SUR				62	40-140	%	1	DBV 4/8/20	12630	4/9/20	16:13	MA EPH

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-016

Sample ID: SB-112 (0-3')

Matrix: Solid

Percent Dry: 90.3% Results expressed on a dry weight basis.

Parameter	Sampled:	4/7/20	13:20	Reporting	Instr	Dil'n	Prep	Analysis					
				Result	Limit	Units	Analyst	Date	Batch	Date	Time	Reference	
naphthalene				< 0.21	0.21	ug/g	1	CL	4/8/20	12630	4/9/20	17:12	MA EPH
2-methylnaphthalene				< 0.21	0.21	ug/g	1	CL	4/8/20	12630	4/9/20	17:12	MA EPH
phenanthrene				0.41	0.21	ug/g	1	CL	4/8/20	12630	4/9/20	17:12	MA EPH
acenaphthene				< 0.21	0.21	ug/g	1	CL	4/8/20	12630	4/9/20	17:12	MA EPH
acenaphthylene				< 0.21	0.21	ug/g	1	CL	4/8/20	12630	4/9/20	17:12	MA EPH
fluorene				< 0.21	0.21	ug/g	1	CL	4/8/20	12630	4/9/20	17:12	MA EPH
anthracene				< 0.21	0.21	ug/g	1	CL	4/8/20	12630	4/9/20	17:12	MA EPH
fluoranthene				0.80	0.21	ug/g	1	CL	4/8/20	12630	4/9/20	17:12	MA EPH
pyrene				0.73	0.21	ug/g	1	CL	4/8/20	12630	4/9/20	17:12	MA EPH
benzo(a)anthracene				0.39	0.21	ug/g	1	CL	4/8/20	12630	4/9/20	17:12	MA EPH
chrysene				0.42	0.21	ug/g	1	CL	4/8/20	12630	4/9/20	17:12	MA EPH
benzo(b)fluoranthene				0.37	0.21	ug/g	1	CL	4/8/20	12630	4/9/20	17:12	MA EPH
benzo(k)fluoranthene				0.38	0.21	ug/g	1	CL	4/8/20	12630	4/9/20	17:12	MA EPH
benzo(a)pyrene				0.40	0.21	ug/g	1	CL	4/8/20	12630	4/9/20	17:12	MA EPH
indeno(1,2,3-cd)pyrene				0.21	0.21	ug/g	1	CL	4/8/20	12630	4/9/20	17:12	MA EPH
dibenzo(a,h)anthracene				< 0.21	0.21	ug/g	1	CL	4/8/20	12630	4/9/20	17:12	MA EPH
benzo(g,h,i)perylene				0.25	0.21	ug/g	1	CL	4/8/20	12630	4/9/20	17:12	MA EPH
Unadjusted C11-C22 Aromatics				26	21	ug/g	1	DBV	4/8/20	12630	4/9/20	16:47	MA EPH
C9-C18 Aliphatics				< 21	21	ug/g	1	DBV	4/8/20	12630	4/9/20	16:47	MA EPH
C19-C36 Aliphatics				50	21	ug/g	1	DBV	4/8/20	12630	4/9/20	16:47	MA EPH
C11-C22 Aromatics				22	21	ug/g	1	DBV	4/8/20	12630	4/9/20	16:47	MA EPH
Surrogate Recovery													
1-chloro-octadecane SUR				62	40-140	%	1	DBV	4/8/20	12630	4/9/20	16:47	MA EPH
o-terphenyl SUR				68	40-140	%	1	DBV	4/8/20	12630	4/9/20	16:47	MA EPH
2-fluorobiphenyl SUR				66	40-140	%	1	DBV	4/8/20	12630	4/9/20	16:47	MA EPH
2-bromonaphthalene SUR				63	40-140	%	1	DBV	4/8/20	12630	4/9/20	16:47	MA EPH

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-017

Sample ID: SB-112 (5-8')

Matrix: Solid

Percent Dry: 52.4% Results expressed on a dry weight basis.

Parameter	Sampled: 4/7/20 13:25		Reporting		Instr	Dil'n	Prep	Analysis		
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
naphthalene	< 0.38	0.38	ug/g	1	CL	4/8/20	12630	4/9/20	19:14	MA EPH
2-methylnaphthalene	< 0.38	0.38	ug/g	1	CL	4/8/20	12630	4/9/20	19:14	MA EPH
phenanthrene	4.7	0.38	ug/g	1	CL	4/8/20	12630	4/9/20	19:14	MA EPH
acenaphthene	< 0.38	0.38	ug/g	1	CL	4/8/20	12630	4/9/20	19:14	MA EPH
acenaphthylene	< 0.38	0.38	ug/g	1	CL	4/8/20	12630	4/9/20	19:14	MA EPH
fluorene	0.43	0.38	ug/g	1	CL	4/8/20	12630	4/9/20	19:14	MA EPH
anthracene	0.84	0.38	ug/g	1	CL	4/8/20	12630	4/9/20	19:14	MA EPH
fluoranthene	6.8	0.38	ug/g	1	CL	4/8/20	12630	4/9/20	19:14	MA EPH
pyrene	5.8	0.38	ug/g	1	CL	4/8/20	12630	4/9/20	19:14	MA EPH
benzo(a)anthracene	3.0	0.38	ug/g	1	CL	4/8/20	12630	4/9/20	19:14	MA EPH
chrysene	3.6	0.38	ug/g	1	CL	4/8/20	12630	4/9/20	19:14	MA EPH
benzo(b)fluoranthene	2.8	0.38	ug/g	1	CL	4/8/20	12630	4/9/20	19:14	MA EPH
benzo(k)fluoranthene	2.7	0.38	ug/g	1	CL	4/8/20	12630	4/9/20	19:14	MA EPH
benzo(a)pyrene	3.0	0.38	ug/g	1	CL	4/8/20	12630	4/9/20	19:14	MA EPH
indeno(1,2,3-cd)pyrene	1.7	0.38	ug/g	1	CL	4/8/20	12630	4/9/20	19:14	MA EPH
dibenzo(a,h)anthracene	0.62	0.38	ug/g	1	CL	4/8/20	12630	4/9/20	19:14	MA EPH
benzo(g,h,i)perylene	2.0	0.38	ug/g	1	CL	4/8/20	12630	4/9/20	19:14	MA EPH
Unadjusted C11-C22 Aromatics	180	38	ug/g	1	DBV	4/8/20	12630	4/9/20	17:21	MA EPH
C9-C18 Aliphatics	< 38	38	ug/g	1	DBV	4/8/20	12630	4/9/20	17:21	MA EPH
C19-C36 Aliphatics	190	38	ug/g	1	DBV	4/8/20	12630	4/9/20	17:21	MA EPH
C11-C22 Aromatics	140	38	ug/g	1	DBV	4/8/20	12630	4/9/20	17:21	MA EPH
Surrogate Recovery										
Limits										
1-chloro-octadecane SUR	52	40-140	%	1	DBV	4/8/20	12630	4/9/20	17:21	MA EPH
o-terphenyl SUR	59	40-140	%	1	DBV	4/8/20	12630	4/9/20	17:21	MA EPH
2-fluorobiphenyl SUR	65	40-140	%	1	DBV	4/8/20	12630	4/9/20	17:21	MA EPH
2-bromonaphthalene SUR	64	40-140	%	1	DBV	4/8/20	12630	4/9/20	17:21	MA EPH

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-018

Sample ID: DUP-1

Matrix: Solid

Percent Dry: 23.7% Results expressed on a dry weight basis.

Parameter	Sampled:	4/7/20	0:00	Reporting	Instr	Dil'n	Prep	Analysis				
				Result	Limit	Units	Analyst	Date	Date	Time	Reference	
naphthalene				0.86	0.83	ug/g	1	CL	4/8/20	12630	4/9/20 17:43	MA EPH
2-methylnaphthalene				< 0.83	0.83	ug/g	1	CL	4/8/20	12630	4/9/20 17:43	MA EPH
phenanthrene				5.7	0.83	ug/g	1	CL	4/8/20	12630	4/9/20 17:43	MA EPH
acenaphthene				< 0.83	0.83	ug/g	1	CL	4/8/20	12630	4/9/20 17:43	MA EPH
acenaphthylene				< 0.83	0.83	ug/g	1	CL	4/8/20	12630	4/9/20 17:43	MA EPH
fluorene				< 0.83	0.83	ug/g	1	CL	4/8/20	12630	4/9/20 17:43	MA EPH
anthracene				0.92	0.83	ug/g	1	CL	4/8/20	12630	4/9/20 17:43	MA EPH
fluoranthene				9.2	0.83	ug/g	1	CL	4/8/20	12630	4/9/20 17:43	MA EPH
pyrene				9.0	0.83	ug/g	1	CL	4/8/20	12630	4/9/20 17:43	MA EPH
benzo(a)anthracene				4.0	0.83	ug/g	1	CL	4/8/20	12630	4/9/20 17:43	MA EPH
chrysene				5.3	0.83	ug/g	1	CL	4/8/20	12630	4/9/20 17:43	MA EPH
benzo(b)fluoranthene				4.4	0.83	ug/g	1	CL	4/8/20	12630	4/9/20 17:43	MA EPH
benzo(k)fluoranthene				3.7	0.83	ug/g	1	CL	4/8/20	12630	4/9/20 17:43	MA EPH
benzo(a)pyrene				4.4	0.83	ug/g	1	CL	4/8/20	12630	4/9/20 17:43	MA EPH
indeno(1,2,3-cd)pyrene				2.9	0.83	ug/g	1	CL	4/8/20	12630	4/9/20 17:43	MA EPH
dibenzo(a,h)anthracene				< 0.83	0.83	ug/g	1	CL	4/8/20	12630	4/9/20 17:43	MA EPH
benzo(g,h,i)perylene				3.2	0.83	ug/g	1	CL	4/8/20	12630	4/9/20 17:43	MA EPH
Unadjusted C11-C22 Aromatics				360	83	ug/g	1	DBV	4/8/20	12630	4/9/20 17:56	MA EPH
C9-C18 Aliphatics				< 83	83	ug/g	1	DBV	4/8/20	12630	4/9/20 17:56	MA EPH
C19-C36 Aliphatics				390	83	ug/g	1	DBV	4/8/20	12630	4/9/20 17:56	MA EPH
C11-C22 Aromatics				300	83	ug/g	1	DBV	4/8/20	12630	4/9/20 17:56	MA EPH
Surrogate Recovery												
1-chloro-octadecane SUR				48	40-140	%	1	DBV	4/8/20	12630	4/9/20 17:56	MA EPH
o-terphenyl SUR				54	40-140	%	1	DBV	4/8/20	12630	4/9/20 17:56	MA EPH
2-fluorobiphenyl SUR				68	40-140	%	1	DBV	4/8/20	12630	4/9/20 17:56	MA EPH
2-bromonaphthalene SUR				66	40-140	%	1	DBV	4/8/20	12630	4/9/20 17:56	MA EPH
Limits												

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-001

Sample ID: SB-104 (0-3')

Matrix: Solid

Percent Dry: 89.3% Results expressed on a dry weight basis.

Parameter	Sampled: 4/7/20 8:45		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Antimony	< 0.54	0.54	ug/g	5	AGN	4/9/20	12629	4/10/20	4:27	SW3051A6020A	
Arsenic	< 2.7	2.7	ug/g	5	AGN	4/9/20	12629	4/10/20	4:27	SW3051A6020A	
Barium	17	5.4	ug/g	5	AGN	4/9/20	12629	4/10/20	4:27	SW3051A6020A	
Beryllium	< 0.54	0.54	ug/g	5	AGN	4/9/20	12629	4/10/20	4:27	SW3051A6020A	
Cadmium	< 0.54	0.54	ug/g	5	AGN	4/9/20	12629	4/10/20	4:27	SW3051A6020A	
Chromium	< 5.4	5.4	ug/g	5	AGN	4/9/20	12629	4/10/20	4:27	SW3051A6020A	
Lead	16	2.7	ug/g	5	AGN	4/9/20	12629	4/10/20	4:27	SW3051A6020A	
Mercury	< 0.15	0.15	ug/g	1	AGN	4/9/20	12632	4/15/20	12:18	SW7471B	
Nickel	5.4	5.4	ug/g	5	AGN	4/9/20	12629	4/10/20	4:27	SW3051A6020A	
Selenium	< 5.4	5.4	ug/g	5	AGN	4/9/20	12629	4/10/20	4:27	SW3051A6020A	
Silver	< 2.7	2.7	ug/g	5	AGN	4/9/20	12629	4/10/20	4:27	SW3051A6020A	
Thallium	< 0.54	0.54	ug/g	5	AGN	4/9/20	12629	4/10/20	4:27	SW3051A6020A	
Vanadium	8.3	5.4	ug/g	5	AGN	4/9/20	12629	4/10/20	4:27	SW3051A6020A	
Zinc	16	5.4	ug/g	5	AGN	4/9/20	12629	4/10/20	4:27	SW3051A6020A	

Sample#: 52513-002

Sample ID: SB-104 (8-10')

Matrix: Solid

Percent Dry: 83.1% Results expressed on a dry weight basis.

Parameter	Sampled: 4/7/20 8:55		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Antimony	< 0.57	0.57	ug/g	5	AGN	4/9/20	12629	4/10/20	4:36	SW3051A6020A	
Arsenic	3.1	2.8	ug/g	5	AGN	4/9/20	12629	4/10/20	4:36	SW3051A6020A	
Barium	27	5.7	ug/g	5	AGN	4/9/20	12629	4/10/20	4:36	SW3051A6020A	
Beryllium	< 0.57	0.57	ug/g	5	AGN	4/9/20	12629	4/10/20	4:36	SW3051A6020A	
Cadmium	< 0.57	0.57	ug/g	5	AGN	4/9/20	12629	4/10/20	4:36	SW3051A6020A	
Chromium	16	5.7	ug/g	5	AGN	4/9/20	12629	4/10/20	4:36	SW3051A6020A	
Lead	5.5	2.8	ug/g	5	AGN	4/9/20	12629	4/10/20	4:36	SW3051A6020A	
Mercury	< 0.16	0.16	ug/g	1	AGN	4/9/20	12632	4/15/20	12:20	SW7471B	
Nickel	17	5.7	ug/g	5	AGN	4/9/20	12629	4/10/20	4:36	SW3051A6020A	
Selenium	< 5.7	5.7	ug/g	5	AGN	4/9/20	12629	4/10/20	4:36	SW3051A6020A	
Silver	< 2.8	2.8	ug/g	5	AGN	4/9/20	12629	4/10/20	4:36	SW3051A6020A	
Thallium	< 0.57	0.57	ug/g	5	AGN	4/9/20	12629	4/10/20	4:36	SW3051A6020A	
Vanadium	22	5.7	ug/g	5	AGN	4/9/20	12629	4/10/20	4:36	SW3051A6020A	
Zinc	18	5.7	ug/g	5	AGN	4/9/20	12629	4/10/20	4:36	SW3051A6020A	

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-004

Sample ID: SB-107 (0-3')

Matrix: Solid

Percent Dry: 79% Results expressed on a dry weight basis.

Parameter	Sampled:	4/7/20	10:00	Reporting		Instr	Dil'n	Prep	Analysis			Reference	
				Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	
Antimony				55	0.63	ug/g	5	AGN	4/9/20	12629	4/10/20	4:45	SW3051A6020A
Arsenic				8.0	3.2	ug/g	5	AGN	4/9/20	12629	4/10/20	4:45	SW3051A6020A
Barium				280 M	6.3	ug/g	5	AGN	4/9/20	12629	4/10/20	4:45	SW3051A6020A
	M = The recovery for the matrix spike was 156%. The acceptance criteria is 75-125%.												
Beryllium				< 0.63	0.63	ug/g	5	AGN	4/9/20	12629	4/10/20	4:45	SW3051A6020A
Cadmium				4.4	0.63	ug/g	5	AGN	4/9/20	12629	4/10/20	4:45	SW3051A6020A
Chromium				33	6.3	ug/g	5	AGN	4/9/20	12629	4/10/20	4:45	SW3051A6020A
Lead				1200 M	3.2	ug/g	5	AGN	4/9/20	12629	4/10/20	4:45	SW3051A6020A
	M = The recovery for the matrix spike was -7%. The acceptance criteria is 75-125%.												
Mercury				0.60 M	0.16	ug/g	1	AGN	4/9/20	12632	4/15/20	12:21	SW7471B
	M = The recovery for the matrix spike/duplicate were 12% and 64%. The acceptance criteria is 80-120%.												
Nickel				76	6.3	ug/g	5	AGN	4/9/20	12629	4/10/20	4:45	SW3051A6020A
Selenium				< 6.3 M	6.3	ug/g	5	AGN	4/9/20	12629	4/10/20	4:45	SW3051A6020A
	M = The recovery for the matrix spike was 74%. The acceptance criteria is 75-125%.												
Silver				32	3.2	ug/g	5	AGN	4/9/20	12629	4/10/20	4:45	SW3051A6020A
Thallium				< 0.63	0.63	ug/g	5	AGN	4/9/20	12629	4/10/20	4:45	SW3051A6020A
Vanadium				20	6.3	ug/g	5	AGN	4/9/20	12629	4/10/20	4:45	SW3051A6020A
Zinc				2900	6.3	ug/g	5	AGN	4/9/20	12629	4/10/20	4:45	SW3051A6020A

Sample#: 52513-005

Sample ID: SB-107 (10-11')

Matrix: Solid

Percent Dry: 84.5% Results expressed on a dry weight basis.

Parameter	Sampled:	4/7/20	10:20	Reporting		Instr	Dil'n	Prep	Analysis			Reference	
				Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	
Antimony				5.9	0.49	ug/g	5	AGN	4/9/20	12629	4/10/20	5:13	SW3051A6020A
Arsenic				3.5	2.5	ug/g	5	AGN	4/9/20	12629	4/10/20	5:13	SW3051A6020A
Barium				48	4.9	ug/g	5	AGN	4/9/20	12629	4/10/20	5:13	SW3051A6020A
Beryllium				< 0.49	0.49	ug/g	5	AGN	4/9/20	12629	4/10/20	5:13	SW3051A6020A
Cadmium				2.0	0.49	ug/g	5	AGN	4/9/20	12629	4/10/20	5:13	SW3051A6020A
Chromium				19	4.9	ug/g	5	AGN	4/9/20	12629	4/10/20	5:13	SW3051A6020A
Lead				300	2.5	ug/g	5	AGN	4/9/20	12629	4/10/20	5:13	SW3051A6020A
Mercury				< 0.14	0.14	ug/g	1	AGN	4/9/20	12632	4/15/20	12:27	SW7471B
Nickel				16	4.9	ug/g	5	AGN	4/9/20	12629	4/10/20	5:13	SW3051A6020A
Selenium				< 4.9	4.9	ug/g	5	AGN	4/9/20	12629	4/10/20	5:13	SW3051A6020A
Silver				< 2.5	2.5	ug/g	5	AGN	4/9/20	12629	4/10/20	5:13	SW3051A6020A
Thallium				< 0.49	0.49	ug/g	5	AGN	4/9/20	12629	4/10/20	5:13	SW3051A6020A
Vanadium				12	4.9	ug/g	5	AGN	4/9/20	12629	4/10/20	5:13	SW3051A6020A
Zinc				250	4.9	ug/g	5	AGN	4/9/20	12629	4/10/20	5:13	SW3051A6020A

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-007

Sample ID: SB-108 (0-3')

Matrix: Solid

Percent Dry: 73.6% Results expressed on a dry weight basis.

Parameter	Sampled:	4/7/20	10:50	Reporting Result	Limit	Units	Instr Factor	Dil'n	Analyst	Prep Date	Batch	Date	Time	Analysis Reference
Antimony				51	0.65	ug/g	5		AGN	4/9/20	12629	4/10/20	5:23	SW3051A6020A
Arsenic				8.1	3.3	ug/g	5		AGN	4/9/20	12629	4/10/20	5:23	SW3051A6020A
Barium				430	6.5	ug/g	5		AGN	4/9/20	12629	4/10/20	5:23	SW3051A6020A
Beryllium				< 0.65	0.65	ug/g	5		AGN	4/9/20	12629	4/10/20	5:23	SW3051A6020A
Cadmium				5.8	0.65	ug/g	5		AGN	4/9/20	12629	4/10/20	5:23	SW3051A6020A
Chromium				70	6.5	ug/g	5		AGN	4/9/20	12629	4/10/20	5:23	SW3051A6020A
Lead				1200	3.3	ug/g	5		AGN	4/9/20	12629	4/10/20	5:23	SW3051A6020A
Mercury				0.18	0.15	ug/g	1		AGN	4/9/20	12632	4/15/20	12:29	SW7471B
Nickel				88	6.5	ug/g	5		AGN	4/9/20	12629	4/10/20	5:23	SW3051A6020A
Selenium				< 6.5	6.5	ug/g	5		AGN	4/9/20	12629	4/10/20	5:23	SW3051A6020A
Silver				7.3	3.3	ug/g	5		AGN	4/9/20	12629	4/10/20	5:23	SW3051A6020A
Thallium				< 0.65	0.65	ug/g	5		AGN	4/9/20	12629	4/10/20	5:23	SW3051A6020A
Vanadium				10	6.5	ug/g	5		AGN	4/9/20	12629	4/10/20	5:23	SW3051A6020A
Zinc				2900	6.5	ug/g	5		AGN	4/9/20	12629	4/10/20	5:23	SW3051A6020A

Sample#: 52513-008

Sample ID: SB-108 (6-9')

Matrix: Solid

Percent Dry: 80.4% Results expressed on a dry weight basis.

Parameter	Sampled:	4/7/20	11:00	Reporting Result	Limit	Units	Instr Factor	Dil'n	Analyst	Prep Date	Batch	Date	Time	Analysis Reference
Antimony				10	0.60	ug/g	5		AGN	4/9/20	12629	4/10/20	5:32	SW3051A6020A
Arsenic				7.1	3.0	ug/g	5		AGN	4/9/20	12629	4/10/20	5:32	SW3051A6020A
Barium				470	6.0	ug/g	5		AGN	4/9/20	12629	4/10/20	5:32	SW3051A6020A
Beryllium				< 0.60	0.60	ug/g	5		AGN	4/9/20	12629	4/10/20	5:32	SW3051A6020A
Cadmium				11	0.60	ug/g	5		AGN	4/9/20	12629	4/10/20	5:32	SW3051A6020A
Chromium				25	6.0	ug/g	5		AGN	4/9/20	12629	4/10/20	5:32	SW3051A6020A
Lead				970	3.0	ug/g	5		AGN	4/9/20	12629	4/10/20	5:32	SW3051A6020A
Mercury				0.47	0.16	ug/g	1		AGN	4/9/20	12632	4/15/20	12:30	SW7471B
Nickel				40	6.0	ug/g	5		AGN	4/9/20	12629	4/10/20	5:32	SW3051A6020A
Selenium				< 6.0	6.0	ug/g	5		AGN	4/9/20	12629	4/10/20	5:32	SW3051A6020A
Silver				< 3.0	3.0	ug/g	5		AGN	4/9/20	12629	4/10/20	5:32	SW3051A6020A
Thallium				< 0.60	0.60	ug/g	5		AGN	4/9/20	12629	4/10/20	5:32	SW3051A6020A
Vanadium				18	6.0	ug/g	5		AGN	4/9/20	12629	4/10/20	5:32	SW3051A6020A
Zinc				2400	6.0	ug/g	5		AGN	4/9/20	12629	4/10/20	5:32	SW3051A6020A

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-010

Sample ID: SB-109 (0-3')

Matrix: Solid

Percent Dry: 70.9% Results expressed on a dry weight basis.

Parameter	Sampled: 4/7/20	11:40	Reporting Result	Limit	Units	Instr Factor	Dil'n	Analyst	Prep Date	Batch	Date	Time	Analysis Reference
Antimony			64	0.67	ug/g	5		AGN	4/9/20	12629	4/10/20	5:41	SW3051A6020A
Arsenic			23	3.3	ug/g	5		AGN	4/9/20	12629	4/10/20	5:41	SW3051A6020A
Barium			300	6.7	ug/g	5		AGN	4/9/20	12629	4/10/20	5:41	SW3051A6020A
Beryllium			< 0.67	0.67	ug/g	5		AGN	4/9/20	12629	4/10/20	5:41	SW3051A6020A
Cadmium			3.6	0.67	ug/g	5		AGN	4/9/20	12629	4/10/20	5:41	SW3051A6020A
Chromium			64	6.7	ug/g	5		AGN	4/9/20	12629	4/10/20	5:41	SW3051A6020A
Lead			1300	3.3	ug/g	5		AGN	4/9/20	12629	4/10/20	5:41	SW3051A6020A
Mercury			< 0.19	0.19	ug/g	1		AGN	4/9/20	12632	4/15/20	12:32	SW7471B
Nickel			100	6.7	ug/g	5		AGN	4/9/20	12629	4/10/20	5:41	SW3051A6020A
Selenium			< 6.7	6.7	ug/g	5		AGN	4/9/20	12629	4/10/20	5:41	SW3051A6020A
Silver			12	3.3	ug/g	5		AGN	4/9/20	12629	4/10/20	5:41	SW3051A6020A
Thallium			< 0.67	0.67	ug/g	5		AGN	4/9/20	12629	4/10/20	5:41	SW3051A6020A
Vanadium			8.1	6.7	ug/g	5		AGN	4/9/20	12629	4/10/20	5:41	SW3051A6020A
Zinc			4000	6.7	ug/g	5		AGN	4/9/20	12629	4/10/20	5:41	SW3051A6020A

Sample#: 52513-011

Sample ID: SB-109 (5-8')

Matrix: Solid

Percent Dry: 23.7% Results expressed on a dry weight basis.

Parameter	Sampled: 4/7/20	11:45	Reporting Result	Limit	Units	Instr Factor	Dil'n	Analyst	Prep Date	Batch	Date	Time	Analysis Reference
Antimony			3.5	2.0	ug/g	5		AGN	4/9/20	12629	4/10/20	5:51	SW3051A6020A
Arsenic			15	9.9	ug/g	5		AGN	4/9/20	12629	4/10/20	5:51	SW3051A6020A
Barium			78	20	ug/g	5		AGN	4/9/20	12629	4/10/20	5:51	SW3051A6020A
Beryllium			< 2.0	2.0	ug/g	5		AGN	4/9/20	12629	4/10/20	5:51	SW3051A6020A
Cadmium			< 2.0	2.0	ug/g	5		AGN	4/9/20	12629	4/10/20	5:51	SW3051A6020A
Chromium			< 20	20	ug/g	5		AGN	4/9/20	12629	4/10/20	5:51	SW3051A6020A
Lead			180	9.9	ug/g	5		AGN	4/9/20	12629	4/10/20	5:51	SW3051A6020A
Mercury			< 0.58	0.58	ug/g	1		AGN	4/9/20	12632	4/15/20	12:34	SW7471B
Nickel			< 20	20	ug/g	5		AGN	4/9/20	12629	4/10/20	5:51	SW3051A6020A
Selenium			< 20	20	ug/g	5		AGN	4/9/20	12629	4/10/20	5:51	SW3051A6020A
Silver			< 9.9	9.9	ug/g	5		AGN	4/9/20	12629	4/10/20	5:51	SW3051A6020A
Thallium			< 2.0	2.0	ug/g	5		AGN	4/9/20	12629	4/10/20	5:51	SW3051A6020A
Vanadium			< 20	20	ug/g	5		AGN	4/9/20	12629	4/10/20	5:51	SW3051A6020A
Zinc			270	20	ug/g	5		AGN	4/9/20	12629	4/10/20	5:51	SW3051A6020A

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-013

Sample ID: SB-110 (0-3')

Matrix: Solid

Percent Dry: 88.3% Results expressed on a dry weight basis.

Parameter	Sampled: 4/7/20 12:50		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Antimony	< 0.51	0.51	ug/g	5	AGN	4/9/20	12629	4/10/20	6:28	SW3051A6020A	
Arsenic	2.9	2.5	ug/g	5	AGN	4/9/20	12629	4/10/20	6:28	SW3051A6020A	
Barium	41	5.1	ug/g	5	AGN	4/9/20	12629	4/10/20	6:28	SW3051A6020A	
Beryllium	< 0.51	0.51	ug/g	5	AGN	4/9/20	12629	4/10/20	6:28	SW3051A6020A	
Cadmium	< 0.51	0.51	ug/g	5	AGN	4/9/20	12629	4/10/20	6:28	SW3051A6020A	
Chromium	10	5.1	ug/g	5	AGN	4/9/20	12629	4/10/20	6:28	SW3051A6020A	
Lead	8.1	2.5	ug/g	5	AGN	4/9/20	12629	4/10/20	19:48	SW3051A6020A	
Mercury	< 0.16	0.16	ug/g	1	AGN	4/9/20	12632	4/15/20	12:36	SW7471B	
Nickel	12	5.1	ug/g	5	AGN	4/9/20	12629	4/10/20	6:28	SW3051A6020A	
Selenium	< 5.1	5.1	ug/g	5	AGN	4/9/20	12629	4/10/20	6:28	SW3051A6020A	
Silver	< 2.5	2.5	ug/g	5	AGN	4/9/20	12629	4/10/20	6:28	SW3051A6020A	
Thallium	< 0.51	0.51	ug/g	5	AGN	4/9/20	12629	4/10/20	6:28	SW3051A6020A	
Vanadium	16	5.1	ug/g	5	AGN	4/9/20	12629	4/10/20	6:28	SW3051A6020A	
Zinc	19	5.1	ug/g	5	AGN	4/9/20	12629	4/10/20	6:28	SW3051A6020A	

Sample#: 52513-014

Sample ID: SB-110 (5-8')

Matrix: Solid

Percent Dry: 17.7% Results expressed on a dry weight basis.

Parameter	Sampled: 4/7/20 12:55		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Antimony	3.5	2.8	ug/g	5	AGN	4/9/20	12629	4/10/20	6:38	SW3051A6020A	
Arsenic	< 14	14	ug/g	5	AGN	4/9/20	12629	4/10/20	6:38	SW3051A6020A	
Barium	160	28	ug/g	5	AGN	4/9/20	12629	4/10/20	6:38	SW3051A6020A	
Beryllium	< 2.8	2.8	ug/g	5	AGN	4/9/20	12629	4/10/20	6:38	SW3051A6020A	
Cadmium	< 2.8	2.8	ug/g	5	AGN	4/9/20	12629	4/10/20	6:38	SW3051A6020A	
Chromium	< 28	28	ug/g	5	AGN	4/9/20	12629	4/10/20	6:38	SW3051A6020A	
Lead	290	14	ug/g	5	AGN	4/9/20	12629	4/10/20	19:56	SW3051A6020A	
Mercury	< 0.78	0.78	ug/g	1	AGN	4/9/20	12632	4/15/20	12:41	SW7471B	
Nickel	< 28	28	ug/g	5	AGN	4/9/20	12629	4/10/20	6:38	SW3051A6020A	
Selenium	< 28	28	ug/g	5	AGN	4/9/20	12629	4/10/20	6:38	SW3051A6020A	
Silver	< 14	14	ug/g	5	AGN	4/9/20	12629	4/10/20	6:38	SW3051A6020A	
Thallium	< 2.8	2.8	ug/g	5	AGN	4/9/20	12629	4/10/20	6:38	SW3051A6020A	
Vanadium	< 28	28	ug/g	5	AGN	4/9/20	12629	4/10/20	6:38	SW3051A6020A	
Zinc	230	28	ug/g	5	AGN	4/9/20	12629	4/10/20	6:38	SW3051A6020A	

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-016

Sample ID: SB-112 (0-3')

Matrix: Solid

Percent Dry: 90.3% Results expressed on a dry weight basis.

Parameter	Sampled: 4/7/20 13:20		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Antimony	< 0.50	0.50	ug/g	5	AGN	4/9/20	12629	4/10/20	6:47	SW3051A6020A	
Arsenic	5.0	2.5	ug/g	5	AGN	4/9/20	12629	4/10/20	6:47	SW3051A6020A	
Barium	38	5.0	ug/g	5	AGN	4/9/20	12629	4/10/20	6:47	SW3051A6020A	
Beryllium	< 0.50	0.50	ug/g	5	AGN	4/9/20	12629	4/10/20	6:47	SW3051A6020A	
Cadmium	< 0.50	0.50	ug/g	5	AGN	4/9/20	12629	4/10/20	6:47	SW3051A6020A	
Chromium	18	5.0	ug/g	5	AGN	4/9/20	12629	4/10/20	6:47	SW3051A6020A	
Lead	66	2.5	ug/g	5	AGN	4/9/20	12629	4/10/20	20:04	SW3051A6020A	
Mercury	< 0.15	0.15	ug/g	1	AGN	4/9/20	12632	4/15/20	12:43	SW7471B	
Nickel	18	5.0	ug/g	5	AGN	4/9/20	12629	4/10/20	6:47	SW3051A6020A	
Selenium	< 5.0	5.0	ug/g	5	AGN	4/9/20	12629	4/10/20	6:47	SW3051A6020A	
Silver	< 2.5	2.5	ug/g	5	AGN	4/9/20	12629	4/10/20	6:47	SW3051A6020A	
Thallium	< 0.50	0.50	ug/g	5	AGN	4/9/20	12629	4/10/20	6:47	SW3051A6020A	
Vanadium	21	5.0	ug/g	5	AGN	4/9/20	12629	4/10/20	6:47	SW3051A6020A	
Zinc	51	5.0	ug/g	5	AGN	4/9/20	12629	4/10/20	6:47	SW3051A6020A	

Sample#: 52513-017

Sample ID: SB-112 (5-8')

Matrix: Solid

Percent Dry: 52.4% Results expressed on a dry weight basis.

Parameter	Sampled: 4/7/20 13:25		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Antimony	4.2	0.95	ug/g	5	AGN	4/9/20	12629	4/10/20	6:56	SW3051A6020A	
Arsenic	16	4.8	ug/g	5	AGN	4/9/20	12629	4/10/20	6:56	SW3051A6020A	
Barium	130	9.5	ug/g	5	AGN	4/9/20	12629	4/10/20	6:56	SW3051A6020A	
Beryllium	< 0.95	0.95	ug/g	5	AGN	4/9/20	12629	4/10/20	6:56	SW3051A6020A	
Cadmium	1.1	0.95	ug/g	5	AGN	4/9/20	12629	4/10/20	20:13	SW3051A6020A	
Chromium	21	9.5	ug/g	5	AGN	4/9/20	12629	4/10/20	6:56	SW3051A6020A	
Lead	470	4.8	ug/g	5	AGN	4/9/20	12629	4/10/20	20:13	SW3051A6020A	
Mercury	0.80	0.25	ug/g	1	AGN	4/9/20	12632	4/15/20	12:45	SW7471B	
Nickel	17	9.5	ug/g	5	AGN	4/9/20	12629	4/10/20	6:56	SW3051A6020A	
Selenium	< 9.5	9.5	ug/g	5	AGN	4/9/20	12629	4/10/20	6:56	SW3051A6020A	
Silver	< 4.8	4.8	ug/g	5	AGN	4/9/20	12629	4/10/20	6:56	SW3051A6020A	
Thallium	< 0.95	0.95	ug/g	5	AGN	4/9/20	12629	4/10/20	6:56	SW3051A6020A	
Vanadium	26	9.5	ug/g	5	AGN	4/9/20	12629	4/10/20	6:56	SW3051A6020A	
Zinc	300	9.5	ug/g	5	AGN	4/9/20	12629	4/10/20	6:56	SW3051A6020A	

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-018

Sample ID: DUP-1

Matrix: Solid

Percent Dry: 23.7% Results expressed on a dry weight basis.

Parameter	Sampled:	4/7/20	0:00	Reporting	Instr	Dil'n	Prep	Analysis				
				Result	Limit	Units	Analyst	Date	Batch	Date	Time	Reference
Antimony				2.1	2.0	ug/g	5	AGN 4/9/20	12629	4/10/20	7:06	SW3051A6020A
Arsenic				20	10	ug/g	5	AGN 4/9/20	12629	4/10/20	7:06	SW3051A6020A
Barium				86	20	ug/g	5	AGN 4/9/20	12629	4/10/20	7:06	SW3051A6020A
Beryllium				< 2.0	2.0	ug/g	5	AGN 4/9/20	12629	4/10/20	7:06	SW3051A6020A
Cadmium				< 2.0	2.0	ug/g	5	AGN 4/9/20	12629	4/10/20	7:06	SW3051A6020A
Chromium				< 20	20	ug/g	5	AGN 4/9/20	12629	4/10/20	7:06	SW3051A6020A
Lead				250	10	ug/g	5	AGN 4/9/20	12629	4/10/20	20:46	SW3051A6020A
Mercury				0.99	0.54	ug/g	1	AGN 4/9/20	12632	4/15/20	12:47	SW7471B
Nickel				< 20	20	ug/g	5	AGN 4/9/20	12629	4/10/20	7:06	SW3051A6020A
Selenium				< 20	20	ug/g	5	AGN 4/9/20	12629	4/10/20	7:06	SW3051A6020A
Silver				< 10	10	ug/g	5	AGN 4/9/20	12629	4/10/20	7:06	SW3051A6020A
Thallium				< 2.0	2.0	ug/g	5	AGN 4/9/20	12629	4/10/20	7:06	SW3051A6020A
Vanadium				< 20	20	ug/g	5	AGN 4/9/20	12629	4/10/20	7:06	SW3051A6020A
Zinc				250	20	ug/g	5	AGN 4/9/20	12629	4/10/20	7:06	SW3051A6020A

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-002

Sample ID: SB-104 (8-10')

Matrix: Solid

Percent Dry: 83.1% Results expressed on a dry weight basis.

Parameter	Sampled: 4/7/20 8:55		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Chromium, Hexavalent	< 0.47	0.47	ug/g	1	SFM		2001871	4/10/20	11:30	SW3060A7196A	
Oxidation Reduction Potential	470		mV	1	WAS		2001839	4/8/20	6:07	ASTM1498-08	
pH	5.9 D		pH	1	WAS		2001840	4/8/20	5:55	SW9045C	

D = The difference for the sample duplicate, run as internal QC, was outside the 0.2 pH units acceptance range. The duplicate result is 5.6 pH units.

Sample#: 52513-004

Sample ID: SB-107 (0-3')

Matrix: Solid

Percent Dry: 79% Results expressed on a dry weight basis.

Parameter	Sampled: 4/7/20 10:00		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Chromium, Hexavalent	< 0.51 M	0.51	ug/g	1	SFM		2001871	4/10/20	11:30	SW3060A7196A	
Oxidation Reduction Potential	180		mV	1	WAS		2001839	4/8/20	6:28	ASTM1498-08	
pH	8.3		pH	1	WAS		2001840	4/8/20	6:00	SW9045C	

Sample#: 52513-008

Sample ID: SB-108 (6-9')

Matrix: Solid

Percent Dry: 80.4% Results expressed on a dry weight basis.

Parameter	Sampled: 4/7/20 11:00		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Chromium, Hexavalent	< 0.48	0.48	ug/g	1	SFM		2001871	4/10/20	11:30	SW3060A7196A	
Oxidation Reduction Potential	200		mV	1	WAS		2001839	4/8/20	6:35	ASTM1498-08	
pH	8.0		pH	1	WAS		2001840	4/8/20	6:08	SW9045C	

Sample#: 52513-011

Sample ID: SB-109 (5-8')

Matrix: Solid

Percent Dry: 23.7% Results expressed on a dry weight basis.

Parameter	Sampled: 4/7/20 11:45		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Chromium, Hexavalent	< 1.6	1.6	ug/g	1	SFM		2001871	4/10/20	11:30	SW3060A7196A	
Oxidation Reduction Potential	140		mV	1	WAS		2001839	4/8/20	6:48	ASTM1498-08	
pH	7.5		pH	1	WAS		2001840	4/8/20	6:18	SW9045C	

Sample#: 52513-014

Sample ID: SB-110 (5-8')

Matrix: Solid

Percent Dry: 17.7% Results expressed on a dry weight basis.

Parameter	Sampled: 4/7/20 12:55		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Chromium, Hexavalent	< 2.2	2.2	ug/g	1	SFM		2001871	4/10/20	11:30	SW3060A7196A	
Oxidation Reduction Potential	130		mV	1	WAS		2001839	4/8/20	7:02	ASTM1498-08	
pH	7.4		pH	1	WAS		2001840	4/8/20	6:20	SW9045C	

Project ID: Cedar Woods 21

Job ID: 52513

Sample#: 52513-017

Sample ID: SB-112 (5-8')

Matrix: Solid

Percent Dry: 52.4% Results expressed on a dry weight basis.

Parameter	Sampled: 4/7/20 13:25		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Chromium, Hexavalent	1.3	0.76	ug/g	1	SFM	2001871	4/10/20	11:30		SW3060A7196A	
Oxidation Reduction Potential	140		mV	1	WAS	2001839	4/8/20	7:10		ASTM1498-08	
pH	7.6		pH	1	WAS	2001840	4/8/20	6:22		SW9045C	

Quality Control Report



124 Heritage Avenue Unit 16
Portsmouth, NH 03801
www.absoluteresourceassociates.com

MassDEP Analytical Protocol Certification Form

Laboratory Name: Absolute Resource Associates

Project #: 21

Project Location: Massachusetts

RTN:

This Form provides certifications for the following data set: list Laboratory Sample ID Number(s): 52513

Matrices: Groundwater/Surface Water Soil/Sediment Drinking Water Air Other:

CAM Protocol (check all that apply below):

8260 VOC CAM II A <input checked="" type="checkbox"/>	7470/7471 Hg CAM III B <input checked="" type="checkbox"/>	MassDEP VPH (GC/PID/FID) CAM IV A <input checked="" type="checkbox"/>	8082 PCB CAM V A <input type="checkbox"/>	9014 Total Cyanide/PAC CAM VI A <input type="checkbox"/>	6860 Perchlorate CAM VIII B <input type="checkbox"/>
8270 SVOC CAM II B <input type="checkbox"/>	7010 Metals CAM III C <input type="checkbox"/>	MassDEP VPH (GC/MS) CAM IV C <input type="checkbox"/>	8081 Pesticides CAM V B <input type="checkbox"/>	7196 Hex Cr CAM VI B <input checked="" type="checkbox"/>	MassDEP APH CAM IX A <input type="checkbox"/>
6010 Metals CAM III A <input type="checkbox"/>	6020 Metals CAM III D <input checked="" type="checkbox"/>	MassDEP EPH CAM IV B <input checked="" type="checkbox"/>	8151 Herbicides CAM V C <input type="checkbox"/>	8330 Explosives CAM VIII A <input type="checkbox"/>	TO-15 VOC CAM IX B <input type="checkbox"/>

Affirmative Responses to Questions A through F are required for "Presumptive Certainty" status

A	Were all samples received in a condition consistent with those described on the Chain-of-Custody, properly preserved (including temperature) in the field or laboratory, and prepared/analyzed within method holding times?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B	Were the analytical method(s) and all associated QC requirements specified in the selected CAM protocol(s) followed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
C	Were all required corrective actions and analytical response actions specified in the selected CAM protocol(s) implemented for all identified performance standard non-conformances?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
D	Does the laboratory report comply with all the reporting requirements specified in CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data"?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
E	VPH, EPH, APH, and TO-15 only a. VPH, EPH, and APH Methods only: Was each method conducted without significant modification(s)? (Refer to the individual method(s) for a list of significant modifications). b. APH and TO-15 Methods only: Was the complete analyte list reported for each method?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> No
F	Were all applicable CAM protocol QC and performance standard non-conformances identified and evaluated in a laboratory narrative (including all "No" responses to Questions A through E)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Responses to Questions G, H and I below are required for "Presumptive Certainty" status

G	Were the reporting limits at or below all CAM reporting limits specified in the selected CAM protocol(s)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No ¹
---	---	--

Data User Note: Data that achieve "Presumptive Certainty" status may not necessarily meet the data usability and representativeness requirements described in 310 CMR 40. 1056 (2)(k) and WSC-07-350.

H	Were all QC performance standards specified in the CAM protocol(s) achieved?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No ¹
I	Were results reported for the complete analyte list specified in the selected CAM protocol(s)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No ¹

¹All negative responses must be addressed in an attached laboratory narrative.

I, the undersigned, attest under the pains and penalties of perjury that, based upon my personal inquiry of those responsible for obtaining the information, the material contained in this analytical report is, to the best of my knowledge and belief, is accurate and complete.

Signature: 

Position: Chief Operating Officer

Printed Name: Aaron DeWees

Date: 5/1/20

Sample Integrity Table

Parameter	Method	Matrix	Minimum Volume	Recommended Container(s)	Required Preservation	Holding Time
Volatile Organics	EPA 8260	Aqueous	40mL	2 x 40mL VOA Vials with Teflon lined septa	Cool to $\leq 6^{\circ}\text{C}$ 1:1 HCl to pH <2	14 Days
Volatile Organics	EPA 8260	Solid	40mL	1 x 40mL VOA Vial with 10mLs Methanol <u>and</u> 1 unpreserved container for percent moisture	Cool to $\leq 6^{\circ}\text{C}$ Methanol	14 Days
Semivolatile Organics	EPA 8270	Aqueous	1L	1L Amber Glass Bottle w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	7 Days
Semivolatile Organics	EPA 8270	Solid	20g	4oz Amber Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	14 Days
Organochlorine Pesticides	EPA 8081	Aqueous	1L	1L Amber Glass Bottle w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	7 Days
Organochlorine Pesticides	EPA 8081	Solid	20g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	14 Days
PCBs	EPA 8082	Aqueous	1L	1L Amber Glass Bottle w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	365 Days
PCBs	EPA 8082	Solid	20g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	365 Days
Herbicides (subcontracted)	EPA 8151	Aqueous	1L	1L Amber Glass Bottle w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	7 Days
Herbicides (subcontracted)	EPA 8151	Solid	30g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	14 Days
MA DEP VPH	MADEP VPH	Aqueous	40mL	2 x 40mL VOA Vials with Teflon lined septa	Cool to $\leq 6^{\circ}\text{C}$ 1:1 HCl to pH <2	14 Days
MA DEP VPH	MADEP VPH	Solid	40mL	1 x 40mL VOA Vial with 10mLs Methanol <u>and</u> 1 unpreserved container for percent moisture	Cool to $\leq 6^{\circ}\text{C}$ Methanol	28 Days
MA DEP EPH	MADEP EPH	Aqueous	1L	1L Amber Glass Bottle w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$ 1:1 HCl to pH <2	14 Days
MA DEP EPH	MADEP EPH	Solid	30g	4oz Amber Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	14 Days
Total Metals	EPA 6010	Aqueous	100mL	250mL Polyethylene Bottle	1:1 HNO ₃ to pH <2	180 Days
Dissolved Metals	EPA 6010	Aqueous	100mL	250mL Polyethylene Bottle	Filter First 1:1 HNO ₃ to pH <2	180 Days
Total Metals	EPA 6010	Solid	15g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	180 Days
Total Mercury (may be combined with Total Metals)	EPA 7470	Aqueous	100mL	125mL Polyethylene Bottle	1:1 HNO ₃ to pH <2	28 Days
Total Mercury (may be combined with Total Metals)	EPA 7471	Solid	15g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	28 Days
Chromium, Hexavalent	EPA 7196	Aqueous	100mL	125mL Polyethylene Bottle	Cool to $\leq 6^{\circ}\text{C}$ (NH4)2SO ₄ buffer	28 Days
Chromium, Hexavalent (subcontract)	EPA 7196	Solid	15g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	30 Days
Cyanide, Total	EPA 9014	Aqueous	125mL	125mL Polyethylene Bottle	Cool to $\leq 6^{\circ}\text{C}$ 1:1 NaOH to pH >8	14 Days
Cyanide, Total	EPA 9014	Solid	15g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	14 Days



Case Narrative

Lab # 52513

Sample Receiving and Chain of Custody Discrepancies

Samples were received in acceptable condition, between 0 and 6 degrees C, on ice, and in accordance with sample handling, preservation and integrity guidelines.

As noted on the result page, several VOC samples did not meet the 1:1 +/-25% methanol to soil ratio.

Calibration

VOC: See the included table for a list of compounds quantitated by quadratic equation.

SVOC: See the included table for a list of compounds quantitated by quadratic equation.

Method Blank

No exceptions noted.

Surrogate Recoveries

VPH: Sample 52513-004 did not meet acceptance criteria for the surrogate a,a,a-trifluorotoluene. Matrix interference suspected. Sample 52513-005 did not meet acceptance criteria for the aliphatic surrogate 2,5-dibromotoluene, likely as a result of hydrocarbon interference. Sample 52513-014 did not meet acceptance criteria for the surrogate a,a,a-trifluorotoluene, likely as a result of the sample's high moisture content. All of the associated sample chromatograms are included in the report.

VOC: The LCS/D12627 did not meet acceptance limits for the surrogate 4-bromofluorobenzene. The percent recovery for this surrogate was outside of the acceptance criteria in sample 52513-008, likely as a result of hydrocarbon interference. The sample chromatogram is included in the report.

Laboratory Control Sample Results

VOC: The LCS12627 did not meet the acceptance criteria for bromomethane and t-butanol (TBA). Since recoveries were >10% and <10% of the compounds were outside of the acceptance criteria, reanalysis is not required.

Matrix Spike/Matrix Spike Duplicate/Duplicate Results

Metals: The percent recovery for mercury in the MS/D12632 (52513-004) was 12% and 64% respectively, outside the acceptance criteria of 80-120%. All other batch QC was within acceptance limits. Matrix interference is suspected. The percent recovery for lead in the MS/D12629 was -7% and 43% respectively, outside the acceptance criteria of 75-125%. All other batch QC was within acceptance limits. Matrix interference is suspected. The percent recovery in the MSD12629 was 156% for barium and 74% for selenium. All other batch QC was within acceptance limits. Matrix interference is suspected. All samples with results greater than the reporting limit for the affected compounds have been qualified accordingly.



Case Narrative

Lab # 52513

Chromium, Hexavalent: The MS/D2001871 (52513-004) did not meet the acceptance criteria. The percent recovery was acceptable in the associated CRM/CRMD. The results for the ORP and pH analysis show that the sample exhibits a reducing nature therefore resulting in poor spike recovery. The sample has been qualified accordingly.

Other

No other exceptions noted.

VPH: The trap used for VPH analysis is a Tekmar STRATUM Purge Trap 9. The column used for VPH analysis is a Restek Rtx-502.2, 105m, 0.53mmID, and 3um df.

MassDEP Analytical Protocol Certification Form Questions A through I

No explanation is needed for Questions A through I answered in the affirmative.

Question H: See surrogate section above. Box H is "No."



Quantitation by Quadratic Equation
Lab # 52513

VOC: Quantitation of the following compounds was based on a quadratic equation:

Acetone

2-Hexanone

Bromoform

hexachlorobutadiene

SVOC: Quantitation of the following compounds was based on a quadratic equation:

2-methylnaphthalene

benzo(k)fluoranthene

indeno(1,2,3-cd)pyrene

dibenzo(a,h)anthracene

benzo(g,h,i)perylene

GLOSSARY

%R	Percent Recovery
BLK	Blank (Method Blank, Preparation Blank)
CCB	Continuing Calibration Blank
CCV	Continuing Calibration Verification
CRM	Certified Reference Material (associated with solid Metals samples)
CRMD	Certified Reference Material Duplicate (associated with solid Metals samples)
Dil'n	Dilution
DL	Detection Limit
DUP	Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
LOD	Limit of Detection
LOQ	Limit of Quantitation
MB	Methanol Blank (associated with solid VOC samples)
MLCS	Methanol Laboratory Control Sample (associated with solid VOC samples)
MLCSD	Methanol Laboratory Control Sample Duplicate (associated with solid VOC samples)
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PB	Preparation Blank
QC	Quality Control
RL	Reporting Limit
RPD	Relative Percent Difference
SUR	Surrogate



124 Heritage Avenue Unit 16
Portsmouth, NH 03801
www.absoluteresourceassociates.com

- QC Report -

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit	
MA VPH	MB12628	Unadjusted C5-C8 Aliphatics		<	5.0	ug/g					
		Unadjusted C9-C12 Aliphatics		<	5.0	ug/g					
		methyl t-butyl ether (MTBE)		<	0.10	ug/g					
		benzene		<	0.10	ug/g					
		toluene		<	0.10	ug/g					
		ethylbenzene		<	0.10	ug/g					
		m&p-xlenes		<	0.10	ug/g					
		o-xylene		<	0.10	ug/g					
		naphthalene		<	0.25	ug/g					
		C5-C8 Aliphatics		<	5.0	ug/g					
		C9-C12 Aliphatics		<	5.0	ug/g					
		C9-C10 Aromatics		<	5.0	ug/g					
		2,5-dibromotoluene as Aromatic SUR		113	%			70	130		
		2,5-dibromotoluene as Aliphatic SUR		112	%			70	130		
		a,a,a-trifluorotoluene SUR		90	%			70	130		
MA VPH	MLCS12628	Unadjusted C5-C8 Aliphatics		14	ug/g	15	93	70	130		
		Unadjusted C9-C12 Aliphatics		13	ug/g	15	89	70	130		
		methyl t-butyl ether (MTBE)		4.6	ug/g	5	92	70	130		
		benzene		4.8	ug/g	5	97	70	130		
		toluene		4.8	ug/g	5	95	70	130		
		ethylbenzene		4.8	ug/g	5	96	70	130		
		m&p-xlenes		9.7	ug/g	10	97	70	130		
		o-xylene		4.8	ug/g	5	96	70	130		
		naphthalene		5.0	ug/g	5	100	70	130		
		C5-C8 Aliphatics		<	5.0	ug/g		70	130		
		C9-C12 Aliphatics		<	5.0	ug/g		70	130		
		C9-C10 Aromatics		5.1	ug/g	5	102	70	130		
		2,5-dibromotoluene as Aromatic SUR		111	%			70	130		
		2,5-dibromotoluene as Aliphatic SUR		112	%			70	130		
		a,a,a-trifluorotoluene SUR		86	%			70	130		
MA VPH	MLCSD12628	Unadjusted C5-C8 Aliphatics		14	ug/g	15	93	70	130	0	25
		Unadjusted C9-C12 Aliphatics		14	ug/g	15	90	70	130	2	25
		methyl t-butyl ether (MTBE)		4.7	ug/g	5	93	70	130	1	25
		benzene		4.9	ug/g	5	99	70	130	2	25
		toluene		4.9	ug/g	5	98	70	130	3	25
		ethylbenzene		4.9	ug/g	5	99	70	130	3	25
		m&p-xlenes		10.0	ug/g	10	100	70	130	3	25
		o-xylene		4.9	ug/g	5	99	70	130	2	25
		naphthalene		5.1	ug/g	5	102	70	130	2	25
		C5-C8 Aliphatics		<	5.0	ug/g		70	130		25
		C9-C12 Aliphatics		<	5.0	ug/g		70	130		25
		C9-C10 Aromatics		5.2	ug/g	5	103	70	130	1	25
		2,5-dibromotoluene as Aromatic SUR		99	%			70	130		
		2,5-dibromotoluene as Aliphatic SUR		100	%			70	130		
		a,a,a-trifluorotoluene SUR		90	%			70	130		

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
SW5035A8260D	MB12627	dichlorodifluoromethane		<	0.10	ug/g				
		chloromethane		<	0.10	ug/g				
		vinyl chloride		<	0.10	ug/g				
		bromomethane		<	0.25	ug/g				
		chloroethane		<	0.10	ug/g				
		trichlorofluoromethane		<	0.10	ug/g				
		diethyl ether		<	0.50	ug/g				
		acetone		<	2.5	ug/g				
		1,1-dichloroethene		<	0.10	ug/g				
		methylene chloride		<	0.25	ug/g				
		carbon disulfide		<	0.10	ug/g				
		methyl t-butyl ether (MTBE)		<	0.10	ug/g				
		trans-1,2-dichloroethene		<	0.10	ug/g				
		isopropyl ether (DIPE)		<	0.10	ug/g				
		ethyl t-butyl ether (ETBE)		<	0.10	ug/g				
		1,1-dichloroethane		<	0.10	ug/g				
		t-butanol (TBA)		<	2.5	ug/g				
		2-butanone (MEK)		<	0.30	ug/g				
		2,2-dichloropropane		<	0.10	ug/g				
		cis-1,2-dichloroethene		<	0.10	ug/g				
		chloroform		<	0.10	ug/g				
		bromochloromethane		<	0.10	ug/g				
		tetrahydrofuran (THF)		<	0.50	ug/g				
		1,1,1-trichloroethane		<	0.10	ug/g				
		1,1-dichloropropene		<	0.10	ug/g				
		t-amyl-methyl ether (TAME)		<	0.10	ug/g				
		carbon tetrachloride		<	0.10	ug/g				
		1,2-dichloroethane		<	0.10	ug/g				
		benzene		<	0.10	ug/g				
		trichloroethene		<	0.10	ug/g				
		1,2-dichloropropane		<	0.10	ug/g				
		bromodichloromethane		<	0.10	ug/g				
		1,4-dioxane		<	2.5	ug/g				
		dibromomethane		<	0.10	ug/g				
		4-methyl-2-pentanone (MIBK)		<	0.45	ug/g				
		cis-1,3-dichloropropene		<	0.10	ug/g				
		toluene		<	0.10	ug/g				
		trans-1,3-dichloropropene		<	0.10	ug/g				
		2-hexanone		<	0.50	ug/g				
		1,1,2-trichloroethane		<	0.10	ug/g				
		1,3-dichloropropane		<	0.10	ug/g				
		tetrachloroethene		<	0.10	ug/g				
		dibromochloromethane		<	0.10	ug/g				
		1,2-dibromoethane (EDB)		<	0.10	ug/g				
		chlorobenzene		<	0.10	ug/g				
		1,1,1,2-tetrachloroethane		<	0.10	ug/g				
		ethylbenzene		<	0.10	ug/g				
		m&p-xylenes		<	0.10	ug/g				
		o-xylene		<	0.10	ug/g				

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
SW5035A8260D	MB12627	styrene		<	0.10	ug/g				
		bromoform		<	0.10	ug/g				
		isopropylbenzene		<	0.10	ug/g				
		1,1,2,2-tetrachloroethane		<	0.10	ug/g				
		1,2,3-trichloropropane		<	0.10	ug/g				
		n-propylbenzene		<	0.10	ug/g				
		bromobenzene		<	0.10	ug/g				
		1,3,5-trimethylbenzene		<	0.10	ug/g				
		2-chlorotoluene		<	0.10	ug/g				
		4-chlorotoluene		<	0.10	ug/g				
		tert-butylbenzene		<	0.10	ug/g				
		1,2,4-trimethylbenzene		<	0.10	ug/g				
		sec-butylbenzene		<	0.10	ug/g				
		1,3-dichlorobenzene		<	0.10	ug/g				
		4-isopropyltoluene		<	0.10	ug/g				
		1,4-dichlorobenzene		<	0.10	ug/g				
		1,2-dichlorobenzene		<	0.10	ug/g				
		n-butylbenzene		<	0.10	ug/g				
		1,2-dibromo-3-chloropropane (DBCP)		<	0.10	ug/g				
		1,2,4-trichlorobenzene		<	0.10	ug/g				
		hexachlorobutadiene		<	0.10	ug/g				
		naphthalene		<	0.25	ug/g				
		1,2,3-trichlorobenzene		<	0.10	ug/g				
		dibromofluoromethane SUR		100	%		78	114		
		toluene-D8 SUR		104	%		88	110		
		4-bromofluorobenzene SUR		105	%		86	115		
		a,a,a-trifluorotoluene SUR		122	%		70	130		

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
SW5035A8260D	MLCS12627	dichlorodifluoromethane		0.79	ug/g	1	79	70	130	
		chloromethane		0.95	ug/g	1	95	70	130	
		vinyl chloride		0.93	ug/g	1	93	70	130	
		bromomethane		0.64	ug/g	1	64	*	70	130
		chloroethane		1.0	ug/g	1	104	70	130	
		trichlorofluoromethane		1.1	ug/g	1	106	70	130	
		diethyl ether		0.99	ug/g	1	99	70	130	
		acetone	<	2.5	ug/g	1	120			
		1,1-dichloroethene		0.97	ug/g	1	97	70	130	
		methylene chloride		1.1	ug/g	1	106	70	130	
		carbon disulfide		0.94	ug/g	1	94	70	130	
		methyl t-butyl ether (MTBE)		0.96	ug/g	1	96	70	130	
		trans-1,2-dichloroethene		1.0	ug/g	1	102	70	130	
		isopropyl ether (DIPE)		1.0	ug/g	1	101	70	130	
		ethyl t-butyl ether (ETBE)		0.98	ug/g	1	98	70	130	
		1,1-dichloroethane		1.0	ug/g	1	103	70	130	
		t-butanol (TBA)		6.6	ug/g	5	132	*	70	130
		2-butanone (MEK)		1.2	ug/g	1	119	70	130	
		2,2-dichloropropane		0.90	ug/g	1	90	70	130	
		cis-1,2-dichloroethene		1.1	ug/g	1	106	70	130	
		chloroform		1.0	ug/g	1	102	70	130	
		bromochloromethane		0.98	ug/g	1	98	70	130	
		tetrahydrofuran (THF)		1.1	ug/g	1	106	70	130	
		1,1,1-trichloroethane		0.99	ug/g	1	99	70	130	
		1,1-dichloropropene		0.95	ug/g	1	95	70	130	
		t-amyl-methyl ether (TAME)		0.92	ug/g	1	92	70	130	
		carbon tetrachloride		0.98	ug/g	1	98	70	130	
		1,2-dichloroethane		0.97	ug/g	1	97	70	130	
		benzene		0.99	ug/g	1	99	70	130	
		trichloroethene		1.0	ug/g	1	101	70	130	
		1,2-dichloropropane		0.99	ug/g	1	99	70	130	
		bromodichloromethane		1.00	ug/g	1	100	70	130	
		1,4-dioxane	<	2.5	ug/g	2	117	70	130	
		dibromomethane		1.1	ug/g	1	105	70	130	
		4-methyl-2-pentanone (MIBK)		1.1	ug/g	1	109	70	130	
		cis-1,3-dichloropropene		1.0	ug/g	1	101	70	130	
		toluene		0.99	ug/g	1	99	70	130	
		trans-1,3-dichloropropene		0.98	ug/g	1	98	70	130	
		2-hexanone		1.2	ug/g	1	117	70	130	
		1,1,2-trichloroethane		1.1	ug/g	1	107	70	130	
		1,3-dichloropropane		1.0	ug/g	1	102	70	130	
		tetrachloroethene		1.0	ug/g	1	103	70	130	
		dibromochloromethane		0.98	ug/g	1	98	70	130	
		1,2-dibromoethane (EDB)		1.0	ug/g	1	104	70	130	
		chlorobenzene		1.0	ug/g	1	103	70	130	
		1,1,1,2-tetrachloroethane		1.0	ug/g	1	102	70	130	
		ethylbenzene		1.0	ug/g	1	100	70	130	
		m&p-xlenes		2.1	ug/g	2	107	70	130	
		o-xylene		1.1	ug/g	1	106	70	130	

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
SW5035A8260D	MLCS12627	styrene		1.1	ug/g	1	106	70	130	
		bromoform		1.1	ug/g	1	110	70	130	
		isopropylbenzene		1.1	ug/g	1	108	70	130	
		1,1,2,2-tetrachloroethane		1.0	ug/g	1	104	70	130	
		1,2,3-trichloropropane		1.1	ug/g	1	107	70	130	
		n-propylbenzene		0.98	ug/g	1	98	70	130	
		bromobenzene		1.1	ug/g	1	106	70	130	
		1,3,5-trimethylbenzene		1.1	ug/g	1	107	70	130	
		2-chlorotoluene		1.0	ug/g	1	102	70	130	
		4-chlorotoluene		1.1	ug/g	1	106	70	130	
		tert-butylbenzene		0.97	ug/g	1	97	70	130	
		1,2,4-trimethylbenzene		1.0	ug/g	1	101	70	130	
		sec-butylbenzene		0.95	ug/g	1	95	70	130	
		1,3-dichlorobenzene		1.1	ug/g	1	106	70	130	
		4-isopropyltoluene		1.0	ug/g	1	104	70	130	
		1,4-dichlorobenzene		1.1	ug/g	1	107	70	130	
		1,2-dichlorobenzene		1.1	ug/g	1	107	70	130	
		n-butylbenzene		1.0	ug/g	1	101	70	130	
		1,2-dibromo-3-chloropropane (DBCP)		1.1	ug/g	1	112	70	130	
		1,2,4-trichlorobenzene		1.0	ug/g	1	103	70	130	
		hexachlorobutadiene		1.1	ug/g	1	107	70	130	
		naphthalene		1.1	ug/g	1	109	70	130	
		1,2,3-trichlorobenzene		1.1	ug/g	1	108	70	130	
		dibromofluoromethane SUR		87	%			78	114	
		toluene-D8 SUR		104	%			88	110	
		4-bromofluorobenzene SUR		118	%		*	86	115	
		a,a,a-trifluorotoluene SUR		102	%			70	130	

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit	
SW5035A8260D	MLCSD12627	dichlorodifluoromethane		0.82	ug/g	1	82	70 130	4	30	
		chloromethane		1.0	ug/g	1	101	70 130	6	30	
		vinyl chloride		0.94	ug/g	1	94	70 130	1	30	
		bromomethane		0.86	ug/g	1	86	70 130	30	30	
		chloroethane		1.1	ug/g	1	107	70 130	3	30	
		trichlorofluoromethane		1.1	ug/g	1	108	70 130	3	30	
		diethyl ether		1.0	ug/g	1	100	70 130	1	30	
		acetone		<	2.5	ug/g	1	109	9	30	
		1,1-dichloroethene		0.98	ug/g	1	98	70 130	1	30	
		methylene chloride		1.1	ug/g	1	111	70 130	4	30	
		carbon disulfide		0.96	ug/g	1	96	70 130	1	30	
		methyl t-butyl ether (MTBE)		0.97	ug/g	1	97	70 130	1	30	
		trans-1,2-dichloroethene		1.0	ug/g	1	104	70 130	3	30	
		isopropyl ether (DIPE)		1.0	ug/g	1	101	70 130	0	30	
		ethyl t-butyl ether (ETBE)		1.0	ug/g	1	100	70 130	2	30	
		1,1-dichloroethane		1.0	ug/g	1	103	70 130	0	30	
		t-butanol (TBA)		6.1	ug/g	5	122	70 130	8	30	
		2-butanone (MEK)		1.1	ug/g	1	113	70 130	5	30	
		2,2-dichloropropane		0.91	ug/g	1	91	70 130	2	30	
		cis-1,2-dichloroethene		1.1	ug/g	1	107	70 130	1	30	
		chloroform		1.1	ug/g	1	106	70 130	3	30	
		bromochloromethane		1.0	ug/g	1	103	70 130	5	30	
		tetrahydrofuran (THF)		1.0	ug/g	1	102	70 130	4	30	
		1,1,1-trichloroethane		1.0	ug/g	1	100	70 130	1	30	
		1,1-dichloropropene		1.00	ug/g	1	100	70 130	4	30	
		t-amyl-methyl ether (TAME)		0.93	ug/g	1	93	70 130	1	30	
		carbon tetrachloride		0.99	ug/g	1	99	70 130	2	30	
		1,2-dichloroethane		1.00	ug/g	1	100	70 130	3	30	
		benzene		1.0	ug/g	1	101	70 130	3	30	
		trichloroethene		1.0	ug/g	1	103	70 130	2	30	
		1,2-dichloropropane		1.0	ug/g	1	101	70 130	1	30	
		bromodichloromethane		1.0	ug/g	1	101	70 130	2	30	
		1,4-dioxane		<	2.5	ug/g	2	115	70 130	2	30
		dibromomethane		1.1	ug/g	1	106	70 130	1	30	
		4-methyl-2-pentanone (MIBK)		1.1	ug/g	1	105	70 130	3	30	
		cis-1,3-dichloropropene		1.0	ug/g	1	103	70 130	2	30	
		toluene		1.0	ug/g	1	101	70 130	2	30	
		trans-1,3-dichloropropene		1.0	ug/g	1	101	70 130	3	30	
		2-hexanone		1.1	ug/g	1	109	70 130	7	30	
		1,1,2-trichloroethane		1.1	ug/g	1	110	70 130	3	30	
		1,3-dichloropropane		1.0	ug/g	1	101	70 130	0	30	
		tetrachloroethene		1.0	ug/g	1	103	70 130	0	30	
		dibromochloromethane		1.00	ug/g	1	100	70 130	2	30	
		1,2-dibromoethane (EDB)		1.0	ug/g	1	103	70 130	1	30	
		chlorobenzene		1.0	ug/g	1	103	70 130	1	30	
		1,1,1,2-tetrachloroethane		1.0	ug/g	1	102	70 130	1	30	
		ethylbenzene		1.00	ug/g	1	100	70 130	1	30	
		m&p-xlenes		2.1	ug/g	2	107	70 130	1	30	
		o-xylene		1.1	ug/g	1	107	70 130	1	30	

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
SW5035A8260D	MLCSD12627	styrene		1.1	ug/g	1	107	70 130	1	30
		bromoform		1.1	ug/g	1	111	70 130	1	30
		isopropylbenzene		1.1	ug/g	1	109	70 130	1	30
		1,1,2,2-tetrachloroethane		1.0	ug/g	1	102	70 130	2	30
		1,2,3-trichloropropane		1.0	ug/g	1	104	70 130	2	30
		n-propylbenzene		0.98	ug/g	1	98	70 130	0	30
		bromobenzene		1.0	ug/g	1	104	70 130	2	30
		1,3,5-trimethylbenzene		1.1	ug/g	1	106	70 130	1	30
		2-chlorotoluene		1.0	ug/g	1	101	70 130	1	30
		4-chlorotoluene		1.1	ug/g	1	107	70 130	1	30
		tert-butylbenzene		0.95	ug/g	1	95	70 130	2	30
		1,2,4-trimethylbenzene		1.0	ug/g	1	101	70 130	0	30
		sec-butylbenzene		0.94	ug/g	1	94	70 130	1	30
		1,3-dichlorobenzene		1.1	ug/g	1	106	70 130	0	30
		4-isopropyltoluene		1.0	ug/g	1	104	70 130	0	30
		1,4-dichlorobenzene		1.1	ug/g	1	107	70 130	0	30
		1,2-dichlorobenzene		1.1	ug/g	1	106	70 130	1	30
		n-butylbenzene		1.00	ug/g	1	100	70 130	2	30
		1,2-dibromo-3-chloropropane (DBCP)		1.0	ug/g	1	105	70 130	6	30
		1,2,4-trichlorobenzene		1.0	ug/g	1	102	70 130	1	30
		hexachlorobutadiene		1.0	ug/g	1	104	70 130	2	30
		naphthalene		1.0	ug/g	1	103	70 130	6	30
		1,2,3-trichlorobenzene		1.0	ug/g	1	103	70 130	4	30
		dibromofluoromethane SUR		88	%			78 114		
		toluene-D8 SUR		106	%			88 110		
		4-bromofluorobenzene SUR		116	%		*	86 115		
		a,a,a-trifluorotoluene SUR		109	%			70 130		

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
MA EPH	BLK12630	naphthalene		<	0.20	ug/g				
		2-methylnaphthalene		<	0.20	ug/g				
		phenanthrene		<	0.20	ug/g				
		acenaphthene		<	0.20	ug/g				
		acenaphthylene		<	0.20	ug/g				
		fluorene		<	0.20	ug/g				
		anthracene		<	0.20	ug/g				
		fluoranthene		<	0.20	ug/g				
		pyrene		<	0.20	ug/g				
		benzo(a)anthracene		<	0.20	ug/g				
		chrysene		<	0.20	ug/g				
		benzo(b)fluoranthene		<	0.20	ug/g				
		benzo(k)fluoranthene		<	0.20	ug/g				
		benzo(a)pyrene		<	0.20	ug/g				
		indeno(1,2,3-cd)pyrene		<	0.20	ug/g				
		dibenzo(a,h)anthracene		<	0.20	ug/g				
		benzo(g,h,i)perylene		<	0.20	ug/g				
		Unadjusted C11-C22 Aromatics		<	20	ug/g				
		C9-C18 Aliphatics		<	20	ug/g				
		C19-C36 Aliphatics		<	20	ug/g				
		C11-C22 Aromatics		<	20	ug/g				
		1-chloro-octadecane SUR		52	%			40	140	
		o-terphenyl SUR		59	%			40	140	
		2-fluorobiphenyl SUR		66	%			40	140	
		2-bromonaphthalene SUR		64	%			40	140	

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
MA EPH	LCS12630	naphthalene		3.1	ug/g	6	51	40	140	
		2-methylnaphthalene		3.1	ug/g	6	52	40	140	
		phenanthrene		3.6	ug/g	6	60	40	140	
		acenaphthene		3.3	ug/g	6	56	40	140	
		acenaphthylene		3.3	ug/g	6	54	40	140	
		fluorene		3.6	ug/g	6	60	40	140	
		anthracene		3.5	ug/g	6	59	40	140	
		fluoranthene		4.0	ug/g	6	66	40	140	
		pyrene		4.2	ug/g	6	70	40	140	
		benzo(a)anthracene		4.3	ug/g	6	71	40	140	
		chrysene		4.4	ug/g	6	73	40	140	
		benzo(b)fluoranthene		4.4	ug/g	6	73	40	140	
		benzo(k)fluoranthene		3.9	ug/g	6	65	40	140	
		benzo(a)pyrene		4.1	ug/g	6	68	40	140	
		indeno(1,2,3-cd)pyrene		4.4	ug/g	6	73	40	140	
		dibenzo(a,h)anthracene		4.4	ug/g	6	73	40	140	
		benzo(g,h,i)perylene		4.4	ug/g	6	73	40	140	
		Unadjusted C11-C22 Aromatics		65	ug/g	102	64	40	140	
		C9-C18 Aliphatics		<	20	ug/g	36	44	40	140
		C19-C36 Aliphatics			49	ug/g	48	102	40	140
		C11-C22 Aromatics		<	20	ug/g		40	140	
		1-chloro-octadecane SUR		52	%			40	140	
		o-terphenyl SUR		57	%			40	140	
		2-fluorobiphenyl SUR		64	%			40	140	
		2-bromonaphthalene SUR		61	%			40	140	

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
MA EPH	LCSD12630	naphthalene		2.9	ug/g	6	48	40 140	6	25
		2-methylnaphthalene		2.9	ug/g	6	49	40 140	6	25
		phenanthrene		3.5	ug/g	6	59	40 140	2	25
		acenaphthene		3.3	ug/g	6	55	40 140	1	25
		acenaphthylene		3.1	ug/g	6	52	40 140	4	25
		fluorene		3.6	ug/g	6	59	40 140	1	25
		anthracene		3.5	ug/g	6	59	40 140	0	25
		fluoranthene		4.1	ug/g	6	68	40 140	3	25
		pyrene		4.0	ug/g	6	66	40 140	5	25
		benzo(a)anthracene		4.2	ug/g	6	70	40 140	2	25
		chrysene		4.3	ug/g	6	71	40 140	2	25
		benzo(b)fluoranthene		4.1	ug/g	6	68	40 140	8	25
		benzo(k)fluoranthene		4.2	ug/g	6	70	40 140	8	25
		benzo(a)pyrene		4.1	ug/g	6	68	40 140	0	25
		indeno(1,2,3-cd)pyrene		4.2	ug/g	6	71	40 140	4	25
		dibenzo(a,h)anthracene		4.2	ug/g	6	71	40 140	3	25
		benzo(g,h,i)perylene		4.1	ug/g	6	69	40 140	6	25
		Unadjusted C11-C22 Aromatics		67	ug/g	102	66	40 140	3	25
		C9-C18 Aliphatics		<	20	ug/g	36	53	40	140
		C19-C36 Aliphatics			54	ug/g	48	112	40	140
		C11-C22 Aromatics		<	20	ug/g		40	140	25
		1-chloro-octadecane SUR		63	%			40 140		
		o-terphenyl SUR		60	%			40 140		
		2-fluorobiphenyl SUR		60	%			40 140		
		2-bromonaphthalene SUR		59	%			40 140		

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit	
SW3051A6020A	BLK12629	Silver		<	0.025	mg/L					
		Arsenic		<	0.025	mg/L					
		Barium		<	0.050	mg/L					
		Beryllium		<	0.0050	mg/L					
		Cadmium		<	0.0050	mg/L					
		Chromium		<	0.050	mg/L					
		Nickel		<	0.050	mg/L					
		Lead		<	0.025	mg/L					
		Antimony		<	0.0050	mg/L					
		Selenium		<	0.050	mg/L					
		Thallium		<	0.0050	mg/L					
		Vanadium		<	0.050	mg/L					
		Zinc		<	0.050	mg/L					
SW3051A6020A	CRM12629	Silver		44.2	ug/g	53.8		31.9	59.7		
		Arsenic		153	ug/g	219		129	240		
		Barium		586	ug/g	788		509	867		
		Beryllium		183	ug/g	247		160	272		
		Cadmium		141	ug/g	175		111	192		
		Chromium		273	ug/g	375		223	414		
		Nickel		232	ug/g	318		193	358		
		Lead		254	ug/g	321		207	353		
		Antimony		82.9	ug/g	159		15.9	180		
		Selenium		97.8	ug/g	145		78.5	160		
		Thallium		80.5	ug/g	98.6		53.7	111		
		Vanadium		182	ug/g	267		168	294		
		Zinc		215	ug/g	311		190	352		
SW3051A6020A	CRMD12629	Silver		45.1	ug/g	53.8		31.9	59.7	2	20
		Arsenic		157	ug/g	219		129	240	3	20
		Barium		567	ug/g	788		509	867	3	20
		Beryllium		181	ug/g	247		160	272	1	20
		Cadmium		141	ug/g	175		111	192	0	20
		Chromium		278	ug/g	375		223	414	2	20
		Nickel		238	ug/g	318		193	358	3	20
		Lead		250	ug/g	321		207	353	2	20
		Antimony		82.8	ug/g	159		15.9	180	0	20
		Selenium		100	ug/g	145		78.5	160	2	20
		Thallium		80.8	ug/g	98.6		53.7	111	0	20
		Vanadium		185	ug/g	267		168	294	2	20
		Zinc		217	ug/g	311		190	352	1	20



Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
SW3051A6020A	MS12629	Silver	52513-004	170	ug/g	155	86	75	125	
		Arsenic	52513-004	280	ug/g	310	88	75	125	
		Barium	52513-004	660	ug/g	310	122	75	125	
		Beryllium	52513-004	290	ug/g	310	92	75	125	
		Cadmium	52513-004	320	ug/g	310	103	75	125	
		Chromium	52513-004	340	ug/g	310	98	75	125	
		Nickel	52513-004	340	ug/g	310	86	75	125	
		Lead	52513-004	1200	ug/g	310.2	-7 *	75	125	
		Antimony	52513-004	340	ug/g	310	93	75	125	
		Selenium	52513-004	240	ug/g	310	79	75	125	
		Thallium	52513-004	140	ug/g	155	90	75	125	
SW3051A6020A	MSD12629	Vanadium	52513-004	320	ug/g	310	95	75	125	
		Zinc	52513-004	2000	ug/g	310.2	-270	75	125	
		Silver	52513-004	160	ug/g	155	82	75	125	4 20
		Arsenic	52513-004	290	ug/g	310	90	75	125	3 20
		Barium	52513-004	770	ug/g	310	156 *	75	125	15 20
		Beryllium	52513-004	290	ug/g	310	94	75	125	2 20
		Cadmium	52513-004	310	ug/g	310	99	75	125	4 20
		Chromium	52513-004	380	ug/g	310	111	75	125	12 20
		Nickel	52513-004	400	ug/g	310	103	75	125	15 20
		Lead	52513-004	1300	ug/g	310.2	43 *	75	125	12 20
		Antimony	52513-004	350	ug/g	310	96	75	125	3 20
		Selenium	52513-004	230	ug/g	310	74 *	75	125	7 20
		Thallium	52513-004	150	ug/g	155	95	75	125	5 20
SW7471B	BLK12632	Mercury		<	0.14	ug/g				
	CRM12632	Mercury			0.226	ug/g	0.221	0.0908	0.351	
	CRMD12632	Mercury			0.216	ug/g	0.221	0.0908	0.351	4 35
	MS12632	Mercury	52513-004	0.65	ug/g	0.405	12 *	80	120	
	MSD12632	Mercury	52513-004	0.86	ug/g	0.405	64 *	80	120	28 35

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
SW3060A7196A	CRM2001871	Chromium, Hexavalent		110	ug/g	260		93.3	350	
SW3060A7196A	CRMD2001871	Chromium, Hexavalent		100	ug/g	260		93.3	350	30
SW3060A7196A	DUP2001871	Chromium, Hexavalent	52498-013	<	0.48	ug/g				20
SW3060A7196A	MS2001871	Chromium, Hexavalent	52513-004	<	0.50	ug/g	25.01	1 *	75	125
SW3060A7196A	MS2001871	Chromium, Hexavalent	52537-009	<	0.55	ug/g	27.25	1 *	75	125
SW3060A7196A	MSD2001871	Chromium, Hexavalent	52513-004	<	0.49	ug/g	24.43	1 *	75	125
SW3060A7196A	MSD2001871	Chromium, Hexavalent	52537-009	<	0.55	ug/g	27.35	1 *	75	125
SW3060A7196A	PB2001871	Chromium, Hexavalent		<	0.40	ug/g				
SW9045C	DUP2001840	pH	52513-002		5.6	pH				

Data Path : X:\V6\2020\Apr20\040920\
 Data File : V6040915.D
 Signal(s) : Signal #1: CPDET1B.ch Signal #2: FID2A.ch
 Acq On : 9 Apr 2020 3:49 pm
 Operator : lmm
 Sample : 52513-04 100uLMeOH/5mL
 Misc : 100
 ALS Vial : 15 Sample Multiplier: 1

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 09 20:07:01 2020
 Quant Method : X:\V6\methods\V6VPH040320.M
 Quant Title : VOA06 MA VPH
 QLast Update : Fri Apr 03 18:09:08 2020
 Response via : Initial Calibration
 Integrator: ChemStation



Volume Inj. :
 Signal #1 Phase : Signal #2 Phase:
 Signal #1 Info : Signal #2 Info :



Data Path : X:\V6\2020\Apr20\040920\
 Data File : V6040916.D
 Signal(s) : Signal #1: CPDET1B.ch Signal #2: FID2A.ch
 Acq On : 9 Apr 2020 4:19 pm
 Operator : 1mm
 Sample : 52513-05 100uLMeOH/5mL
 Misc : 100
 ALS Vial : 16 Sample Multiplier: 1

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 09 20:07:04 2020
 Quant Method : X:\V6\methods\V6VPH040320.M
 Quant Title : VOA06 MA VPH
 QLast Update : Fri Apr 03 18:09:08 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal #1 Phase : Signal #2 Phase:
 Signal #1 Info : Signal #2 Info :




Data Path : X:\V5\2020\Apr20\040920\
Data File : V5040954.D
Acq On : 10 Apr 2020 9:36 am
Operator : 1mm
Sample : 52513-08 100uLMeOH/5mL
Misc : 100
ALS Vial : 54 Sample Multiplier: 1

Quant Time: Apr 10 13:59:28 2020
Quant Method : X:\V5\methods\V58260FEB2420A.M
Quant Title : V5 Method 8260
QLast Update : Thu Apr 09 10:49:52 2020
Response via : Initial Calibration

Abundance

TIC: V5040954.D\data.ms





Quantitation Report J (QT Reviewed)

Data Path : X:\V6\2020\Apr20\040920\
Data File : V6040919.D
Signal(s) : Signal #1: CPDET1B.ch Signal #2: FID2A.ch
Acq On : 9 Apr 2020 5:49 pm
Operator : lmm
Sample : 52513-14 100uLMeOH/5mL
Misc : 100
ALS Vial : 19 Sample Multiplier: 1

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 09 20:07:13 2020
Quant Method : X:\V6\methods\V6VPH040320.M
Quant Title : VOA06 MA VPH
QLast Update : Fri Apr 03 18:09:08 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal #1 Phase : Signal #2 Phase:
Signal #1 Info : Signal #2 Info :



AROMATIC HYDROCARBON BREAKTHROUGH CALCULATION

Method: MADEP EPH 2019 Rev 2.1

	lcs12630		
	Aliphatic Breakthrough	Acceptance	Date of Analysis
	(%)	Criteria	
naphthalene	0.6%	<5.0%	4/9/2020
2-methylnaphthalene	0.2%	<5.0%	4/9/2020

	lcsl2630		
	Aliphatic Breakthrough	Acceptance	Date of Analysis
	(%)	Criteria	
naphthalene	0.4%	<5.0%	4/9/2020
2-methylnaphthalene	0.2%	<5.0%	4/9/2020



124 Heritage Avenue #16

Portsmouth, NH 03801

603-436-2001

absoluteressourcesassociates.com

Company Name:

WESTON & SAMPSON

Company Address:

55 WALKERS BROOK DR READING

Report To: SARAH DESTEFANO & JILL MURPHY

Phone #: 1800 SAMPSON

Invoice to: SARAH DESTEFANO

Email: DESTEFANOS@WSEINC.COM

PO #: SED FRAMINGHAM BROWNFIELD

Lab Sample ID (Lab Use Only)	Field ID	# CONTAINERS	Matrix	Preservation Method	Sampling					
					WATER	SOLID	OTHER	DATE	TIME	SAMPLER
529/3/11	SB-104(0-3')	X		HCl				4/7/20	0845	
-02	SB-104(8-10')	X				X			0855	
-03 HOLD	SB-107(0-1')	X							0945	
-04	SB-107(0-3')	X				X			1000	
-05	SB-107(10-11')	X				X			1020	
-06 HOLD	SB-108(0-1')	X							1045	
-07	SB-108(0-3')	X							1050	
-08	SB-108(6-9')	X							1100	
-09 HOLD	SB-109(0-1')	X							1130	
-10	SB-109(0-3')	X							1140	
-11	SB-109(5-8')	X				X			1145	

TAT REQUESTED

Priority (24 hr)* Expedited (48 hr)* Standard

(10 Business Days)

*Date Needed 5 DAYSee absoluteressourcesassociates.com
for sample acceptance policy and
current accreditation lists.

SPECIAL INSTRUCTIONS

* VOCs & VPH
* VPH WITH TARGET VOCs

REPORTING INSTRUCTIONS

PDF (e-mail address) MURPHYJ@WSEINC.COM

 HARD COPY REQUIRED

LEDD

RECEIVED ON ICE YES NOTEMPERATURE 2 °C

CUSTODY RECORD

QSD-01 Revision 11/06/19

Relinquished by Sampler:

Relinquished by:

Relinquished by:

Date 4/7/20 Time 1500Date 4/7 Time 16:00

Date Time

Received by:

Received by:

Received by Laboratory:

Date 4-7 Time 3:00

Date Time

Date Time

CHAIN-OF-CUSTODY RECORD
AND ANALYSIS REQUEST

52513

ANALYSIS REQUEST

<input checked="" type="checkbox"/> VOC 8260	<input type="checkbox"/> VOC 8260 NHDES	<input type="checkbox"/> VOC 8260 MADEP
<input type="checkbox"/> VOC 824.1	<input type="checkbox"/> VOC BTEX MIBE, only	<input type="checkbox"/> VOC 8021VT
<input checked="" type="checkbox"/> VPH MADEP	<input type="checkbox"/> GRO 8015	<input checked="" type="checkbox"/> 1,4-Dioxane
<input type="checkbox"/> VOC 524.2	<input type="checkbox"/> VOC 524.2 NH List	<input type="checkbox"/> Gases-List
<input type="checkbox"/> TPH	<input checked="" type="checkbox"/> DRO 8015	<input type="checkbox"/> TPH Fingerprint
<input type="checkbox"/> 8270PAH	<input type="checkbox"/> 8270ABN	<input type="checkbox"/> 625.1
<input type="checkbox"/> 8082 PCB	<input type="checkbox"/> 8081 Pesticides	<input type="checkbox"/> 608.3 Pest/PCB
<input type="checkbox"/> O&G 1664	<input type="checkbox"/> Mineral O&G 1664	
<input type="checkbox"/> pH	<input type="checkbox"/> BOD	<input type="checkbox"/> Conductivity
<input type="checkbox"/> TSS	<input type="checkbox"/> TDS	<input type="checkbox"/> TS
<input type="checkbox"/> RCRA Metals	<input type="checkbox"/> Priority Pollutant Metals	<input type="checkbox"/> TAL Metals
<input type="checkbox"/> Total Metals-list: VCP 14 METALS		
<input type="checkbox"/> Dissolved Metals-list:		
<input type="checkbox"/> Ammonia	<input type="checkbox"/> COD	<input type="checkbox"/> TKN
<input type="checkbox"/> T-Phosphorus	<input type="checkbox"/> Bacteria P/A	<input type="checkbox"/> Bacteria MPN
<input type="checkbox"/> Cyanide	<input type="checkbox"/> Sulfide	<input type="checkbox"/> Nitrate + Nitrite
<input type="checkbox"/> Nitrate	<input type="checkbox"/> Chloride	<input type="checkbox"/> Ortho P
<input type="checkbox"/> Nitrite	<input type="checkbox"/> Sulfate	<input type="checkbox"/> Phenols
<input type="checkbox"/> Hardness	<input type="checkbox"/> Bromide	<input type="checkbox"/> Fluoride
<input type="checkbox"/> Corrosivity	<input type="checkbox"/> Ignitability/P/F	
<input type="checkbox"/> TCLP Metals	<input type="checkbox"/> TCLP VOC	<input type="checkbox"/> TCLP SVOC
<input type="checkbox"/> Subcontract:	<input type="checkbox"/> Grain Size	<input type="checkbox"/> Herbicides
<input type="checkbox"/> Asbestos	<input type="checkbox"/> PFAS	

CR IV

Grab (G) or Composite (C)



124 Heritage Avenue #16
Portsmouth, NH 03801
603-436-2001
absoluteressourcesassociates.com

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

52513

ANALYSIS REQUEST

Company Name: _____
Company Address: SEE PAGE 1
Report To: _____
Phone #: _____
Invoice to: _____
Email: SEE PAGE 1
PO #: _____

Lab Sample ID (Lab Use Only)	Field ID	# CONTAINERS	Matrix	Preservation Method	Sampling				
					WATER	SOLID	OTHER	HCl	DATE
SB-110(0-1')	X								4/7/20
SB-110(0-3')	X								12:45
SB-110(5-8')	X								12:55
SB-112(0-1')	X								12:55
SB-112(0-3')	X								13:15
SB-112(5-8')	X								13:20
MS-1	X								13:25
MSD-1	X								10:15
DUP-1	X								
TRIP BLANK									

TAT REQUESTED	See absoluteressourcesassociates.com for sample acceptance policy and current accreditation lists.		SPECIAL INSTRUCTIONS * VOCs & VPAT EXCEPT FOR TRIP BLANK ** VPAT WITH TARGET VOCs	
Priority (24 hr)* <input type="checkbox"/>				
Expedited (48 hr)* <input type="checkbox"/>				
Standard <input type="checkbox"/> (10 Business Days) <i>* Date Needed 5 DAY</i>				
REPORTING INSTRUCTIONS <input type="checkbox"/> PDF (e-mail address) <input type="checkbox"/> HARD COPY REQUIRED <input type="checkbox"/> EDD			SEE PAGE 1	
CUSTODY RECORD Relinquished by Sampler: <i>[Signature]</i> Date 4/7/20 Time 1500 Received by: <i>[Signature]</i> Date 4/7/20 Time 3:00 Relinquished by: <i>[Signature]</i> Date 4/7/20 Time 16:00 Received by: <i>[Signature]</i> Date <i>[Signature]</i> Time <i>[Signature]</i> Relinquished by: <i>[Signature]</i> Date <i>[Signature]</i> Time <i>[Signature]</i> Received by Laboratory: <i>[Signature]</i> Date <i>[Signature]</i> Time <i>[Signature]</i>				
RECEIVED ON ICE <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO TEMPERATURE <i>2</i> °C				

Laboratory Report



Absolute Resource associates

124 Heritage Avenue Portsmouth NH 03801

Jill Murphy

Weston & Sampson

55 Walkers Brook Drive

Reading, MA 01867

PO Number: Framingham Brownfields

Job ID: 52537

Date Received: 4/8/20

Project: Cedar Woods 2180311

Attached please find results for the analysis of the samples received on the date referenced above.

Unless otherwise noted in the attached report, the analyses performed met the requirements of Absolute Resource Associates' Quality Assurance Plan. The Standard Operating Procedures are based upon USEPA SW-846, USEPA Methods for Chemical Analysis of Water and Wastewater, Standard Methods for the Examination of Water and Wastewater and other recognized methodologies. The results contained in this report pertain only to the samples as indicated on the chain of custody.

Absolute Resource Associates maintains certification with the agencies listed below. The reported results apply to the sample(s) in the condition as received at the time the laboratory took custody. This report shall not be reproduced except in full and with approval from the laboratory. The liability of ARA is limited to the cost of the requested analyses, unless otherwise agreed upon in writing.

We appreciate the opportunity to provide laboratory services. If you have any questions regarding the enclosed report, please contact the laboratory and we will be glad to assist you.

Sincerely,
Absolute Resource Associates

A handwritten signature in black ink that appears to read "Aaron DeWees".

Aaron DeWees
Chief Operating Officer

Date of Approval: 4/20/2020

Total number of pages: 44

Absolute Resource Associates Certifications

New Hampshire 1732
Maine NH902

Massachusetts M-NH902

Sample Association Table

Field ID	Matrix	Date-Time Sampled	Lab#	Analysis
SB-111 (0-1')	Solid	4/8/2020 9:10	52537-001	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 Zinc in solids by 6020
SB-111 (0-3')	Solid	4/8/2020 9:12	52537-002	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Field Specified Laboratory Duplicate Field Specified Matrix Spike Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 Zinc in solids by 6020

Sample Association Table

Field ID	Matrix	Date-Time Sampled	Lab#	Analysis
SB-111 (4-7')	Solid	4/8/2020 9:15	52537-003	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Hexavalent Chromium in solids by SW3060A7196A Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 ORP in solids by ASTM-1498-08 pH in solids by SW9045C Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 VPH in solids by MA DEP Method Zinc in solids by 6020
SB-113 (0-3')	Solid	4/8/2020 9:30	52537-004	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 Zinc in solids by 6020

Sample Association Table

Field ID	Matrix	Date-Time Sampled	Lab#	Analysis
SB-113 (5-8')	Solid	4/8/2020 9:40	52537-005	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Hexavalent Chromium in solids by SW3060A7196A Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 ORP in solids by ASTM-1498-08 pH in solids by SW9045C Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 VPH in solids by MA DEP Method Zinc in solids by 6020
SB-115 (0-3')	Solid	4/8/2020 10:10	52537-006	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 Zinc in solids by 6020

Sample Association Table

Field ID	Matrix	Date-Time Sampled	Lab#	Analysis
SB-115 (5-8')	Solid	4/8/2020 10:20	52537-007	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Hexavalent Chromium in solids by SW3060A7196A Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 ORP in solids by ASTM-1498-08 pH in solids by SW9045C Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 VPH in solids by MA DEP Method Zinc in solids by 6020
SB-114 (0-3')	Solid	4/8/2020 10:30	52537-008	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 VPH in solids by MA DEP Method Zinc in solids by 6020

Sample Association Table

Field ID	Matrix	Date-Time Sampled	Lab#	Analysis
SB-114 (5-8')	Solid	4/8/2020 10:50	52537-009	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Hexavalent Chromium in solids by SW3060A7196A Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 ORP in solids by ASTM-1498-08 pH in solids by SW9045C Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 Zinc in solids by 6020
DUP-2	Solid	4/8/2020 0:00	52537-010	Antimony in solids by 6020 Arsenic in solids by 6020 Barium in solids by 6020 Beryllium in solids by 6020 Cadmium in solids by 6020 Chromium in solids by 6020 Combo: 14 MA MCP Metals EPH in solids by MADEP Method Lead in solids by 6020 Mercury in solids by 7471 Nickel in solids by 6020 Selenium in solids by 6020 Silver in solids by 6020 Solid Digestion for ICP Analysis Thallium in solids by 6020 Vanadium in solids by 6020 VPH in solids by MA DEP Method Zinc in solids by 6020
Trip Blank	Solid	4/8/2020 0:00	52537-011	VPH in solids by MA DEP Method

Project ID: Cedar Woods 2180311

Job ID: 52537

Sample#: 52537-003

Sample ID: SB-111 (4-7')

Matrix: Solid Percent Dry: 79.9% Results expressed on a dry weight basis.

Samples prepared in methanol at a ratio of 0.67 mL MeOH/g soil.

Received on ice at 1°C, in satisfactory condition.

Sampled:	4/8/20	9:15	Reporting				Instr Dil'n	Prep	Analysis			
Parameter			Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
Unadjusted C5-C8 Aliphatics			< 5.4	5.4	ug/g	1	LMM	4/9/20	12628	4/9/20	19:19	MA VPH
Unadjusted C9-C12 Aliphatics			< 5.4	5.4	ug/g	1	LMM	4/9/20	12628	4/9/20	19:19	MA VPH
methyl t-butyl ether (MTBE)			< 0.11	0.11	ug/g	1	LMM	4/9/20	12628	4/9/20	19:19	MA VPH
benzene			< 0.11	0.11	ug/g	1	LMM	4/9/20	12628	4/9/20	19:19	MA VPH
toluene			< 0.11	0.11	ug/g	1	LMM	4/9/20	12628	4/9/20	19:19	MA VPH
ethylbenzene			< 0.11	0.11	ug/g	1	LMM	4/9/20	12628	4/9/20	19:19	MA VPH
m&p-xylenes			< 0.11	0.11	ug/g	1	LMM	4/9/20	12628	4/9/20	19:19	MA VPH
o-xylene			< 0.11	0.11	ug/g	1	LMM	4/9/20	12628	4/9/20	19:19	MA VPH
naphthalene			0.30	0.27	ug/g	1	LMM	4/9/20	12628	4/9/20	19:19	MA VPH
C5-C8 Aliphatics			< 5.4	5.4	ug/g	1	LMM	4/9/20	12628	4/9/20	19:19	MA VPH
C9-C12 Aliphatics			< 5.4	5.4	ug/g	1	LMM	4/9/20	12628	4/9/20	19:19	MA VPH
C9-C10 Aromatics			< 5.4	5.4	ug/g	1	LMM	4/9/20	12628	4/9/20	19:19	MA VPH
Surrogate Recovery												
Limits												
2,5-dibromotoluene as Aromatic SUR			107	70-130	%	1	LMM	4/9/20	12628	4/9/20	19:19	MA VPH
2,5-dibromotoluene as Aliphatic SUR			108	70-130	%	1	LMM	4/9/20	12628	4/9/20	19:19	MA VPH
a,a,a-trifluorotoluene SUR			67 *	70-130	%	1	LMM	4/9/20	12628	4/9/20	19:19	MA VPH

* **This surrogate showed recovery outside the acceptance limits.**

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.

C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.

C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: Cedar Woods 2180311

Job ID: 52537

Sample#: 52537-005

Sample ID: SB-113 (5-8')

Matrix: Solid Percent Dry: 87.2% Results expressed on a dry weight basis.

Samples prepared in methanol at a ratio of 0.66 mL MeOH/g soil.

Received on ice at 1°C, in satisfactory condition.

Sampled:	4/8/20	9:40	Reporting		Instr Dil'n	Prep	Analysis					
Parameter			Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
Unadjusted C5-C8 Aliphatics			< 4.5	4.5	ug/g	1	LMM	4/9/20	12628	4/9/20	19:49	MA VPH
Unadjusted C9-C12 Aliphatics			< 4.5	4.5	ug/g	1	LMM	4/9/20	12628	4/9/20	19:49	MA VPH
methyl t-butyl ether (MTBE)			< 0.090	0.090	ug/g	1	LMM	4/9/20	12628	4/9/20	19:49	MA VPH
benzene			< 0.090	0.090	ug/g	1	LMM	4/9/20	12628	4/9/20	19:49	MA VPH
toluene			< 0.090	0.090	ug/g	1	LMM	4/9/20	12628	4/9/20	19:49	MA VPH
ethylbenzene			< 0.090	0.090	ug/g	1	LMM	4/9/20	12628	4/9/20	19:49	MA VPH
m&p-xylenes			< 0.090	0.090	ug/g	1	LMM	4/9/20	12628	4/9/20	19:49	MA VPH
o-xylene			< 0.090	0.090	ug/g	1	LMM	4/9/20	12628	4/9/20	19:49	MA VPH
naphthalene			< 0.23	0.23	ug/g	1	LMM	4/9/20	12628	4/9/20	19:49	MA VPH
C5-C8 Aliphatics			< 4.5	4.5	ug/g	1	LMM	4/9/20	12628	4/9/20	19:49	MA VPH
C9-C12 Aliphatics			< 4.5	4.5	ug/g	1	LMM	4/9/20	12628	4/9/20	19:49	MA VPH
C9-C10 Aromatics			< 4.5	4.5	ug/g	1	LMM	4/9/20	12628	4/9/20	19:49	MA VPH
Surrogate Recovery												
Limits												
2,5-dibromotoluene as Aromatic SUR			99	70-130	%	1	LMM	4/9/20	12628	4/9/20	19:49	MA VPH
2,5-dibromotoluene as Aliphatic SUR			100	70-130	%	1	LMM	4/9/20	12628	4/9/20	19:49	MA VPH
a,a,a-trifluorotoluene SUR			68 *	70-130	%	1	LMM	4/9/20	12628	4/9/20	19:49	MA VPH

* **This surrogate showed recovery outside the acceptance limits.**

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.

C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.

C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: Cedar Woods 2180311

Job ID: 52537

Sample#: 52537-007

Sample ID: SB-115 (5-8')

Matrix: Solid Percent Dry: 66.1% Results expressed on a dry weight basis.

Samples prepared in methanol at a ratio of 0.63 mL MeOH/g soil.

Received on ice at 1°C, in satisfactory condition.

Sampled:	4/8/20	10:20	Reporting			Instr Dil'n	Prep	Analysis				
Parameter			Result	Limit	Units	Factor	Analyst	Batch	Date	Time	Reference	
Unadjusted C5-C8 Aliphatics			< 7.3	7.3	ug/g	1	LMM	4/9/20	12628	4/9/20	20:19	MA VPH
Unadjusted C9-C12 Aliphatics			< 7.3	7.3	ug/g	1	LMM	4/9/20	12628	4/9/20	20:19	MA VPH
methyl t-butyl ether (MTBE)			< 0.15	0.15	ug/g	1	LMM	4/9/20	12628	4/9/20	20:19	MA VPH
benzene			< 0.15	0.15	ug/g	1	LMM	4/9/20	12628	4/9/20	20:19	MA VPH
toluene			< 0.15	0.15	ug/g	1	LMM	4/9/20	12628	4/9/20	20:19	MA VPH
ethylbenzene			< 0.15	0.15	ug/g	1	LMM	4/9/20	12628	4/9/20	20:19	MA VPH
m&p-xylenes			< 0.15	0.15	ug/g	1	LMM	4/9/20	12628	4/9/20	20:19	MA VPH
o-xylene			< 0.15	0.15	ug/g	1	LMM	4/9/20	12628	4/9/20	20:19	MA VPH
naphthalene			< 0.37	0.37	ug/g	1	LMM	4/9/20	12628	4/9/20	20:19	MA VPH
C5-C8 Aliphatics			< 7.3	7.3	ug/g	1	LMM	4/9/20	12628	4/9/20	20:19	MA VPH
C9-C12 Aliphatics			< 7.3	7.3	ug/g	1	LMM	4/9/20	12628	4/9/20	20:19	MA VPH
C9-C10 Aromatics			< 7.3	7.3	ug/g	1	LMM	4/9/20	12628	4/9/20	20:19	MA VPH
Surrogate Recovery												
Limits												
2,5-dibromotoluene as Aromatic SUR			108	70-130	%	1	LMM	4/9/20	12628	4/9/20	20:19	MA VPH
2,5-dibromotoluene as Aliphatic SUR			108	70-130	%	1	LMM	4/9/20	12628	4/9/20	20:19	MA VPH
a,a,a-trifluorotoluene SUR			86	70-130	%	1	LMM	4/9/20	12628	4/9/20	20:19	MA VPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.

C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.

C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: Cedar Woods 2180311

Job ID: 52537

Sample#: 52537-008

Sample ID: SB-114 (0-3')

Matrix: Solid Percent Dry: 93.7% Results expressed on a dry weight basis.

Samples prepared in methanol at a ratio of 0.67 mL MeOH/g soil.

Received on ice at 1°C, in satisfactory condition.

Sampled:	4/8/20	10:30	Reporting		Instr Dil'n	Prep	Analysis			Reference		
Parameter			Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	
Unadjusted C5-C8 Aliphatics			< 3.9	3.9	ug/g	1	LMM	4/9/20	12628	4/9/20	20:49	MA VPH
Unadjusted C9-C12 Aliphatics			< 3.9	3.9	ug/g	1	LMM	4/9/20	12628	4/9/20	20:49	MA VPH
methyl t-butyl ether (MTBE)			< 0.078	0.078	ug/g	1	LMM	4/9/20	12628	4/9/20	20:49	MA VPH
benzene			< 0.078	0.078	ug/g	1	LMM	4/9/20	12628	4/9/20	20:49	MA VPH
toluene			< 0.078	0.078	ug/g	1	LMM	4/9/20	12628	4/9/20	20:49	MA VPH
ethylbenzene			< 0.078	0.078	ug/g	1	LMM	4/9/20	12628	4/9/20	20:49	MA VPH
m&p-xylenes			< 0.078	0.078	ug/g	1	LMM	4/9/20	12628	4/9/20	20:49	MA VPH
o-xylene			< 0.078	0.078	ug/g	1	LMM	4/9/20	12628	4/9/20	20:49	MA VPH
naphthalene			< 0.20	0.20	ug/g	1	LMM	4/9/20	12628	4/9/20	20:49	MA VPH
C5-C8 Aliphatics			< 3.9	3.9	ug/g	1	LMM	4/9/20	12628	4/9/20	20:49	MA VPH
C9-C12 Aliphatics			< 3.9	3.9	ug/g	1	LMM	4/9/20	12628	4/9/20	20:49	MA VPH
C9-C10 Aromatics			< 3.9	3.9	ug/g	1	LMM	4/9/20	12628	4/9/20	20:49	MA VPH
Surrogate Recovery			Limits									
2,5-dibromotoluene as Aromatic SUR			100	70-130	%	1	LMM	4/9/20	12628	4/9/20	20:49	MA VPH
2,5-dibromotoluene as Aliphatic SUR			100	70-130	%	1	LMM	4/9/20	12628	4/9/20	20:49	MA VPH
a,a,a-trifluorotoluene SUR			79	70-130	%	1	LMM	4/9/20	12628	4/9/20	20:49	MA VPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.

C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.

C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: Cedar Woods 2180311

Job ID: 52537

Sample#: 52537-010

Sample ID: DUP-2

Matrix: Solid Percent Dry: 85.6% Results expressed on a dry weight basis.

Samples prepared in methanol at a ratio of 0.63 mL MeOH/g soil.

Received on ice at 1°C, in satisfactory condition.

Sampled:	4/8/20	0:00	Reporting		Instr Dil'n	Prep	Analysis					
Parameter			Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
Unadjusted C5-C8 Aliphatics			< 4.5	4.5	ug/g	1	LMM	4/9/20	12628	4/9/20	21:19	MA VPH
Unadjusted C9-C12 Aliphatics			< 4.5	4.5	ug/g	1	LMM	4/9/20	12628	4/9/20	21:19	MA VPH
methyl t-butyl ether (MTBE)			< 0.090	0.090	ug/g	1	LMM	4/9/20	12628	4/9/20	21:19	MA VPH
benzene			< 0.090	0.090	ug/g	1	LMM	4/9/20	12628	4/9/20	21:19	MA VPH
toluene			< 0.090	0.090	ug/g	1	LMM	4/9/20	12628	4/9/20	21:19	MA VPH
ethylbenzene			< 0.090	0.090	ug/g	1	LMM	4/9/20	12628	4/9/20	21:19	MA VPH
m&p-xylenes			< 0.090	0.090	ug/g	1	LMM	4/9/20	12628	4/9/20	21:19	MA VPH
o-xylene			< 0.090	0.090	ug/g	1	LMM	4/9/20	12628	4/9/20	21:19	MA VPH
naphthalene			< 0.23	0.23	ug/g	1	LMM	4/9/20	12628	4/9/20	21:19	MA VPH
C5-C8 Aliphatics			< 4.5	4.5	ug/g	1	LMM	4/9/20	12628	4/9/20	21:19	MA VPH
C9-C12 Aliphatics			< 4.5	4.5	ug/g	1	LMM	4/9/20	12628	4/9/20	21:19	MA VPH
C9-C10 Aromatics			< 4.5	4.5	ug/g	1	LMM	4/9/20	12628	4/9/20	21:19	MA VPH
Surrogate Recovery												
Limits												
2,5-dibromotoluene as Aromatic SUR			100	70-130	%	1	LMM	4/9/20	12628	4/9/20	21:19	MA VPH
2,5-dibromotoluene as Aliphatic SUR			101	70-130	%	1	LMM	4/9/20	12628	4/9/20	21:19	MA VPH
a,a,a-trifluorotoluene SUR			54 *	70-130	%	1	LMM	4/9/20	12628	4/9/20	21:19	MA VPH

* **This surrogate showed recovery outside the acceptance limits.**

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.

C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.

C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: Cedar Woods 2180311

Job ID: 52537

Sample#: 52537-011

Sample ID: Trip Blank

Matrix: Solid

Samples prepared in methanol within a 1:1 ratio +/- 25% mL MeOH/g soil

Received on ice at 1°C, in satisfactory condition.

Sampled:	4/8/20 0:00	Reporting			Instr Dil'n	Prep	Analysis				
Parameter		Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
Unadjusted C5-C8 Aliphatics		< 5.0	5.0	ug/g	1	LMM	4/9/20	12628	4/9/20	12:19	MA VPH
Unadjusted C9-C12 Aliphatics		< 5.0	5.0	ug/g	1	LMM	4/9/20	12628	4/9/20	12:19	MA VPH
methyl t-butyl ether (MTBE)		< 0.10	0.10	ug/g	1	LMM	4/9/20	12628	4/9/20	12:19	MA VPH
benzene		< 0.10	0.10	ug/g	1	LMM	4/9/20	12628	4/9/20	12:19	MA VPH
toluene		< 0.10	0.10	ug/g	1	LMM	4/9/20	12628	4/9/20	12:19	MA VPH
ethylbenzene		< 0.10	0.10	ug/g	1	LMM	4/9/20	12628	4/9/20	12:19	MA VPH
m&p-xylenes		< 0.10	0.10	ug/g	1	LMM	4/9/20	12628	4/9/20	12:19	MA VPH
o-xylene		< 0.10	0.10	ug/g	1	LMM	4/9/20	12628	4/9/20	12:19	MA VPH
naphthalene		< 0.25	0.25	ug/g	1	LMM	4/9/20	12628	4/9/20	12:19	MA VPH
C5-C8 Aliphatics		< 5.0	5.0	ug/g	1	LMM	4/9/20	12628	4/9/20	12:19	MA VPH
C9-C12 Aliphatics		< 5.0	5.0	ug/g	1	LMM	4/9/20	12628	4/9/20	12:19	MA VPH
C9-C10 Aromatics		< 5.0	5.0	ug/g	1	LMM	4/9/20	12628	4/9/20	12:19	MA VPH
Surrogate Recovery											
2,5-dibromotoluene as Aromatic SUR		104	70-130	%	1	LMM	4/9/20	12628	4/9/20	12:19	MA VPH
2,5-dibromotoluene as Aliphatic SUR		104	70-130	%	1	LMM	4/9/20	12628	4/9/20	12:19	MA VPH
a,a,a-trifluorotoluene SUR		84	70-130	%	1	LMM	4/9/20	12628	4/9/20	12:19	MA VPH
Limits											

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.

C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.

C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: Cedar Woods 2180311

Job ID: 52537

Sample#: 52537-001

Sample ID: SB-111 (0-1')

Matrix: Solid

Percent Dry: 91.8% Results expressed on a dry weight basis.

Sampled:	4/8/20 9:10	Reporting		Instr	Dil'n	Prep	Analysis				
Parameter		Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
naphthalene		< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	20:30	MA EPH
2-methylnaphthalene		< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	20:30	MA EPH
phenanthrene		0.57	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	20:30	MA EPH
acenaphthene		< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	20:30	MA EPH
acenaphthylene		< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	20:30	MA EPH
fluorene		< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	20:30	MA EPH
anthracene		< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	20:30	MA EPH
fluoranthene		2.2	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	20:30	MA EPH
pyrene		1.9	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	20:30	MA EPH
benzo(a)anthracene		1.5	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	20:30	MA EPH
chrysene		1.8	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	20:30	MA EPH
benzo(b)fluoranthene		2.3	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	20:30	MA EPH
benzo(k)fluoranthene		1.7	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	20:30	MA EPH
benzo(a)pyrene		2.0	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	20:30	MA EPH
indeno(1,2,3-cd)pyrene		1.7	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	20:30	MA EPH
dibenzo(a,h)anthracene		0.51	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	20:30	MA EPH
benzo(g,h,i)perylene		2.0	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	20:30	MA EPH
Unadjusted C11-C22 Aromatics		80	20	ug/g	1	DBV	4/15/20	12658	4/16/20	8:30	MA EPH
C9-C18 Aliphatics		< 20	20	ug/g	1	DBV	4/15/20	12658	4/16/20	8:30	MA EPH
C19-C36 Aliphatics		85	20	ug/g	1	DBV	4/15/20	12658	4/16/20	8:30	MA EPH
C11-C22 Aromatics		62	20	ug/g	1	DBV	4/15/20	12658	4/16/20	8:30	MA EPH
Surrogate Recovery											
1-chloro-octadecane SUR		44	40-140	%	1	DBV	4/15/20	12658	4/16/20	8:30	MA EPH
o-terphenyl SUR		48	40-140	%	1	DBV	4/15/20	12658	4/16/20	8:30	MA EPH
2-fluorobiphenyl SUR		67	40-140	%	1	DBV	4/15/20	12658	4/16/20	8:30	MA EPH
2-bromonaphthalene SUR		61	40-140	%	1	DBV	4/15/20	12658	4/16/20	8:30	MA EPH
Limits											

Project ID: Cedar Woods 2180311

Job ID: 52537

Sample#: 52537-002

Sample ID: SB-111 (0-3')

Matrix: Solid

Percent Dry: 82.2% Results expressed on a dry weight basis.

Sampled:	4/8/20 9:12	Reporting		Instr	Dil'n	Prep	Analysis				
Parameter		Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
naphthalene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:28	MA EPH
2-methylnaphthalene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:28	MA EPH
phenanthrene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:28	MA EPH
acenaphthene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:28	MA EPH
acenaphthylene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:28	MA EPH
fluorene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:28	MA EPH
anthracene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:28	MA EPH
fluoranthene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:28	MA EPH
pyrene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:28	MA EPH
benzo(a)anthracene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:28	MA EPH
chrysene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:28	MA EPH
benzo(b)fluoranthene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:28	MA EPH
benzo(k)fluoranthene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:28	MA EPH
benzo(a)pyrene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:28	MA EPH
indeno(1,2,3-cd)pyrene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:28	MA EPH
dibenzo(a,h)anthracene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:28	MA EPH
benzo(g,h,i)perylene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:28	MA EPH
Unadjusted C11-C22 Aromatics		< 19	19	ug/g	1	DBV	4/15/20	12658	4/16/20	3:23	MA EPH
C9-C18 Aliphatics		< 19	19	ug/g	1	DBV	4/15/20	12658	4/16/20	3:23	MA EPH
C19-C36 Aliphatics		40	19	ug/g	1	DBV	4/15/20	12658	4/16/20	3:23	MA EPH
C11-C22 Aromatics		< 19	19	ug/g	1	DBV	4/15/20	12658	4/16/20	3:23	MA EPH
Surrogate Recovery											
Limits											
1-chloro-octadecane SUR		43	40-140	%	1	DBV	4/15/20	12658	4/16/20	3:23	MA EPH
o-terphenyl SUR		49	40-140	%	1	DBV	4/15/20	12658	4/16/20	3:23	MA EPH
2-fluorobiphenyl SUR		74	40-140	%	1	DBV	4/15/20	12658	4/16/20	3:23	MA EPH
2-bromonaphthalene SUR		69	40-140	%	1	DBV	4/15/20	12658	4/16/20	3:23	MA EPH

Project ID: Cedar Woods 2180311

Job ID: 52537

Sample#: 52537-003

Sample ID: SB-111 (4-7')

Matrix: Solid

Percent Dry: 79.9% Results expressed on a dry weight basis.

Parameter	Sampled: 4/8/20 9:15		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
naphthalene	0.35	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	22:00	MA EPH	
2-methylnaphthalene	0.22	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	22:00	MA EPH	
phenanthrene	5.1	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	22:00	MA EPH	
acenaphthene	0.24	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	22:00	MA EPH	
acenaphthylene	< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	22:00	MA EPH	
fluorene	0.43	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	22:00	MA EPH	
anthracene	1.3	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	22:00	MA EPH	
fluoranthene	8.5	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	22:00	MA EPH	
pyrene	6.7	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	22:00	MA EPH	
benzo(a)anthracene	4.1	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	22:00	MA EPH	
chrysene	4.4	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	22:00	MA EPH	
benzo(b)fluoranthene	3.9	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	22:00	MA EPH	
benzo(k)fluoranthene	3.4	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	22:00	MA EPH	
benzo(a)pyrene	4.1	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	22:00	MA EPH	
indeno(1,2,3-cd)pyrene	2.7	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	22:00	MA EPH	
dibenzo(a,h)anthracene	0.95	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	22:00	MA EPH	
benzo(g,h,i)perylene	3.0	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	22:00	MA EPH	
Unadjusted C11-C22 Aromatics	250	97	ug/g	5	DBV	4/15/20	12658	4/16/20	7:56	MA EPH	
C9-C18 Aliphatics	< 97	97	ug/g	5	DBV	4/15/20	12658	4/16/20	7:56	MA EPH	
C19-C36 Aliphatics	340	97	ug/g	5	DBV	4/15/20	12658	4/16/20	7:56	MA EPH	
C11-C22 Aromatics	200	97	ug/g	5	DBV	4/15/20	12658	4/16/20	7:56	MA EPH	
Surrogate Recovery											
1-chloro-octadecane SUR	53	40-140	%	5	DBV	4/15/20	12658	4/16/20	7:56	MA EPH	
o-terphenyl SUR	56	40-140	%	5	DBV	4/15/20	12658	4/16/20	7:56	MA EPH	
2-fluorobiphenyl SUR	71	40-140	%	5	DBV	4/15/20	12658	4/16/20	7:56	MA EPH	
2-bromonaphthalene SUR	62	40-140	%	5	DBV	4/15/20	12658	4/16/20	7:56	MA EPH	
Limits											

Project ID: Cedar Woods 2180311

Job ID: 52537

Sample#: 52537-004

Sample ID: SB-113 (0-3')

Matrix: Solid

Percent Dry: 81.1% Results expressed on a dry weight basis.

Sampled:	4/8/20 9:30	Reporting		Instr	Dil'n	Prep	Analysis				
Parameter		Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
naphthalene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	20:00	MA EPH
2-methylnaphthalene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	20:00	MA EPH
phenanthrene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	20:00	MA EPH
acenaphthene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	20:00	MA EPH
acenaphthylene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	20:00	MA EPH
fluorene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	20:00	MA EPH
anthracene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	20:00	MA EPH
fluoranthene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	20:00	MA EPH
pyrene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	20:00	MA EPH
benzo(a)anthracene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	20:00	MA EPH
chrysene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	20:00	MA EPH
benzo(b)fluoranthene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	20:00	MA EPH
benzo(k)fluoranthene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	20:00	MA EPH
benzo(a)pyrene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	20:00	MA EPH
indeno(1,2,3-cd)pyrene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	20:00	MA EPH
dibenzo(a,h)anthracene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	20:00	MA EPH
benzo(g,h,i)perylene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	20:00	MA EPH
Unadjusted C11-C22 Aromatics		99	19	ug/g	1	DBV	4/15/20	12658	4/16/20	7:22	MA EPH
C9-C18 Aliphatics		< 97	97	ug/g	5	DBV	4/15/20	12658	4/16/20	7:22	MA EPH
C19-C36 Aliphatics		450	97	ug/g	5	DBV	4/15/20	12658	4/16/20	7:22	MA EPH
C11-C22 Aromatics		97	19	ug/g	1	DBV	4/15/20	12658	4/16/20	7:22	MA EPH
Surrogate Recovery											
Limits											
1-chloro-octadecane SUR		52	40-140	%	5	DBV	4/15/20	12658	4/16/20	7:22	MA EPH
o-terphenyl SUR		55	40-140	%	1	DBV	4/15/20	12658	4/16/20	7:22	MA EPH
2-fluorobiphenyl SUR		70	40-140	%	1	DBV	4/15/20	12658	4/16/20	7:22	MA EPH
2-bromonaphthalene SUR		64	40-140	%	1	DBV	4/15/20	12658	4/16/20	7:22	MA EPH

Project ID: Cedar Woods 2180311

Job ID: 52537

Sample#: 52537-005

Sample ID: SB-113 (5-8')

Matrix: Solid

Percent Dry: 87.2% Results expressed on a dry weight basis.

Sampled:	4/8/20 9:40	Reporting		Instr	Dil'n	Prep	Analysis				
Parameter		Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
naphthalene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:58	MA EPH
2-methylnaphthalene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:58	MA EPH
phenanthrene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:58	MA EPH
acenaphthene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:58	MA EPH
acenaphthylene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:58	MA EPH
fluorene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:58	MA EPH
anthracene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:58	MA EPH
fluoranthene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:58	MA EPH
pyrene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:58	MA EPH
benzo(a)anthracene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:58	MA EPH
chrysene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:58	MA EPH
benzo(b)fluoranthene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:58	MA EPH
benzo(k)fluoranthene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:58	MA EPH
benzo(a)pyrene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:58	MA EPH
indeno(1,2,3-cd)pyrene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:58	MA EPH
dibenzo(a,h)anthracene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:58	MA EPH
benzo(g,h,i)perylene		< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	17:58	MA EPH
Unadjusted C11-C22 Aromatics		< 19	19	ug/g	1	DBV	4/15/20	12658	4/16/20	3:57	MA EPH
C9-C18 Aliphatics		< 19	19	ug/g	1	DBV	4/15/20	12658	4/16/20	3:57	MA EPH
C19-C36 Aliphatics		< 19	19	ug/g	1	DBV	4/15/20	12658	4/16/20	3:57	MA EPH
C11-C22 Aromatics		< 19	19	ug/g	1	DBV	4/15/20	12658	4/16/20	3:57	MA EPH
Surrogate Recovery											
Limits											
1-chloro-octadecane SUR		52	40-140	%	1	DBV	4/15/20	12658	4/16/20	3:57	MA EPH
o-terphenyl SUR		61	40-140	%	1	DBV	4/15/20	12658	4/16/20	3:57	MA EPH
2-fluorobiphenyl SUR		72	40-140	%	1	DBV	4/15/20	12658	4/16/20	3:57	MA EPH
2-bromonaphthalene SUR		66	40-140	%	1	DBV	4/15/20	12658	4/16/20	3:57	MA EPH

Project ID: Cedar Woods 2180311

Job ID: 52537

Sample#: 52537-006

Sample ID: SB-115 (0-3')

Matrix: Solid

Percent Dry: 89.3% Results expressed on a dry weight basis.

Sampled:	4/8/20	10:10	Reporting		Instr	Dil'n	Prep	Analysis				
Parameter			Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
naphthalene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	18:29	MA EPH
2-methylnaphthalene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	18:29	MA EPH
phenanthrene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	18:29	MA EPH
acenaphthene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	18:29	MA EPH
acenaphthylene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	18:29	MA EPH
fluorene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	18:29	MA EPH
anthracene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	18:29	MA EPH
fluoranthene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	18:29	MA EPH
pyrene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	18:29	MA EPH
benzo(a)anthracene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	18:29	MA EPH
chrysene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	18:29	MA EPH
benzo(b)fluoranthene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	18:29	MA EPH
benzo(k)fluoranthene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	18:29	MA EPH
benzo(a)pyrene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	18:29	MA EPH
indeno(1,2,3-cd)pyrene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	18:29	MA EPH
dibenzo(a,h)anthracene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	18:29	MA EPH
benzo(g,h,i)perylene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	18:29	MA EPH
Unadjusted C11-C22 Aromatics			< 19	19	ug/g	1	DBV	4/15/20	12658	4/16/20	5:06	MA EPH
C9-C18 Aliphatics			< 19	19	ug/g	1	DBV	4/15/20	12658	4/16/20	5:06	MA EPH
C19-C36 Aliphatics			< 19	19	ug/g	1	DBV	4/15/20	12658	4/16/20	5:06	MA EPH
C11-C22 Aromatics			< 19	19	ug/g	1	DBV	4/15/20	12658	4/16/20	5:06	MA EPH
Surrogate Recovery												
Limits												
1-chloro-octadecane SUR			53	40-140	%	1	DBV	4/15/20	12658	4/16/20	5:06	MA EPH
o-terphenyl SUR			63	40-140	%	1	DBV	4/15/20	12658	4/16/20	5:06	MA EPH
2-fluorobiphenyl SUR			69	40-140	%	1	DBV	4/15/20	12658	4/16/20	5:06	MA EPH
2-bromonaphthalene SUR			62	40-140	%	1	DBV	4/15/20	12658	4/16/20	5:06	MA EPH

Project ID: Cedar Woods 2180311

Job ID: 52537

Sample#: 52537-007

Sample ID: SB-115 (5-8')

Matrix: Solid

Percent Dry: 66.1% Results expressed on a dry weight basis.

Parameter	Sampled:	4/8/20	10:20	Reporting	Instr	Dil'n	Prep	Analysis					
				Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
naphthalene				0.26	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	21:00	MA EPH
2-methylnaphthalene				< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	21:00	MA EPH
phenanthrene				2.2	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	21:00	MA EPH
acenaphthene				< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	21:00	MA EPH
acenaphthylene				< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	21:00	MA EPH
fluorene				0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	21:00	MA EPH
anthracene				0.33	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	21:00	MA EPH
fluoranthene				3.3	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	21:00	MA EPH
pyrene				3.5	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	21:00	MA EPH
benzo(a)anthracene				1.6	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	21:00	MA EPH
chrysene				1.9	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	21:00	MA EPH
benzo(b)fluoranthene				1.8	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	21:00	MA EPH
benzo(k)fluoranthene				1.4	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	21:00	MA EPH
benzo(a)pyrene				1.7	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	21:00	MA EPH
indeno(1,2,3-cd)pyrene				1.2	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	21:00	MA EPH
dibenzo(a,h)anthracene				0.38	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	21:00	MA EPH
benzo(g,h,i)perylene				1.5	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	21:00	MA EPH
Unadjusted C11-C22 Aromatics				96	20	ug/g	1	DBV	4/15/20	12658	4/16/20	6:14	MA EPH
C9-C18 Aliphatics				< 20	20	ug/g	1	DBV	4/15/20	12658	4/16/20	6:14	MA EPH
C19-C36 Aliphatics				57	20	ug/g	1	DBV	4/15/20	12658	4/16/20	6:14	MA EPH
C11-C22 Aromatics				75	20	ug/g	1	DBV	4/15/20	12658	4/16/20	6:14	MA EPH
Surrogate Recovery													
1-chloro-octadecane SUR				55	40-140	%	1	DBV	4/15/20	12658	4/16/20	6:14	MA EPH
o-terphenyl SUR				65	40-140	%	1	DBV	4/15/20	12658	4/16/20	6:14	MA EPH
2-fluorobiphenyl SUR				71	40-140	%	1	DBV	4/15/20	12658	4/16/20	6:14	MA EPH
2-bromonaphthalene SUR				64	40-140	%	1	DBV	4/15/20	12658	4/16/20	6:14	MA EPH
Limits													

Project ID: Cedar Woods 2180311

Job ID: 52537

Sample#: 52537-008

Sample ID: SB-114 (0-3')

Matrix: Solid

Percent Dry: 93.7% Results expressed on a dry weight basis.

Sampled:	4/8/20	10:30	Reporting		Instr	Dil'n	Prep	Analysis				
Parameter			Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
naphthalene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	21:30	MA EPH
2-methylnaphthalene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	21:30	MA EPH
phenanthrene			4.1	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	21:30	MA EPH
acenaphthene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	21:30	MA EPH
acenaphthylene			0.77	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	21:30	MA EPH
fluorene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	21:30	MA EPH
anthracene			0.61	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	21:30	MA EPH
fluoranthene			9.3	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	21:30	MA EPH
pyrene			11	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	21:30	MA EPH
benzo(a)anthracene			4.9	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	21:30	MA EPH
chrysene			5.7	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	21:30	MA EPH
benzo(b)fluoranthene			3.6	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	21:30	MA EPH
benzo(k)fluoranthene			3.4	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	21:30	MA EPH
benzo(a)pyrene			4.4	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	21:30	MA EPH
indeno(1,2,3-cd)pyrene			2.7	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	21:30	MA EPH
dibenzo(a,h)anthracene			0.78	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	21:30	MA EPH
benzo(g,h,i)perylene			3.4	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	21:30	MA EPH
Unadjusted C11-C22 Aromatics			270	19	ug/g	1	DBV	4/15/20	12658	4/16/20	5:40	MA EPH
C9-C18 Aliphatics			< 19	19	ug/g	1	DBV	4/15/20	12658	4/16/20	5:40	MA EPH
C19-C36 Aliphatics			40	19	ug/g	1	DBV	4/15/20	12658	4/16/20	5:40	MA EPH
C11-C22 Aromatics			220	19	ug/g	1	DBV	4/15/20	12658	4/16/20	5:40	MA EPH
Surrogate Recovery												
Limits												
1-chloro-octadecane SUR			49	40-140	%	1	DBV	4/15/20	12658	4/16/20	5:40	MA EPH
o-terphenyl SUR			65	40-140	%	1	DBV	4/15/20	12658	4/16/20	5:40	MA EPH
2-fluorobiphenyl SUR			68	40-140	%	1	DBV	4/15/20	12658	4/16/20	5:40	MA EPH
2-bromonaphthalene SUR			63	40-140	%	1	DBV	4/15/20	12658	4/16/20	5:40	MA EPH

Project ID: Cedar Woods 2180311

Job ID: 52537

Sample#: 52537-009

Sample ID: SB-114 (5-8')

Matrix: Solid

Percent Dry: 68.7% Results expressed on a dry weight basis.

Sampled:	4/8/20	10:50	Reporting		Instr	Dil'n	Prep	Analysis				
Parameter			Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time	Reference
naphthalene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	19:29	MA EPH
2-methylnaphthalene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	19:29	MA EPH
phenanthrene			0.54	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	19:29	MA EPH
acenaphthene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	19:29	MA EPH
acenaphthylene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	19:29	MA EPH
fluorene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	19:29	MA EPH
anthracene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	19:29	MA EPH
fluoranthene			0.77	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	19:29	MA EPH
pyrene			0.69	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	19:29	MA EPH
benzo(a)anthracene			0.33	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	19:29	MA EPH
chrysene			0.38	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	19:29	MA EPH
benzo(b)fluoranthene			0.29	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	19:29	MA EPH
benzo(k)fluoranthene			0.31	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	19:29	MA EPH
benzo(a)pyrene			0.37	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	19:29	MA EPH
indeno(1,2,3-cd)pyrene			0.25	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	19:29	MA EPH
dibenzo(a,h)anthracene			< 0.19	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	19:29	MA EPH
benzo(g,h,i)perylene			0.34	0.19	ug/g	1	CL	4/15/20	12658	4/15/20	19:29	MA EPH
Unadjusted C11-C22 Aromatics			38	19	ug/g	1	DBV	4/15/20	12658	4/16/20	6:48	MA EPH
C9-C18 Aliphatics			< 19	19	ug/g	1	DBV	4/15/20	12658	4/16/20	6:48	MA EPH
C19-C36 Aliphatics			55	19	ug/g	1	DBV	4/15/20	12658	4/16/20	6:48	MA EPH
C11-C22 Aromatics			33	19	ug/g	1	DBV	4/15/20	12658	4/16/20	6:48	MA EPH
Surrogate Recovery												
Limits												
1-chloro-octadecane SUR			52	40-140	%	1	DBV	4/15/20	12658	4/16/20	6:48	MA EPH
o-terphenyl SUR			65	40-140	%	1	DBV	4/15/20	12658	4/16/20	6:48	MA EPH
2-fluorobiphenyl SUR			72	40-140	%	1	DBV	4/15/20	12658	4/16/20	6:48	MA EPH
2-bromonaphthalene SUR			66	40-140	%	1	DBV	4/15/20	12658	4/16/20	6:48	MA EPH

Project ID: Cedar Woods 2180311

Job ID: 52537

Sample#: 52537-010

Sample ID: DUP-2

Matrix: Solid

Percent Dry: 85.6% Results expressed on a dry weight basis.

Parameter	Sampled:	4/8/20	0:00	Reporting	Instr	Dil'n	Prep	Analysis					
				Result	Limit	Units	Analyst	Date	Batch	Date	Time	Reference	
naphthalene				< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	18:59	MA EPH
2-methylnaphthalene				< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	18:59	MA EPH
phenanthrene				< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	18:59	MA EPH
acenaphthene				< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	18:59	MA EPH
acenaphthylene				< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	18:59	MA EPH
fluorene				< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	18:59	MA EPH
anthracene				< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	18:59	MA EPH
fluoranthene				< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	18:59	MA EPH
pyrene				< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	18:59	MA EPH
benzo(a)anthracene				< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	18:59	MA EPH
chrysene				< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	18:59	MA EPH
benzo(b)fluoranthene				< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	18:59	MA EPH
benzo(k)fluoranthene				< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	18:59	MA EPH
benzo(a)pyrene				< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	18:59	MA EPH
indeno(1,2,3-cd)pyrene				< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	18:59	MA EPH
dibenzo(a,h)anthracene				< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	18:59	MA EPH
benzo(g,h,i)perylene				< 0.20	0.20	ug/g	1	CL	4/15/20	12658	4/15/20	18:59	MA EPH
Unadjusted C11-C22 Aromatics				< 20	20	ug/g	1	DBV	4/15/20	12658	4/16/20	4:31	MA EPH
C9-C18 Aliphatics				< 20	20	ug/g	1	DBV	4/15/20	12658	4/16/20	4:31	MA EPH
C19-C36 Aliphatics				< 20	20	ug/g	1	DBV	4/15/20	12658	4/16/20	4:31	MA EPH
C11-C22 Aromatics				< 20	20	ug/g	1	DBV	4/15/20	12658	4/16/20	4:31	MA EPH
Surrogate Recovery													
Limits													
1-chloro-octadecane SUR				43	40-140	%	1	DBV	4/15/20	12658	4/16/20	4:31	MA EPH
o-terphenyl SUR				49	40-140	%	1	DBV	4/15/20	12658	4/16/20	4:31	MA EPH
2-fluorobiphenyl SUR				70	40-140	%	1	DBV	4/15/20	12658	4/16/20	4:31	MA EPH
2-bromonaphthalene SUR				63	40-140	%	1	DBV	4/15/20	12658	4/16/20	4:31	MA EPH

Project ID: Cedar Woods 2180311

Job ID: 52537

Sample#: 52537-001

Sample ID: SB-111 (0-1')

Matrix: Solid

Percent Dry: 91.8% Results expressed on a dry weight basis.

Parameter	Sampled: 4/8/20 9:10		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Antimony	0.45	0.34	ug/g	5	AGN	4/10/20	12634	4/11/20	4:25	SW3051A6020A	
Arsenic	< 1.7	1.7	ug/g	5	AGN	4/10/20	12634	4/11/20	4:25	SW3051A6020A	
Barium	51	3.4	ug/g	5	AGN	4/10/20	12634	4/11/20	4:25	SW3051A6020A	
Beryllium	< 0.34	0.34	ug/g	5	AGN	4/10/20	12634	4/11/20	4:25	SW3051A6020A	
Cadmium	< 0.34	0.34	ug/g	5	AGN	4/10/20	12634	4/11/20	4:25	SW3051A6020A	
Chromium	12	3.4	ug/g	5	AGN	4/10/20	12634	4/11/20	4:25	SW3051A6020A	
Lead	21	1.7	ug/g	5	AGN	4/10/20	12634	4/14/20	23:40	SW3051A6020A	
Mercury	< 0.14	0.14	ug/g	1	AGN	4/9/20	12632	4/15/20	12:50	SW7471B	
Nickel	11	3.4	ug/g	5	AGN	4/10/20	12634	4/11/20	4:25	SW3051A6020A	
Selenium	< 3.4	3.4	ug/g	5	AGN	4/10/20	12634	4/11/20	4:25	SW3051A6020A	
Silver	< 1.7	1.7	ug/g	5	AGN	4/10/20	12634	4/11/20	4:25	SW3051A6020A	
Thallium	< 0.34	0.34	ug/g	5	AGN	4/10/20	12634	4/11/20	4:25	SW3051A6020A	
Vanadium	19	3.4	ug/g	5	AGN	4/10/20	12634	4/11/20	4:25	SW3051A6020A	
Zinc	42	3.4	ug/g	5	AGN	4/10/20	12634	4/14/20	23:40	SW3051A6020A	

Sample#: 52537-002

Sample ID: SB-111 (0-3')

Matrix: Solid

Percent Dry: 82.2% Results expressed on a dry weight basis.

Parameter	Sampled: 4/8/20 9:12		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Antimony	29	0.48	ug/g	5	AGN	4/10/20	12634	4/14/20	23:50	SW3051A6020A	
Arsenic	12	2.4	ug/g	5	AGN	4/10/20	12634	4/14/20	23:50	SW3051A6020A	
Barium	260 M	4.8	ug/g	5	AGN	4/10/20	12634	4/11/20	4:33	SW3051A6020A	
Beryllium	< 0.48	0.48	ug/g	5	AGN	4/10/20	12634	4/11/20	4:33	SW3051A6020A	
Cadmium	3.8 DM	0.48	ug/g	5	AGN	4/10/20	12634	4/14/20	23:50	SW3051A6020A	
Chromium	43	4.8	ug/g	5	AGN	4/10/20	12634	4/11/20	4:33	SW3051A6020A	
Lead	630 M	2.4	ug/g	5	AGN	4/10/20	12634	4/14/20	23:50	SW3051A6020A	
Mercury	0.26	0.18	ug/g	1	AGN	4/14/20	12647	4/16/20	16:10	SW7471B	
Nickel	52	4.8	ug/g	5	AGN	4/10/20	12634	4/11/20	4:33	SW3051A6020A	
Selenium	< 4.8	M	4.8	ug/g	5	AGN	4/10/20	12634	4/11/20	4:33	SW3051A6020A
Silver	4.5	2.4	ug/g	5	AGN	4/10/20	12634	4/11/20	4:33	SW3051A6020A	
Thallium	< 0.48	0.48	ug/g	5	AGN	4/10/20	12634	4/11/20	4:33	SW3051A6020A	
Vanadium	12	4.8	ug/g	5	AGN	4/10/20	12634	4/11/20	4:33	SW3051A6020A	
Zinc	1500	4.8	ug/g	5	AGN	4/10/20	12634	4/14/20	23:50	SW3051A6020A	

M = The recovery for the matrix spike was 133%. The acceptance criteria is 75-125%.

D = The RPD for the matrix spike duplicate was outside the 20% acceptance range. M = The recovery for the matrix spike was 192%. The acceptance criteria is 75-125%.

M = The recovery for the matrix spike was 196%. The acceptance criteria is 75-125%.

M = The recovery for the matrix spike was 72%. The acceptance criteria is 75-125%.

Project ID: Cedar Woods 2180311

Job ID: 52537

Sample#: 52537-003

Sample ID: SB-111 (4-7')

Matrix: Solid

Percent Dry: 79.9% Results expressed on a dry weight basis.

Parameter	Sampled: 4/8/20 9:15		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Antimony	4.6	0.40	ug/g	5	AGN	4/10/20	12634	4/15/20	0:18	SW3051A6020A	
Arsenic	8.2	2.0	ug/g	5	AGN	4/10/20	12634	4/15/20	0:18	SW3051A6020A	
Barium	80	4.0	ug/g	5	AGN	4/10/20	12634	4/11/20	4:59	SW3051A6020A	
Beryllium	0.44	0.40	ug/g	5	AGN	4/10/20	12634	4/11/20	4:59	SW3051A6020A	
Cadmium	0.70	0.40	ug/g	5	AGN	4/10/20	12634	4/15/20	0:18	SW3051A6020A	
Chromium	13	4.0	ug/g	5	AGN	4/10/20	12634	4/11/20	4:59	SW3051A6020A	
Lead	460	2.0	ug/g	5	AGN	4/10/20	12634	4/15/20	0:18	SW3051A6020A	
Mercury	< 0.16	0.16	ug/g	1	AGN	4/9/20	12632	4/15/20	12:52	SW7471B	
Nickel	18	4.0	ug/g	5	AGN	4/10/20	12634	4/11/20	4:59	SW3051A6020A	
Selenium	< 4.0	4.0	ug/g	5	AGN	4/10/20	12634	4/11/20	4:59	SW3051A6020A	
Silver	< 2.0	2.0	ug/g	5	AGN	4/10/20	12634	4/11/20	4:59	SW3051A6020A	
Thallium	0.40	0.40	ug/g	5	AGN	4/10/20	12634	4/11/20	4:59	SW3051A6020A	
Vanadium	14	4.0	ug/g	5	AGN	4/10/20	12634	4/11/20	4:59	SW3051A6020A	
Zinc	330	4.0	ug/g	5	AGN	4/10/20	12634	4/15/20	0:18	SW3051A6020A	

Sample#: 52537-004

Sample ID: SB-113 (0-3')

Matrix: Solid

Percent Dry: 81.1% Results expressed on a dry weight basis.

Parameter	Sampled: 4/8/20 9:30		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Antimony	< 0.56	0.56	ug/g	5	AGN	4/10/20	12634	4/15/20	0:55	SW3051A6020A	
Arsenic	3.7	2.8	ug/g	5	AGN	4/10/20	12634	4/15/20	0:55	SW3051A6020A	
Barium	48	5.6	ug/g	5	AGN	4/10/20	12634	4/11/20	5:07	SW3051A6020A	
Beryllium	0.69	0.56	ug/g	5	AGN	4/10/20	12634	4/11/20	5:07	SW3051A6020A	
Cadmium	< 0.56	0.56	ug/g	5	AGN	4/10/20	12634	4/11/20	5:07	SW3051A6020A	
Chromium	15	5.6	ug/g	5	AGN	4/10/20	12634	4/11/20	5:07	SW3051A6020A	
Lead	36	2.8	ug/g	5	AGN	4/10/20	12634	4/15/20	0:55	SW3051A6020A	
Mercury	< 0.16	0.16	ug/g	1	AGN	4/9/20	12632	4/15/20	12:54	SW7471B	
Nickel	< 5.6	5.6	ug/g	5	AGN	4/10/20	12634	4/11/20	5:07	SW3051A6020A	
Selenium	< 5.6	5.6	ug/g	5	AGN	4/10/20	12634	4/11/20	5:07	SW3051A6020A	
Silver	< 2.8	2.8	ug/g	5	AGN	4/10/20	12634	4/11/20	5:07	SW3051A6020A	
Thallium	< 0.56	0.56	ug/g	5	AGN	4/10/20	12634	4/11/20	5:07	SW3051A6020A	
Vanadium	16	5.6	ug/g	5	AGN	4/10/20	12634	4/11/20	5:07	SW3051A6020A	
Zinc	43	5.6	ug/g	5	AGN	4/10/20	12634	4/15/20	0:55	SW3051A6020A	

Project ID: Cedar Woods 2180311

Job ID: 52537

Sample#: 52537-005

Sample ID: SB-113 (5-8')

Matrix: Solid

Percent Dry: 87.2% Results expressed on a dry weight basis.

Parameter	Sampled: 4/8/20 9:40		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Antimony	< 0.42	0.42	ug/g	5	AGN	4/10/20	12634	4/11/20	5:15	SW3051A6020A	
Arsenic	< 2.1	2.1	ug/g	5	AGN	4/10/20	12634	4/11/20	5:15	SW3051A6020A	
Barium	26	4.2	ug/g	5	AGN	4/10/20	12634	4/11/20	5:15	SW3051A6020A	
Beryllium	< 0.42	0.42	ug/g	5	AGN	4/10/20	12634	4/11/20	5:15	SW3051A6020A	
Cadmium	< 0.42	0.42	ug/g	5	AGN	4/10/20	12634	4/11/20	5:15	SW3051A6020A	
Chromium	5.7	4.2	ug/g	5	AGN	4/10/20	12634	4/11/20	5:15	SW3051A6020A	
Lead	3.2	2.1	ug/g	5	AGN	4/10/20	12634	4/15/20	1:04	SW3051A6020A	
Mercury	< 0.15	0.15	ug/g	1	AGN	4/9/20	12632	4/15/20	12:56	SW7471B	
Nickel	6.2	4.2	ug/g	5	AGN	4/10/20	12634	4/11/20	5:15	SW3051A6020A	
Selenium	< 4.2	4.2	ug/g	5	AGN	4/10/20	12634	4/11/20	5:15	SW3051A6020A	
Silver	< 2.1	2.1	ug/g	5	AGN	4/10/20	12634	4/11/20	5:15	SW3051A6020A	
Thallium	< 0.42	0.42	ug/g	5	AGN	4/10/20	12634	4/11/20	5:15	SW3051A6020A	
Vanadium	7.8	4.2	ug/g	5	AGN	4/10/20	12634	4/11/20	5:15	SW3051A6020A	
Zinc	18	4.2	ug/g	5	AGN	4/10/20	12634	4/15/20	1:04	SW3051A6020A	

Sample#: 52537-006

Sample ID: SB-115 (0-3')

Matrix: Solid

Percent Dry: 89.3% Results expressed on a dry weight basis.

Parameter	Sampled: 4/8/20 10:10		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Antimony	< 0.40	0.40	ug/g	5	AGN	4/10/20	12634	4/11/20	5:49	SW3051A6020A	
Arsenic	2.6	2.0	ug/g	5	AGN	4/10/20	12634	4/11/20	5:49	SW3051A6020A	
Barium	30	4.0	ug/g	5	AGN	4/10/20	12634	4/11/20	5:49	SW3051A6020A	
Beryllium	0.56	0.40	ug/g	5	AGN	4/10/20	12634	4/11/20	5:49	SW3051A6020A	
Cadmium	< 0.40	0.40	ug/g	5	AGN	4/10/20	12634	4/11/20	5:49	SW3051A6020A	
Chromium	8.0	4.0	ug/g	5	AGN	4/10/20	12634	4/11/20	5:49	SW3051A6020A	
Lead	14	2.0	ug/g	5	AGN	4/10/20	12634	4/15/20	1:14	SW3051A6020A	
Mercury	< 0.13	0.13	ug/g	1	AGN	4/9/20	12632	4/15/20	12:57	SW7471B	
Nickel	5.4	4.0	ug/g	5	AGN	4/10/20	12634	4/11/20	5:49	SW3051A6020A	
Selenium	< 4.0	4.0	ug/g	5	AGN	4/10/20	12634	4/11/20	5:49	SW3051A6020A	
Silver	< 2.0	2.0	ug/g	5	AGN	4/10/20	12634	4/11/20	5:49	SW3051A6020A	
Thallium	< 0.40	0.40	ug/g	5	AGN	4/10/20	12634	4/11/20	5:49	SW3051A6020A	
Vanadium	11	4.0	ug/g	5	AGN	4/10/20	12634	4/11/20	5:49	SW3051A6020A	
Zinc	28	4.0	ug/g	5	AGN	4/10/20	12634	4/15/20	1:14	SW3051A6020A	

Project ID: Cedar Woods 2180311

Job ID: 52537

Sample#: 52537-007

Sample ID: SB-115 (5-8')

Matrix: Solid

Percent Dry: 66.1% Results expressed on a dry weight basis.

Parameter	Sampled: 4/8/20	10:20	Reporting	Instr	Dil'n	Prep	Analysis			Reference	
			Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time
Antimony			1.7	0.64	ug/g	5	AGN	4/10/20	12634	4/15/20	1:23
Arsenic			8.3	3.2	ug/g	5	AGN	4/10/20	12634	4/11/20	5:57
Barium			94	6.4	ug/g	5	AGN	4/10/20	12634	4/11/20	5:57
Beryllium			< 0.64	0.64	ug/g	5	AGN	4/10/20	12634	4/11/20	5:57
Cadmium			< 0.64	0.64	ug/g	5	AGN	4/10/20	12634	4/11/20	5:57
Chromium			15	6.4	ug/g	5	AGN	4/10/20	12634	4/11/20	5:57
Lead			330	3.2	ug/g	5	AGN	4/10/20	12634	4/15/20	1:23
Mercury			< 0.21	0.21	ug/g	1	AGN	4/14/20	12647	4/16/20	16:16
Nickel			9.9	6.4	ug/g	5	AGN	4/10/20	12634	4/11/20	5:57
Selenium			< 6.4	6.4	ug/g	5	AGN	4/10/20	12634	4/11/20	5:57
Silver			< 3.2	3.2	ug/g	5	AGN	4/10/20	12634	4/11/20	5:57
Thallium			< 0.64	0.64	ug/g	5	AGN	4/10/20	12634	4/11/20	5:57
Vanadium			16	6.4	ug/g	5	AGN	4/10/20	12634	4/11/20	5:57
Zinc			210	6.4	ug/g	5	AGN	4/10/20	12634	4/15/20	1:23

Sample#: 52537-008

Sample ID: SB-114 (0-3')

Matrix: Solid

Percent Dry: 93.7% Results expressed on a dry weight basis.

Parameter	Sampled: 4/8/20	10:30	Reporting	Instr	Dil'n	Prep	Analysis			Reference	
			Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time
Antimony			< 0.48	0.48	ug/g	5	AGN	4/10/20	12634	4/11/20	6:05
Arsenic			< 2.4	2.4	ug/g	5	AGN	4/10/20	12634	4/11/20	6:05
Barium			17	4.8	ug/g	5	AGN	4/10/20	12634	4/11/20	6:05
Beryllium			< 0.48	0.48	ug/g	5	AGN	4/10/20	12634	4/11/20	6:05
Cadmium			< 0.48	0.48	ug/g	5	AGN	4/10/20	12634	4/11/20	6:05
Chromium			< 4.8	4.8	ug/g	5	AGN	4/10/20	12634	4/11/20	6:05
Lead			21	2.4	ug/g	5	AGN	4/10/20	12634	4/15/20	1:32
Mercury			< 0.15	0.15	ug/g	1	AGN	4/14/20	12647	4/16/20	16:18
Nickel			< 4.8	4.8	ug/g	5	AGN	4/10/20	12634	4/11/20	6:05
Selenium			< 4.8	4.8	ug/g	5	AGN	4/10/20	12634	4/11/20	6:05
Silver			< 2.4	2.4	ug/g	5	AGN	4/10/20	12634	4/11/20	6:05
Thallium			< 0.48	0.48	ug/g	5	AGN	4/10/20	12634	4/11/20	6:05
Vanadium			< 4.8	4.8	ug/g	5	AGN	4/10/20	12634	4/11/20	6:05
Zinc			40	4.8	ug/g	5	AGN	4/10/20	12634	4/15/20	1:32

Project ID: Cedar Woods 2180311

Job ID: 52537

Sample#: 52537-009

Sample ID: SB-114 (5-8')

Matrix: Solid

Percent Dry: 68.7% Results expressed on a dry weight basis.

Parameter	Sampled: 4/8/20	10:50	Reporting	Instr	Dil'n	Prep	Analysis			Reference	
			Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time
Antimony			0.66	0.59	ug/g	5	AGN	4/10/20	12634	4/15/20	1:42
Arsenic			< 15	15	ug/g	25	AGN	4/10/20	12634	4/16/20	14:46
Barium			210	5.9	ug/g	5	AGN	4/10/20	12634	4/11/20	6:14
Beryllium			< 0.59	0.59	ug/g	5	AGN	4/10/20	12634	4/15/20	1:42
Cadmium			< 0.59	0.59	ug/g	5	AGN	4/10/20	12634	4/11/20	6:14
Chromium			< 29	29	ug/g	25	AGN	4/10/20	12634	4/16/20	14:46
Lead			270	2.9	ug/g	5	AGN	4/10/20	12634	4/15/20	1:42
Mercury			< 0.21	0.21	ug/g	1	AGN	4/14/20	12647	4/16/20	16:19
Nickel			< 29	29	ug/g	25	AGN	4/10/20	12634	4/16/20	14:46
Selenium			< 29	29	ug/g	25	AGN	4/10/20	12634	4/16/20	14:46
Silver			< 2.9	2.9	ug/g	5	AGN	4/10/20	12634	4/11/20	6:14
Thallium			< 0.59	0.59	ug/g	5	AGN	4/10/20	12634	4/11/20	6:14
Vanadium			< 29	29	ug/g	25	AGN	4/10/20	12634	4/16/20	14:46
Zinc			340	29	ug/g	25	AGN	4/10/20	12634	4/16/20	14:46

Sample#: 52537-010

Sample ID: DUP-2

Matrix: Solid

Percent Dry: 85.6% Results expressed on a dry weight basis.

Parameter	Sampled: 4/8/20	0:00	Reporting	Instr	Dil'n	Prep	Analysis			Reference	
			Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time
Antimony			< 0.44	0.44	ug/g	5	AGN	4/10/20	12634	4/11/20	6:22
Arsenic			< 2.2	2.2	ug/g	5	AGN	4/10/20	12634	4/11/20	6:22
Barium			26	4.4	ug/g	5	AGN	4/10/20	12634	4/11/20	6:22
Beryllium			< 0.44	0.44	ug/g	5	AGN	4/10/20	12634	4/11/20	6:22
Cadmium			< 0.44	0.44	ug/g	5	AGN	4/10/20	12634	4/11/20	6:22
Chromium			6.3	4.4	ug/g	5	AGN	4/10/20	12634	4/11/20	6:22
Lead			3.4	2.2	ug/g	5	AGN	4/10/20	12634	4/15/20	1:51
Mercury			< 0.14	0.14	ug/g	1	AGN	4/14/20	12647	4/16/20	16:21
Nickel			5.9	4.4	ug/g	5	AGN	4/10/20	12634	4/11/20	6:22
Selenium			< 4.4	4.4	ug/g	5	AGN	4/10/20	12634	4/11/20	6:22
Silver			< 2.2	2.2	ug/g	5	AGN	4/10/20	12634	4/11/20	6:22
Thallium			< 0.44	0.44	ug/g	5	AGN	4/10/20	12634	4/11/20	6:22
Vanadium			8.3	4.4	ug/g	5	AGN	4/10/20	12634	4/11/20	6:22
Zinc			18	4.4	ug/g	5	AGN	4/10/20	12634	4/15/20	1:51

Project ID: Cedar Woods 2180311

Job ID: 52537

Sample#: 52537-003

Sample ID: SB-111 (4-7')

Matrix: Solid Percent Dry: 79.9% Results expressed on a dry weight basis.

Parameter	Sampled: 4/8/20 9:15		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Chromium, Hexavalent	1.7	0.48	ug/g	1	SFM		2001871	4/10/20	11:30	SW3060A7196A	
Oxidation Reduction Potential	230		mV	1	WAS		2001852	4/9/20	6:15	ASTM1498-08	
pH	7.3		pH	1	WAS		2001855	4/9/20	5:57	SW9045C	

Sample#: 52537-005

Sample ID: SB-113 (5-8')

Matrix: Solid Percent Dry: 87.2% Results expressed on a dry weight basis.

Parameter	Sampled: 4/8/20 9:40		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Chromium, Hexavalent	< 0.40	0.40	ug/g	1	SFM		2001871	4/10/20	11:30	SW3060A7196A	
Oxidation Reduction Potential	230		mV	1	WAS		2001852	4/9/20	6:33	ASTM1498-08	
pH	8.2		pH	1	WAS		2001855	4/9/20	6:04	SW9045C	

Sample#: 52537-007

Sample ID: SB-115 (5-8')

Matrix: Solid Percent Dry: 66.1% Results expressed on a dry weight basis.

Parameter	Sampled: 4/8/20 10:20		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Chromium, Hexavalent	< 0.59	0.59	ug/g	1	SFM		2001871	4/10/20	11:30	SW3060A7196A	
Oxidation Reduction Potential	160		mV	1	WAS		2001852	4/9/20	7:00	ASTM1498-08	
pH	7.0		pH	1	WAS		2001855	4/9/20	6:08	SW9045C	

Sample#: 52537-009

Sample ID: SB-114 (5-8')

Matrix: Solid Percent Dry: 68.7% Results expressed on a dry weight basis.

Parameter	Sampled: 4/8/20 10:50		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Chromium, Hexavalent	< 0.59 M	0.59	ug/g	1	SFM		2001871	4/10/20	11:30	SW3060A7196A	
Oxidation Reduction Potential	200		mV	1	WAS		2001852	4/9/20	7:08	ASTM1498-08	
pH	8.1		pH	1	WAS		2001855	4/9/20	6:15	SW9045C	

M = The percent recovery in the matrix spike was outside acceptance criteria. See case narrative.

Quality Control Report



124 Heritage Avenue Unit 16
Portsmouth, NH 03801
www.absoluteresourceassociates.com

MassDEP Analytical Protocol Certification Form

Laboratory Name: Absolute Resource Associates

Project #: 2180311

Project Location: Massachusetts

RTN:

This Form provides certifications for the following data set: list Laboratory Sample ID Number(s): 52537

Matrices: Groundwater/Surface Water Soil/Sediment Drinking Water Air Other:

CAM Protocol (check all that apply below):

8260 VOC CAM II A <input type="checkbox"/>	7470/7471 Hg CAM III B <input checked="" type="checkbox"/>	MassDEP VPH (GC/PID/FID) CAM IV A <input checked="" type="checkbox"/>	8082 PCB CAM V A <input type="checkbox"/>	9014 Total Cyanide/PAC CAM VI A <input type="checkbox"/>	6860 Perchlorate CAM VIII B <input type="checkbox"/>
8270 SVOC CAM II B <input type="checkbox"/>	7010 Metals CAM III C <input type="checkbox"/>	MassDEP VPH (GC/MS) CAM IV C <input type="checkbox"/>	8081 Pesticides CAM V B <input type="checkbox"/>	7196 Hex Cr CAM VI B <input checked="" type="checkbox"/>	MassDEP APH CAM IX A <input type="checkbox"/>
6010 Metals CAM III A <input type="checkbox"/>	6020 Metals CAM III D <input checked="" type="checkbox"/>	MassDEP EPH CAM IV B <input checked="" type="checkbox"/>	8151 Herbicides CAM V C <input type="checkbox"/>	8330 Explosives CAM VIII A <input type="checkbox"/>	TO-15 VOC CAM IX B <input type="checkbox"/>

Affirmative Responses to Questions A through F are required for "Presumptive Certainty" status

A	Were all samples received in a condition consistent with those described on the Chain-of-Custody, properly preserved (including temperature) in the field or laboratory, and prepared/analyzed within method holding times?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B	Were the analytical method(s) and all associated QC requirements specified in the selected CAM protocol(s) followed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
C	Were all required corrective actions and analytical response actions specified in the selected CAM protocol(s) implemented for all identified performance standard non-conformances?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
D	Does the laboratory report comply with all the reporting requirements specified in CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data"?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
E	VPH, EPH, APH, and TO-15 only a. VPH, EPH, and APH Methods only: Was each method conducted without significant modification(s)? (Refer to the individual method(s) for a list of significant modifications). b. APH and TO-15 Methods only: Was the complete analyte list reported for each method?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> No
F	Were all applicable CAM protocol QC and performance standard non-conformances identified and evaluated in a laboratory narrative (including all "No" responses to Questions A through E)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Responses to Questions G, H and I below are required for "Presumptive Certainty" status

G	Were the reporting limits at or below all CAM reporting limits specified in the selected CAM protocol(s)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No ¹
---	---	--

Data User Note: Data that achieve "Presumptive Certainty" status may not necessarily meet the data usability and representativeness requirements described in 310 CMR 40. 1056 (2)(k) and WSC-07-350.

H	Were all QC performance standards specified in the CAM protocol(s) achieved?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No ¹
I	Were results reported for the complete analyte list specified in the selected CAM protocol(s)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No ¹

¹All negative responses must be addressed in an attached laboratory narrative.

I, the undersigned, attest under the pains and penalties of perjury that, based upon my personal inquiry of those responsible for obtaining the information, the material contained in this analytical report is, to the best of my knowledge and belief, is accurate and complete.

Signature: 

Position: Chief Operating Officer

Printed Name: Aaron DeWees

Date: 4/20/20

Sample Integrity Table

Parameter	Method	Matrix	Minimum Volume	Recommended Container(s)	Required Preservation	Holding Time
Volatile Organics	EPA 8260	Aqueous	40mL	2 x 40mL VOA Vials with Teflon lined septa	Cool to $\leq 6^{\circ}\text{C}$ 1:1 HCl to pH <2	14 Days
Volatile Organics	EPA 8260	Solid	40mL	1 x 40mL VOA Vial with 10mLs Methanol <u>and</u> 1 unpreserved container for percent moisture	Cool to $\leq 6^{\circ}\text{C}$ Methanol	14 Days
Semivolatile Organics	EPA 8270	Aqueous	1L	1L Amber Glass Bottle w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	7 Days
Semivolatile Organics	EPA 8270	Solid	20g	4oz Amber Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	14 Days
Organochlorine Pesticides	EPA 8081	Aqueous	1L	1L Amber Glass Bottle w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	7 Days
Organochlorine Pesticides	EPA 8081	Solid	20g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	14 Days
PCBs	EPA 8082	Aqueous	1L	1L Amber Glass Bottle w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	365 Days
PCBs	EPA 8082	Solid	20g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	365 Days
Herbicides (subcontracted)	EPA 8151	Aqueous	1L	1L Amber Glass Bottle w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	7 Days
Herbicides (subcontracted)	EPA 8151	Solid	30g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	14 Days
MA DEP VPH	MADEP VPH	Aqueous	40mL	2 x 40mL VOA Vials with Teflon lined septa	Cool to $\leq 6^{\circ}\text{C}$ 1:1 HCl to pH <2	14 Days
MA DEP VPH	MADEP VPH	Solid	40mL	1 x 40mL VOA Vial with 10mLs Methanol <u>and</u> 1 unpreserved container for percent moisture	Cool to $\leq 6^{\circ}\text{C}$ Methanol	28 Days
MA DEP EPH	MADEP EPH	Aqueous	1L	1L Amber Glass Bottle w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$ 1:1 HCl to pH <2	14 Days
MA DEP EPH	MADEP EPH	Solid	30g	4oz Amber Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	14 Days
Total Metals	EPA 6010	Aqueous	100mL	250mL Polyethylene Bottle	1:1 HNO ₃ to pH <2	180 Days
Dissolved Metals	EPA 6010	Aqueous	100mL	250mL Polyethylene Bottle	Filter First 1:1 HNO ₃ to pH <2	180 Days
Total Metals	EPA 6010	Solid	15g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	180 Days
Total Mercury (may be combined with Total Metals)	EPA 7470	Aqueous	100mL	125mL Polyethylene Bottle	1:1 HNO ₃ to pH <2	28 Days
Total Mercury (may be combined with Total Metals)	EPA 7471	Solid	15g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	28 Days
Chromium, Hexavalent	EPA 7196	Aqueous	100mL	125mL Polyethylene Bottle	Cool to $\leq 6^{\circ}\text{C}$ (NH4)2SO ₄ buffer	28 Days
Chromium, Hexavalent (subcontract)	EPA 7196	Solid	15g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	30 Days
Cyanide, Total	EPA 9014	Aqueous	125mL	125mL Polyethylene Bottle	Cool to $\leq 6^{\circ}\text{C}$ 1:1 NaOH to pH >8	14 Days
Cyanide, Total	EPA 9014	Solid	15g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	14 Days



Case Narrative

Lab # 52537

Sample Receiving and Chain of Custody Discrepancies

Samples were received in acceptable condition, between 0 and 6 degrees C, on ice, and in accordance with sample handling, preservation and integrity guidelines.

As noted on the result page, the VPH samples did not meet the 1:1 +/-25% methanol to soil ratio.

Calibration

SVOC: See the included table for a list of compounds quantitated by quadratic equation.

Method Blank

No exceptions noted.

Surrogate Recoveries

VPH: Samples 52537-003, -005, and -010 had a recovery for a,a,a-trifluorotoluene that was low and outside acceptance limits.

Laboratory Control Sample Results

VOC: The LCSD2001516 did not meet the acceptance criteria for t-butanol (TBA). Since <10% of the compounds were outside of the acceptance criteria, reanalysis is not required.

Matrix Spike/Matrix Spike Duplicate/Duplicate Results

Metals: The percent recovery in the MS/D of 52537-002 for barium (133%), cadmium (192%), lead (196 and 138%) and selenium (72 and 74%) were outside the acceptance criteria of 75-125%. The RPD for cadmium was 63% which was outside the acceptance limit of 20%. All other batch QC was within acceptance.

Chromium, Hexavalent: The matrix spike/duplicate for 52537-009 did not meet the acceptance criteria. The percent recovery was acceptable in the associated CRM/CRMD. The results for the ORP and pH analysis show the samples exhibits a reducing nature therefore resulting in poor spike recovery. The sample has been qualified accordingly.

Other

VPH: The trap used for VPH analysis is a Tekmar STRATUM Purge Trap 9. The column used for VPH analysis is a Restek Rtx-502.2, 105m, 0.53mmID, and 3um df.

MassDEP Analytical Protocol Certification Form Questions A through I

No explanation is needed for Questions A through I answered in the affirmative.

Question G: The CAM protocol reporting limits were not achieved for this project due to dilutions necessary for sample analysis. Box G is "No."

Question H: See surrogate section above. Box H is "No."



Quantitation by Quadratic Equation
Lab # 52537

SVOC: Quantitation of the following compounds was based on a quadratic equation:

2-methylnaphthalene
benzo(k)fluoranthene
indeno(1,2,3-cd)pyrene
dibenz(a,h)anthracene
benzo(g,h,i)perylene

GLOSSARY

%R	Percent Recovery
BLK	Blank (Method Blank, Preparation Blank)
CCB	Continuing Calibration Blank
CCV	Continuing Calibration Verification
CRM	Certified Reference Material (associated with solid Metals samples)
CRMD	Certified Reference Material Duplicate (associated with solid Metals samples)
Dil'n	Dilution
DL	Detection Limit
DUP	Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
LOD	Limit of Detection
LOQ	Limit of Quantitation
MB	Methanol Blank (associated with solid VOC samples)
MLCS	Methanol Laboratory Control Sample (associated with solid VOC samples)
MLCSD	Methanol Laboratory Control Sample Duplicate (associated with solid VOC samples)
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PB	Preparation Blank
QC	Quality Control
RL	Reporting Limit
RPD	Relative Percent Difference
SUR	Surrogate



124 Heritage Avenue Unit 16
Portsmouth, NH 03801
www.absoluteresourceassociates.com

- QC Report -

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit	
MA VPH	MB12628	Unadjusted C5-C8 Aliphatics		<	5.0	ug/g					
		Unadjusted C9-C12 Aliphatics		<	5.0	ug/g					
		methyl t-butyl ether (MTBE)		<	0.10	ug/g					
		benzene		<	0.10	ug/g					
		toluene		<	0.10	ug/g					
		ethylbenzene		<	0.10	ug/g					
		m&p-xlenes		<	0.10	ug/g					
		o-xylene		<	0.10	ug/g					
		naphthalene		<	0.25	ug/g					
		C5-C8 Aliphatics		<	5.0	ug/g					
		C9-C12 Aliphatics		<	5.0	ug/g					
		C9-C10 Aromatics		<	5.0	ug/g					
		2,5-dibromotoluene as Aromatic SUR		113	%			70	130		
		2,5-dibromotoluene as Aliphatic SUR		112	%			70	130		
		a,a,a-trifluorotoluene SUR		90	%			70	130		
MA VPH	MLCS12628	Unadjusted C5-C8 Aliphatics		14	ug/g	15	93	70	130		
		Unadjusted C9-C12 Aliphatics		13	ug/g	15	89	70	130		
		methyl t-butyl ether (MTBE)		4.6	ug/g	5	92	70	130		
		benzene		4.8	ug/g	5	97	70	130		
		toluene		4.8	ug/g	5	95	70	130		
		ethylbenzene		4.8	ug/g	5	96	70	130		
		m&p-xlenes		9.7	ug/g	10	97	70	130		
		o-xylene		4.8	ug/g	5	96	70	130		
		naphthalene		5.0	ug/g	5	100	70	130		
		C5-C8 Aliphatics		<	5.0	ug/g		70	130		
		C9-C12 Aliphatics		<	5.0	ug/g		70	130		
		C9-C10 Aromatics		5.1	ug/g	5	102	70	130		
		2,5-dibromotoluene as Aromatic SUR		111	%			70	130		
		2,5-dibromotoluene as Aliphatic SUR		112	%			70	130		
		a,a,a-trifluorotoluene SUR		86	%			70	130		
MA VPH	MLCSD12628	Unadjusted C5-C8 Aliphatics		14	ug/g	15	93	70	130	0	25
		Unadjusted C9-C12 Aliphatics		14	ug/g	15	90	70	130	2	25
		methyl t-butyl ether (MTBE)		4.7	ug/g	5	93	70	130	1	25
		benzene		4.9	ug/g	5	99	70	130	2	25
		toluene		4.9	ug/g	5	98	70	130	3	25
		ethylbenzene		4.9	ug/g	5	99	70	130	3	25
		m&p-xlenes		10.0	ug/g	10	100	70	130	3	25
		o-xylene		4.9	ug/g	5	99	70	130	2	25
		naphthalene		5.1	ug/g	5	102	70	130	2	25
		C5-C8 Aliphatics		<	5.0	ug/g		70	130		25
		C9-C12 Aliphatics		<	5.0	ug/g		70	130		25
		C9-C10 Aromatics		5.2	ug/g	5	103	70	130	1	25
		2,5-dibromotoluene as Aromatic SUR		99	%			70	130		
		2,5-dibromotoluene as Aliphatic SUR		100	%			70	130		
		a,a,a-trifluorotoluene SUR		90	%			70	130		

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
MA EPH	BLK12658	naphthalene		<	0.20	ug/g				
		2-methylnaphthalene		<	0.20	ug/g				
		phenanthrene		<	0.20	ug/g				
		acenaphthene		<	0.20	ug/g				
		acenaphthylene		<	0.20	ug/g				
		fluorene		<	0.20	ug/g				
		anthracene		<	0.20	ug/g				
		fluoranthene		<	0.20	ug/g				
		pyrene		<	0.20	ug/g				
		benzo(a)anthracene		<	0.20	ug/g				
		chrysene		<	0.20	ug/g				
		benzo(b)fluoranthene		<	0.20	ug/g				
		benzo(k)fluoranthene		<	0.20	ug/g				
		benzo(a)pyrene		<	0.20	ug/g				
		indeno(1,2,3-cd)pyrene		<	0.20	ug/g				
		dibenzo(a,h)anthracene		<	0.20	ug/g				
		benzo(g,h,i)perylene		<	0.20	ug/g				
		Unadjusted C11-C22 Aromatics		<	20	ug/g				
		C9-C18 Aliphatics		<	20	ug/g				
		C19-C36 Aliphatics		<	20	ug/g				
		C11-C22 Aromatics		<	20	ug/g				
		1-chloro-octadecane SUR		44	%		40	140		
		o-terphenyl SUR		48	%		40	140		
		2-fluorobiphenyl SUR		64	%		40	140		
		2-bromonaphthalene SUR		59	%		40	140		

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
MA EPH	LCS12658	naphthalene		2.7	ug/g	6	45	40	140	
		2-methylnaphthalene		2.8	ug/g	6	47	40	140	
		phenanthrene		3.2	ug/g	6	54	40	140	
		acenaphthene		2.6	ug/g	6	43	40	140	
		acenaphthylene		2.5	ug/g	6	42	40	140	
		fluorene		2.8	ug/g	6	46	40	140	
		anthracene		3.2	ug/g	6	53	40	140	
		fluoranthene		3.4	ug/g	6	57	40	140	
		pyrene		3.3	ug/g	6	55	40	140	
		benzo(a)anthracene		3.3	ug/g	6	54	40	140	
		chrysene		3.3	ug/g	6	54	40	140	
		benzo(b)fluoranthene		3.1	ug/g	6	51	40	140	
		benzo(k)fluoranthene		3.1	ug/g	6	51	40	140	
		benzo(a)pyrene		3.1	ug/g	6	52	40	140	
		indeno(1,2,3-cd)pyrene		3.8	ug/g	6	63	40	140	
		dibenzo(a,h)anthracene		3.8	ug/g	6	64	40	140	
		benzo(g,h,i)perylene		3.9	ug/g	6	64	40	140	
		Unadjusted C11-C22 Aromatics		60	ug/g	102	59	40	140	
		C9-C18 Aliphatics		<	20	ug/g	36	45	40	140
		C19-C36 Aliphatics			43	ug/g	48	91	40	140
		C11-C22 Aromatics		<	20	ug/g		40	140	
		1-chloro-octadecane SUR		47	%			40	140	
		o-terphenyl SUR		54	%			40	140	
		2-fluorobiphenyl SUR		73	%			40	140	
		2-bromonaphthalene SUR		69	%			40	140	

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
MA EPH	LCSD12658	naphthalene		2.9	ug/g	6	48	40 140	7	25
		2-methylnaphthalene		3.0	ug/g	6	50	40 140	7	25
		phenanthrene		3.4	ug/g	6	57	40 140	7	25
		acenaphthene		2.7	ug/g	6	45	40 140	4	25
		acenaphthylene		2.7	ug/g	6	44	40 140	6	25
		fluorene		2.9	ug/g	6	49	40 140	6	25
		anthracene		3.4	ug/g	6	56	40 140	6	25
		fluoranthene		3.6	ug/g	6	61	40 140	6	25
		pyrene		3.5	ug/g	6	59	40 140	7	25
		benzo(a)anthracene		3.6	ug/g	6	60	40 140	9	25
		chrysene		3.6	ug/g	6	59	40 140	9	25
		benzo(b)fluoranthene		3.5	ug/g	6	58	40 140	12	25
		benzo(k)fluoranthene		3.4	ug/g	6	57	40 140	10	25
		benzo(a)pyrene		3.4	ug/g	6	57	40 140	10	25
		indeno(1,2,3-cd)pyrene		4.1	ug/g	6	68	40 140	8	25
		dibenzo(a,h)anthracene		4.1	ug/g	6	69	40 140	8	25
		benzo(g,h,i)perylene		4.2	ug/g	6	70	40 140	9	25
		Unadjusted C11-C22 Aromatics		63	ug/g	102	62	40 140	4	25
		C9-C18 Aliphatics		<	20	ug/g	36	40 140	2	25
		C19-C36 Aliphatics			44	ug/g	48	40 140	0	25
		C11-C22 Aromatics		<	20	ug/g		40 140		25
		1-chloro-octadecane SUR		46	%			40 140		
		o-terphenyl SUR		54	%			40 140		
		2-fluorobiphenyl SUR		69	%			40 140		
		2-bromonaphthalene SUR		64	%			40 140		

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit	
SW3051A6020A	BLK12634	Silver		<	ug/g	2.5					
		Arsenic		<	ug/g	2.5					
		Barium		<	ug/g	5.0					
		Beryllium		<	ug/g	0.50					
		Cadmium		<	ug/g	0.50					
		Chromium		<	ug/g	5.0					
		Nickel		<	ug/g	5.0					
		Lead		<	ug/g	2.5					
		Antimony		<	ug/g	0.50					
		Selenium		<	ug/g	5.0					
		Thallium		<	ug/g	0.50					
		Vanadium		<	ug/g	5.0					
		Zinc		<	ug/g	5.0					
SW3051A6020A	CRM12634	Silver		44.4	ug/g	53.8		31.9	59.7		
		Arsenic		169	ug/g	219		129	240		
		Barium		582	ug/g	788		509	867		
		Beryllium		201	ug/g	247		160	272		
		Cadmium		145	ug/g	175		111	192		
		Chromium		286	ug/g	375		223	414		
		Nickel		248	ug/g	318		193	358		
		Lead		239	ug/g	321		207	353		
		Antimony		81.0	ug/g	159		15.9	180		
		Selenium		102	ug/g	145		78.5	160		
		Thallium		81.9	ug/g	98.6		53.7	111		
		Vanadium		186	ug/g	267		168	294		
		Zinc		234	ug/g	311		190	352		
SW3051A6020A	CRMD12634	Silver		46.5	ug/g	53.8		31.9	59.7	4	20
		Arsenic		178	ug/g	219		129	240	5	20
		Barium		597	ug/g	788		509	867	3	20
		Beryllium		205	ug/g	247		160	272	2	20
		Cadmium		151	ug/g	175		111	192	4	20
		Chromium		291	ug/g	375		223	414	2	20
		Nickel		251	ug/g	318		193	358	1	20
		Lead		245	ug/g	321		207	353	3	20
		Antimony		82.8	ug/g	159		15.9	180	2	20
		Selenium		106	ug/g	145		78.5	160	4	20
		Thallium		85.1	ug/g	98.6		53.7	111	4	20
		Vanadium		188	ug/g	267		168	294	1	20
		Zinc		237	ug/g	311		190	352	1	20

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
SW3051A6020A	MS12634	Silver	52537-002	130	ug/g	133	97	75	125	
		Arsenic	52537-002	240	ug/g	266	87	75	125	
		Barium	52537-002	550	ug/g	266	109	75	125	
		Beryllium	52537-002	260	ug/g	266	99	75	125	
		Cadmium	52537-002	280	ug/g	266	103	75	125	
		Chromium	52537-002	290	ug/g	266	91	75	125	
		Nickel	52537-002	270	ug/g	266	83	75	125	
		Lead	52537-002	1200	ug/g	266.7	196 *	75	125	
		Antimony	52537-002	310	ug/g	266	105	75	125	
		Selenium	52537-002	190	ug/g	266	72 *	75	125	
		Thallium	52537-002	120	ug/g	133	89	75	125	
SW3051A6020A	MSD12634	Vanadium	52537-002	250	ug/g	266	91	75	125	
		Zinc	52537-002	1800	ug/g	266.7	107	75	125	
		Silver	52537-002	140	ug/g	138	98	75	125	5 20
		Arsenic	52537-002	250	ug/g	276	87	75	125	3 20
		Barium	52537-002	630	ug/g	276	133 *	75	125	13 20
		Beryllium	52537-002	280	ug/g	276	101	75	125	6 20
		Cadmium	52537-002	540	ug/g	276	192 *	75	125	63 * 20
		Chromium	52537-002	300	ug/g	276	92	75	125	5 20
		Nickel	52537-002	300	ug/g	276	91	75	125	10 20
		Lead	52537-002	1000	ug/g	276.4	138 *	75	125	13 20
		Antimony	52537-002	320	ug/g	276	106	75	125	4 20
		Selenium	52537-002	200	ug/g	276	74 *	75	125	6 20
		Thallium	52537-002	130	ug/g	138	93	75	125	8 20
SW7471B	BLK12632	Vanadium	52537-002	260	ug/g	276	91	75	125	3 20
		Zinc	52537-002	2000	ug/g	276.4	187	75	125	12 20
		Mercury		<	0.14	ug/g				
		Mercury			0.226	ug/g	0.221		0.0908	0.351
		Mercury			0.216	ug/g	0.221		0.0908	0.351
		Mercury	52513-004	0.65	ug/g	0.405	12 *	80	120	
		Mercury	52513-004	0.86	ug/g	0.405	64 *	80	120	28 35
		Mercury		<	0.14	ug/g				
		Mercury			0.198	ug/g	0.221		0.0908	0.351
		Mercury			0.203	ug/g	0.221		0.0908	0.351
		Mercury	52537-002	0.58	ug/g	0.389	82	80	120	
		Mercury	52537-002	0.61	ug/g	0.374	95	80	120	6 35

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
SW3060A7196A	CRM2001871	Chromium, Hexavalent		110	ug/g	260		93.3	350	
SW3060A7196A	CRMD2001871	Chromium, Hexavalent		100	ug/g	260		93.3	350	30
SW3060A7196A	DUP2001871	Chromium, Hexavalent	52498-013	<	0.48	ug/g				20
SW3060A7196A	MS2001871	Chromium, Hexavalent	52513-004	<	0.50	ug/g	25.01	1 *	75	125
SW3060A7196A	MS2001871	Chromium, Hexavalent	52537-009	<	0.55	ug/g	27.25	1 *	75	125
SW3060A7196A	MSD2001871	Chromium, Hexavalent	52513-004	<	0.49	ug/g	24.43	1 *	75	125
SW3060A7196A	MSD2001871	Chromium, Hexavalent	52537-009	<	0.55	ug/g	27.35	1 *	75	125
SW3060A7196A	PB2001871	Chromium, Hexavalent		<	0.40	ug/g				
SW9045C	DUP2001855	pH	52537-003		7.2	pH				

AROMATIC HYDROCARBON BREAKTHROUGH CALCULATION

Method: MADEP EPH 2019 Rev 2.1

lcs12658			
	Aliphatic Breakthrough (%)	Acceptance Criteria	Date of Analysis
naphthalene	0.6%	<5.0%	4/16/2020
2-methylnaphthalene	0.1%	<5.0%	4/16/2020

lcisd12658			
	Aliphatic Breakthrough (%)	Acceptance Criteria	Date of Analysis
naphthalene	0.9%	<5.0%	4/16/2020
2-methylnaphthalene	0.1%	<5.0%	4/16/2020



124 Heritage Avenue #16
Portsmouth, NH 03801
603-436-2001
absoluteressourcesassociates.com

PAGE 1 OF 2

Company Name:
WESTON & SAMPSON
Company Address:
55 WALKERS BROOK DR READING, MA
Report To:
SARAH DESTEFANO & JILL MURPHY
Phone #:
1800 SAMPSON
Invoice to: **SARAH DESTEFANO**
Email: **DESTEFANO@WSEINC.COM**
PO #: **FRAMINGHAM BROWNFIELD**

Project Name: **CEDAR WOODS**
Project #: **2180031**
Project Location: NH MA ME VT
Accreditation Required? N/Y: _____
Protocol: RCRA SDWA NPDES
MCP NHDES DOD
Reporting QAPP GW-1 **S-1**
Limits: EPA DW Other _____
Quote # **N/A**
 NH Reimbursement Pricing

Lab Sample ID (Lab Use Only)	Field ID	# CONTAINERS	Matrix	Preservation Method	Sampling						
					WATER	SOLID	OTHER	HCl	DATE	TIME	SAMPLER
52537-01	SB-111(0-1')	X				X			4/8/2020	0910	MM
-02	SB-111(0-3')	X	X				X		0912		
-03	SB-111(4-7')	X	X				X		0915		
-04	SB-113(5-3')	X	X			X			0920		
-05	SB-113(5-8')	X	X				X		0940		
-06	SB-115(0-3')	X	X				X		1010		
-07	SB-115(5-8')	X	X			X			1020		
-08	SB-114(0-3')	X	X			X			1030		
-09	SB-114(5-8')	X	X				X		1050		
MS-2 **		X					X		0917		
MSD-2 **		X					X		0917		

TAT REQUESTED
Priority (24 hr)*
Expedited (48 hr)*
Standard
(10 Business Days)
*Date Needed **5 DAY**

See absoluteressourcesassociates.com for sample acceptance policy and current accreditation lists.

REPORTING INSTRUCTIONS
 HARD COPY REQUIRED EDD

CUSTODY RECORD
Relinquished by Sampler: **Margot Aun**
Relinquished by: **WSE INC**
Relinquished by:

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

52537

ANALYSIS REQUEST

<input type="checkbox"/> VOC 8260	<input type="checkbox"/> VOC 8260 NHDES	<input type="checkbox"/> VOC 8260 MADEP
<input type="checkbox"/> VOC 824.1	<input type="checkbox"/> VOC BTX IMBE, only	<input type="checkbox"/> VOC 8021VT
<input type="checkbox"/> VPH MADEP	<input type="checkbox"/> GRO 8015	<input checked="" type="checkbox"/> 1,4-Dioxane *
<input type="checkbox"/> VOC 524.2	<input type="checkbox"/> VOC 524.2 NH List	<input type="checkbox"/> Gases-List:
<input type="checkbox"/> TPH	<input type="checkbox"/> DRO 8015	<input checked="" type="checkbox"/> TPH MADEP
<input type="checkbox"/> 8270PAH	<input type="checkbox"/> 8270ABN	<input type="checkbox"/> TPH Fingerprint
<input type="checkbox"/> 8082 PCB	<input type="checkbox"/> 8081 Pesticides	<input type="checkbox"/> 608.3 Pest/PCB
<input type="checkbox"/> O&G 1664	<input type="checkbox"/> Mineral O&G 1664	
<input type="checkbox"/> pH	<input type="checkbox"/> BOD	<input type="checkbox"/> Conductivity
<input type="checkbox"/> TSS	<input type="checkbox"/> TDS	<input type="checkbox"/> Turbidity
<input type="checkbox"/> RCRA Metals	<input type="checkbox"/> Priority Pollutant Metals	<input type="checkbox"/> Apparent Color
<input type="checkbox"/> Dissolved Metals-list:	<input type="checkbox"/> Total Metals-list: MCB 14 METALS	<input type="checkbox"/> Alkalinity
<input type="checkbox"/> Ammonia	<input type="checkbox"/> COD	<input type="checkbox"/> Hardness
<input type="checkbox"/> T-Phosphorus	<input type="checkbox"/> Bacteria P/A	<input type="checkbox"/> Ferrous Iron
<input type="checkbox"/> Cyanide	<input type="checkbox"/> Sulfide	<input type="checkbox"/> Bacteria MPN
<input type="checkbox"/> Nitrate	<input type="checkbox"/> Nitrite + Nitrite	<input type="checkbox"/> Enterococci
<input type="checkbox"/> Nitrite	<input type="checkbox"/> Chloride	<input type="checkbox"/> Ortho P
<input type="checkbox"/> Corrosivity	<input type="checkbox"/> Ignitability/FP	<input type="checkbox"/> Phenols
<input type="checkbox"/> TCLP Metals	<input type="checkbox"/> TCLP VOC	<input type="checkbox"/> PFAS
<input type="checkbox"/> Subcontract:	<input type="checkbox"/> Grain Size	<input type="checkbox"/> Herbicides
<input type="checkbox"/> CR-VII	<input type="checkbox"/> CR-VI	<input type="checkbox"/> Asbestos



124 Heritage Avenue #16
Portsmouth, NH 03801
603-436-2001
absoluteressourceassociates.com

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

52537

ANALYSIS REQUEST

Company Name:	
Company Address:	
Report To:	SEE PAGE 1
Phone #:	
Invoice to:	
Email:	
PO #:	

Project Name:	
Project #:	SEE PAGE 1
Project Location:	NH MA ME VT
Accreditation Required? N/Y:	
Protocol:	RCRA SDWA NPDES MCP NHDES DOD
Reporting Limits:	QAPP GW-1 S-1 EPA DW Other
Quote #	N/A
<input type="checkbox"/> NH Reimbursement Pricing	

Lab Sample ID (Lab Use Only)	Field ID	# CONTAINERS	Matrix	Preservation Method	Sampling		SAMPLER	
					WATER	SOLID		OTHER
52537-0	DUP-2	X			X	4/8/20	—	X
-11	FIELD MDM 4/8/20	X						X
	TRIP BLANK	X				4/8/20	—	X
								MDM 4/8/20

TAT REQUESTED	See absoluteressourceassociates.com for sample acceptance policy and current accreditation lists.	SPECIAL INSTRUCTIONS * VPH n TARGET VOCs	
Priority (24 hr)* <input type="checkbox"/>			
Expedited (48 hr)* <input type="checkbox"/>			
Standard (10 Business Days) <input type="checkbox"/>			
*Date Needed <u>5/8/20</u>			
REPORTING INSTRUCTIONS <input type="checkbox"/> HARD COPY REQUIRED <input checked="" type="checkbox"/> EDD		RECEIVED ON ICE <input type="checkbox"/> YES <input type="checkbox"/> NO	
		TEMPERATURE <u>1</u> °C	
CUSTODY RECORD Relinquished by Sampler: <u>Margot Rhee</u> Relinquished by: <u>CR</u> Relinquished by: <u>CR</u>		Date <u>4/8/2020</u> Time <u>1300</u> Received by: <u>CR</u> Received by: <u>CR</u> Received by Laboratory: <u>CR</u>	Date <u>4/8</u> Time <u>1pm</u> Date <u>4/8</u> Time <u>16:32</u> Date <u>4/8/20</u> Time <u>16:32</u>
QSD-01 Revision 11/06/19			

Laboratory Report



Absolute Resource associates

124 Heritage Avenue Portsmouth NH 03801

Jill Murphy

Weston & Sampson

55 Walkers Brook Drive

Reading, MA 01867

PO Number: Framingham Brownfields

Job ID: 53042 & 53078

Date Received: 5/15/20

Project: Cedar Woods 21

Attached please find results for the analysis of the samples received on the date referenced above.

Unless otherwise noted in the attached report, the analyses performed met the requirements of Absolute Resource Associates' Quality Assurance Plan. The Standard Operating Procedures are based upon USEPA SW-846, USEPA Methods for Chemical Analysis of Water and Wastewater, Standard Methods for the Examination of Water and Wastewater and other recognized methodologies. The results contained in this report pertain only to the samples as indicated on the chain of custody.

Absolute Resource Associates maintains certification with the agencies listed below. The reported results apply to the sample(s) in the condition as received at the time the laboratory took custody. This report shall not be reproduced except in full and with approval from the laboratory. The liability of ARA is limited to the cost of the requested analyses, unless otherwise agreed upon in writing.

We appreciate the opportunity to provide laboratory services. If you have any questions regarding the enclosed report, please contact the laboratory and we will be glad to assist you.

Sincerely,
Absolute Resource Associates

A handwritten signature in black ink that reads "Aaron DeWees".

Aaron DeWees
Chief Operating Officer

Date of Approval: 6/1/2020

Total number of pages: 14

Absolute Resource Associates Certifications

New Hampshire 1732
Maine NH902

Massachusetts M-NH902

Sample Association Table

Field ID	Matrix	Date-Time Sampled	Lab#	Analysis
SB-107 (0-1')	Solid	4/7/2020 9:45	53042-001	Lead in solids by 6020 Solids Digestion for ICPMS Analysis
SB-108 (0-1')	Solid	4/7/2020 10:45	53042-002	Lead in solids by 6020 Solids Digestion for ICPMS Analysis
SB-109 (0-1')	Solid	4/7/2020 11:30	53042-003	Lead in solids by 6020 Solids Digestion for ICPMS Analysis
SB-110 (0-1')	Solid	4/7/2020 12:45	53042-004	Lead in solids by 6020 Solids Digestion for ICPMS Analysis
SB-112 (0-1')	Solid	4/7/2020 13:15	53042-005	Lead in solids by 6020 Solids Digestion for ICPMS Analysis
SB-106 (0-1')	Solid	4/6/2020 9:20	53078-001	Lead in solids by 6020 Solids Digestion for ICPMS Analysis
SB-102 (0-1')	Solid	4/6/2020 11:30	53078-002	Lead in solids by 6020 Solids Digestion for ICPMS Analysis

Project ID: Cedar Woods 21

Job ID: 53042

Sample#: 53042-001

Sample ID: SB-107 (0-1')

Matrix: Solid Percent Dry: 87.3% Results expressed on a dry weight basis.

Parameter	Sampled: 4/7/20 9:45		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Lead	67	2.7	ug/g	5	EEB	5/26/20	12797	5/28/20	19:41	SW3051A6020A	

Sample#: 53042-002

Sample ID: SB-108 (0-1')

Matrix: Solid Percent Dry: 75.8% Results expressed on a dry weight basis.

Parameter	Sampled: 4/7/20 10:45		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Lead	900	3.1	ug/g	5	EEB	5/26/20	12797	5/28/20	19:49	SW3051A6020A	

Sample#: 53042-003

Sample ID: SB-109 (0-1')

Matrix: Solid Percent Dry: 81.6% Results expressed on a dry weight basis.

Parameter	Sampled: 4/7/20 11:30		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Lead	790	3.0	ug/g	5	EEB	5/26/20	12797	5/28/20	19:57	SW3051A6020A	

Sample#: 53042-004

Sample ID: SB-110 (0-1')

Matrix: Solid Percent Dry: 91.6% Results expressed on a dry weight basis.

Parameter	Sampled: 4/7/20 12:45		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Lead	11	2.7	ug/g	5	EEB	5/26/20	12797	5/28/20	20:06	SW3051A6020A	

Sample#: 53042-005

Sample ID: SB-112 (0-1')

Matrix: Solid Percent Dry: 93.3% Results expressed on a dry weight basis.

Parameter	Sampled: 4/7/20 13:15		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Lead	25	2.6	ug/g	5	EEB	5/26/20	12797	5/28/20	20:14	SW3051A6020A	

Project ID: Cedar Woods 2180311

Job ID: 53078

Sample#: 53078-001

Sample ID: SB-106 (0-1')

Matrix: Solid Percent Dry: 87.9% Results expressed on a dry weight basis.

Parameter	Sampled: 4/6/20 9:20		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Lead	68	2.3	ug/g	5	EEB	5/26/20	12797	5/29/20	18:14	SW3051A6020A	

Sample#: 53078-002

Sample ID: SB-102 (0-1')

Matrix: Solid Percent Dry: 94.4% Results expressed on a dry weight basis.

Parameter	Sampled: 4/6/20 11:30		Reporting		Instr	Dil'n	Prep	Analysis			Reference
	Result	Limit	Units	Factor	Analyst	Date	Batch	Date	Time		
Lead	73	2.5	ug/g	5	EEB	5/26/20	12797	5/29/20	18:22	SW3051A6020A	

Quality Control Report



124 Heritage Avenue Unit 16
Portsmouth, NH 03801
www.absoluteresourceassociates.com

MassDEP Analytical Protocol Certification Form

Laboratory Name: Absolute Resource Associates

Project #: 2180311

Project Location: Massachusetts

RTN:

This Form provides certifications for the following data set: list Laboratory Sample ID Number(s): 53042&53078

Matrices: Groundwater/Surface Water Soil/Sediment Drinking Water Air Other:

CAM Protocol (check all that apply below):

8260 VOC CAM II A <input type="checkbox"/>	7470/7471 Hg CAM III B <input type="checkbox"/>	MassDEP VPH (GC/PID/FID) CAM IV A <input type="checkbox"/>	8082 PCB CAM V A <input type="checkbox"/>	9014 Total Cyanide/PAC CAM VI A <input type="checkbox"/>	6860 Perchlorate CAM VIII B <input type="checkbox"/>
8270 SVOC CAM II B <input type="checkbox"/>	7010 Metals CAM III C <input type="checkbox"/>	MassDEP VPH (GC/MS) CAM IV C <input type="checkbox"/>	8081 Pesticides CAM V B <input type="checkbox"/>	7196 Hex Cr CAM VI B <input type="checkbox"/>	MassDEP APH CAM IX A <input type="checkbox"/>
6010 Metals CAM III A <input type="checkbox"/>	6020 Metals CAM III D <input checked="" type="checkbox"/>	MassDEP EPH CAM IV B <input type="checkbox"/>	8151 Herbicides CAM V C <input type="checkbox"/>	8330 Explosives CAM VIII A <input type="checkbox"/>	TO-15 VOC CAM IX B <input type="checkbox"/>

Affirmative Responses to Questions A through F are required for "Presumptive Certainty" status

A	Were all samples received in a condition consistent with those described on the Chain-of-Custody, properly preserved (including temperature) in the field or laboratory, and prepared/analyzed within method holding times?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B	Were the analytical method(s) and all associated QC requirements specified in the selected CAM protocol(s) followed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
C	Were all required corrective actions and analytical response actions specified in the selected CAM protocol(s) implemented for all identified performance standard non-conformances?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
D	Does the laboratory report comply with all the reporting requirements specified in CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data"?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
E	VPH, EPH, APH, and TO-15 only a. VPH, EPH, and APH Methods only: Was each method conducted without significant modification(s)? (Refer to the individual method(s) for a list of significant modifications). b. APH and TO-15 Methods only: Was the complete analyte list reported for each method?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> No
F	Were all applicable CAM protocol QC and performance standard non-conformances identified and evaluated in a laboratory narrative (including all "No" responses to Questions A through E)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Responses to Questions G, H and I below are required for "Presumptive Certainty" status

G	Were the reporting limits at or below all CAM reporting limits specified in the selected CAM protocol(s)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No ¹
----------	---	--

Data User Note: Data that achieve "Presumptive Certainty" status may not necessarily meet the data usability and representativeness requirements described in 310 CMR 40.1056 (2)(k) and WSC-07-350.

H	Were all QC performance standards specified in the CAM protocol(s) achieved?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No ¹
I	Were results reported for the complete analyte list specified in the selected CAM protocol(s)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No ¹

¹All negative responses must be addressed in an attached laboratory narrative.

I, the undersigned, attest under the pains and penalties of perjury that, based upon my personal inquiry of those responsible for obtaining the information, the material contained in this analytical report is, to the best of my knowledge and belief, is accurate and complete.

Signature: 

Position: Chief Operating Officer

Printed Name: Aaron DeWees

Date: 6/1/20

Sample Integrity Table

Parameter	Method	Matrix	Minimum Volume	Recommended Container(s)	Required Preservation	Holding Time
Volatile Organics	EPA 8260	Aqueous	40mL	2 x 40mL VOA Vials with Teflon lined septa	Cool to $\leq 6^{\circ}\text{C}$ 1:1 HCl to pH <2	14 Days
Volatile Organics	EPA 8260	Solid	40mL	1 x 40mL VOA Vial with 10mLs Methanol <u>and</u> 1 unpreserved container for percent moisture	Cool to $\leq 6^{\circ}\text{C}$ Methanol	14 Days
Semivolatile Organics	EPA 8270	Aqueous	1L	1L Amber Glass Bottle w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	7 Days
Semivolatile Organics	EPA 8270	Solid	20g	4oz Amber Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	14 Days
Organochlorine Pesticides	EPA 8081	Aqueous	1L	1L Amber Glass Bottle w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	7 Days
Organochlorine Pesticides	EPA 8081	Solid	20g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	14 Days
PCBs	EPA 8082	Aqueous	1L	1L Amber Glass Bottle w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	365 Days
PCBs	EPA 8082	Solid	20g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	365 Days
Herbicides (subcontracted)	EPA 8151	Aqueous	1L	1L Amber Glass Bottle w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	7 Days
Herbicides (subcontracted)	EPA 8151	Solid	30g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	14 Days
MA DEP VPH	MADEP VPH	Aqueous	40mL	2 x 40mL VOA Vials with Teflon lined septa	Cool to $\leq 6^{\circ}\text{C}$ 1:1 HCl to pH <2	14 Days
MA DEP VPH	MADEP VPH	Solid	40mL	1 x 40mL VOA Vial with 10mLs Methanol <u>and</u> 1 unpreserved container for percent moisture	Cool to $\leq 6^{\circ}\text{C}$ Methanol	28 Days
MA DEP EPH	MADEP EPH	Aqueous	1L	1L Amber Glass Bottle w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$ 1:1 HCl to pH <2	14 Days
MA DEP EPH	MADEP EPH	Solid	30g	4oz Amber Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	14 Days
Total Metals	EPA 6010	Aqueous	100mL	250mL Polyethylene Bottle	1:1 HNO ₃ to pH <2	180 Days
Dissolved Metals	EPA 6010	Aqueous	100mL	250mL Polyethylene Bottle	Filter First 1:1 HNO ₃ to pH <2	180 Days
Total Metals	EPA 6010	Solid	15g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	180 Days
Total Mercury (may be combined with Total Metals)	EPA 7470	Aqueous	100mL	125mL Polyethylene Bottle	1:1 HNO ₃ to pH <2	28 Days
Total Mercury (may be combined with Total Metals)	EPA 7471	Solid	15g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	28 Days
Chromium, Hexavalent	EPA 7196	Aqueous	100mL	125mL Polyethylene Bottle	Cool to $\leq 6^{\circ}\text{C}$ (NH4)2SO ₄ buffer	28 Days
Chromium, Hexavalent (subcontract)	EPA 7196	Solid	15g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	30 Days
Cyanide, Total	EPA 9014	Aqueous	125mL	125mL Polyethylene Bottle	Cool to $\leq 6^{\circ}\text{C}$ 1:1 NaOH to pH >8	14 Days
Cyanide, Total	EPA 9014	Solid	15g	4oz Glass Jar w/Teflon liner	Cool to $\leq 6^{\circ}\text{C}$	14 Days



Case Narrative
Lab # 53042 & 53078

Sample Receiving and Chain of Custody Discrepancies

Samples were received in acceptable condition, between 0 and 6 degrees C, on ice, and in accordance with sample handling, preservation and integrity guidelines.

Calibration

No exceptions noted.

Method Blank

No exceptions noted.

Surrogate Recoveries

Not applicable.

Laboratory Control Sample Results

No exceptions noted.

Matrix Spike/Matrix Spike Duplicate/Duplicate Results

Not requested for this project.

Other

No other exceptions noted.

MassDEP Analytical Protocol Certification Form Questions A through I

No explanation is needed for Questions A through I answered in the affirmative.

Question G: The CAM protocol reporting limits were not achieved for this project due to dilutions necessary for sample analysis. Box G is "No."

Question H: A solid MS/D was not specified. Box H is "No."

Question I: Metals: The MCP required metals were not requested by the customer. Box I is "No."

GLOSSARY

%R	Percent Recovery
BLK	Blank (Method Blank, Preparation Blank)
CCB	Continuing Calibration Blank
CCV	Continuing Calibration Verification
CRM	Certified Reference Material (associated with solid Metals samples)
CRMD	Certified Reference Material Duplicate (associated with solid Metals samples)
Dil'n	Dilution
DL	Detection Limit
DUP	Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
LOD	Limit of Detection
LOQ	Limit of Quantitation
MB	Methanol Blank (associated with solid VOC samples)
MLCS	Methanol Laboratory Control Sample (associated with solid VOC samples)
MLCSD	Methanol Laboratory Control Sample Duplicate (associated with solid VOC samples)
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PB	Preparation Blank
QC	Quality Control
RL	Reporting Limit
RPD	Relative Percent Difference
SUR	Surrogate



124 Heritage Avenue Unit 16
Portsmouth, NH 03801
www.absoluteressourceassociates.com

- QC Report -

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
SW3051A6020A	BLK12797	Lead		<	2.5	ug/g				
SW3051A6020A	CRM12797	Lead		175	ug/g	248		152	273	
SW3051A6020A	CRMD12797	Lead		180	ug/g	248		152	273	3 20
SW3051A6020A	MS12797	Lead	53062-009	380	ug/g	235	107	75	125	
SW3051A6020A	MSD12797	Lead	53062-009	350	ug/g	227	98	75	125	8 20



124 Heritage Avenue #16
Portsmouth, NH 03801
603-436-2001
absoluteressourcesassociates.com

**CHAIN-OF-CUSTODY RECORD
AND ANALYSIS REQUEST**

53042

PAGE 1 OF 2

ANALYSIS REQUEST

Company Name:
NESTON & SAMPSON
Company Address:
55 WALKERS BROOK DR READING MA
Report To:
SARAH DESTEFANO & JILL MURPHY
Phone #:
1800 SAMPSON
Invoice to:
DE SARAH DESTEFANO
Email:
DESTEFANOS@WSEINC.COM
PO #:
FED FRAMINGHAM BROWNFIELD

Project Name: **CEDAR WOODS**
Project #: **21**
Project Location: NH **MA ME VT**
Accreditation Required? N/Y:
Protocol: **RCRA MCP SDWA NHDES NPDES DOD**
Reporting: **QAPP GW-1 S-1**
Limits: **EPA DW Other**
Quote #: **N/A**
 NH Reimbursement Pricing

Lab Sample ID (Lab Use Only)	Field ID	# CONTAINERS	Matrix	Preservation Method	Sampling							
		WATER	SOLID	OTHER	HCl	HNO ₃	H ₂ SO ₄	NaOH	MeOH	DATE	TIME	SAMPLER
53042-01	SB-104(0-3')	X	X	X	X	X	X	X	X	4/7/20	0845	
-02	SB-104(8-10')	X	X	X	X	X	X	X	X		0555	
-03 (HWD)	SB-107(0-1')	X	X	X	X	X	X	X	X		0945	
-04	SB-107(0-3')	X	X	X	X	X	X	X	X		1000	
-05	SB-107(10-11')	X	X	X	X	X	X	X	X		1020	
-06 (HWD)	SB-108(0-1')	X	X	X	X	X	X	X	X		1045	
-07	SB-108(0-3')	X	X	X	X	X	X	X	X		0500	
-08	SB-108(6-4')	X	X	X	X	X	X	X	X		1100	
-09 (HWD)	SB-109(0-1')	X	X	X	X	X	X	X	X		1130	
-10	SB-109(0-3')	X	X	X	X	X	X	X	X		1140	
-11	SB-109(5-8')	X	X	X	X	X	X	X	X		1145	

TAT REQUESTED	See absoluteressourcesassociates.com for sample acceptance policy and current accreditation lists.	SPECIAL INSTRUCTIONS * VOCs & VPH ** VPH WITH TARGET VOCs	RECEIVED ON ICE <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO TEMPERATURE <input checked="" type="checkbox"/> 2 °C		
Priority (24 hr)* <input type="checkbox"/>	Expedited (48 hr)* <input type="checkbox"/>	Standard <input type="checkbox"/>	REPORTING INSTRUCTIONS <input checked="" type="checkbox"/> PDF (e-mail address) MURPHYJ@WSEINC.COM		
*Date Needed 5 DAY	<input type="checkbox"/> HARD COPY REQUIRED <input checked="" type="checkbox"/> EDD	Relinquished by Sampler: [Signature]	Date 4/7/20 Time 1500	Received by: [Signature]	Date 4-7 Time 3:00
CUSTODY RECORD	Relinquished by: [Signature]	Date 4/7 Time 1600	Received by: [Signature]	Date 4/7/20 Time 1600	
QSD-01 Revision 11/06/19	Relinquished by: [Signature]	Date 4/7 Time 1600	Received by Laboratory: [Signature]	Date 4/7/20 Time 1600	

Relogged 5/15/2020 per J. Spencer

J. Spencer
11 of 14

Lead Only per J. Spencer

5/15/20

Grab (G) or Composite (C)

CR IV



124 Heritage Avenue #16
Portsmouth, NH 03801
603-436-2001
absoluteressourcesassociates.com

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

52513

Company Name:	Project Name: <i>SEE PAGE 1</i>
Company Address:	Project Location: NH MA ME VT
Report To:	Accreditation Required? N/Y:
Phone #:	Protocol: RCRA SDWA NPDES <i>(MCP) NHDES DOD</i>
Invoice to:	Reporting QAPP GW-1 S-1 Limits: EPA DW Other
Email:	Quote # <i>N/A</i>
PO #:	<input type="checkbox"/> NH Reimbursement Pricing

Lab Sample ID (Lab Use Only)	Field ID	# CONTAINERS	Matrix	Preservation Method	Sampling							
		WATER	SOLID	OTHER	HCl	HNO ₃	H ₂ SO ₄	NaOH	MeOH	DATE	TIME	SAMPLER
3-12 (0-1)	SB-110(0-1)	X								4/7/20	12:45	<i>4/7/20</i>
-13	SB-110(0-3)	X									12:55	<i>4/7/20</i>
-14	SB-110(5-6)	X									12:55	<i>4/7/20</i>
-15 (0-1)	SB-112(0-1)	X									13:15	<i>4/7/20</i>
-16	SB-112(0-3)	X									13:20	<i>4/7/20</i>
-17	SB-112(5-8)	X									13:25	<i>4/7/20</i>
-18	MS-1	X									10:15	<i>4/7/20</i>
-19	MSD-1	X										<i>4/7/20</i>
-20	DUP-1	X										<i>4/7/20</i>
-21	TRIP BLANK											<i>4/7/20</i>

TAT REQUESTED	See absoluteressourcesassociates.com for sample acceptance policy and current accreditation lists.		SPECIAL INSTRUCTIONS <i>* VOCs & VPAT EXCEPT FOR TRIP BLANK ** VPAT WITH TARGET VOCs</i>				
Priority (24 hr)*	<input type="checkbox"/>	Expedited (48 hr)*	<input type="checkbox"/>	Standard (10 Business Days)	<input checked="" type="checkbox"/>	Date Needed <i>5/14</i>	
REPORTING INSTRUCTIONS			<input type="checkbox"/> PDF (e-mail address)		RECEIVED ON ICE <input type="checkbox"/> YES <input type="checkbox"/> NO		
<input type="checkbox"/> HARD COPY REQUIRED			<input type="checkbox"/> EDD		TEMPERATURE <i>2</i> °C		
Relinquished by Sampler: <i>[Signature]</i>			Date <i>4/7/20</i>	Time <i>1500</i>	Received by: <i>[Signature]</i>	Date <i>4/7</i>	Time <i>3:00</i>
Relinquished by: <i>[Signature]</i>			Date <i>4-7</i>	Time <i>1600</i>	Received by: <i>[Signature]</i>	Date	Time
Relinquished by: <i>[Signature]</i>			Date	Time	Received by Laboratory: <i>[Signature]</i>	Date <i>4/7/20</i>	Time <i>1600</i>
CUSTODY RECORD							
OSD-01 Revision 11/06/19							

Absolute Resource
associates

124 Heritage Avenue #16
Portsmouth, NH 03801
603-436-2001
absoluteresourceassociates.com

**CHAIN-OF-CUSTODY RECORD
AND ANALYSIS REQUEST**

53078

ANALYSIS REQUEST

Company Name:
WESTON & SAMPSON
Company Address:
55 WALTERS BROOK DR READING, MA
Report To:
SARAH DESTEFANO & TILL MURPHY
Phone #:
1 800 SAMPSON
Invoice to: **SARAH DESTEFANO**
Email: **DESTEFANO@NSEINC.COM**
PO #: **FARMINGHAM BROWNSFIELD**

Project Name: **CEDAR WOODS**
Project #: **2180311**
Project Location: NH **MA ME VT**
Accreditation Required? N/Y: **Y**
Protocol: **RCRA MCP SDWA NHDES NPDES DOD**
Reporting: **GAPP UIC-1 SW-1 S-1**
Limits: **EPA DW Other**
Quote #: **N/A**
 NH Reimbursement Pricing

Lab Sample ID (Lab Use Only)	Field ID	# CONTAINERS	Matrix	Preservation Method	Sampling	SAMPLER
		WATER	SOLID	OTHER	HCl HNO ₃ H ₂ SO ₄ NaOH MeOH	DATE TIME
52418-4	52418-4 HOLD SB-106(0-1)	X	X	X	X	4/6/20 0920
-02	SB-106(0-3')	X	X	X	X	0940
-03	SB-106(5-8')	X	X	X	X	1000
-04	SB-106(3-4')	X	X	X	X	0950
-05	SB-105(0-3')	X	X	X	X	1040
-06	SB-105(5-8')	X	X	X	X	1100
-07	SB-102(0-3')	X	X	X	X	1145
-08	HOLD SB-102(0-1')	X	X	X	X	1130
-09	SB-102(11-14')	X	X	X	X	1140
-10	SB-101(0-3')	X	X	X	X	1255
-11	SB-101(9-12)	X	X	X	X	1305

TAT REQUESTED
Priority (24 hr)*
Expedited (48 hr)*
Standard (10 Business Days)
*Date Needed **5-DAY**

SPECIAL INSTRUCTIONS
***VPT IN TARGET VOCs**

REPORTING INSTRUCTIONS **PDF (e-mail address)** **MURPHY.J@NSEINC.COM**
 HARD COPY REQUIRED EDD

RECEIVED ON ICE YES NO
TEMPERATURE **0** °C

CUSTODY RECORD
QSD-01 Revision 11/06/19
Relinquished by: **Spencer** Date **4/6/20** Time **1:34P**
Received by: **J. Spencer**
Relinquished by: **Spencer** Date **4-6** Time **1543**
Received by: **J. Spencer**
Relinquished by: **Spencer** Date **4/6/20** Time **15:43**
Received by Laboratory: **J. Spencer**

<input type="checkbox"/> VOC 8260	<input type="checkbox"/> VOC 8260 NHDES	<input type="checkbox"/> VOC 8260 MADEP
<input type="checkbox"/> VOC 8241	<input type="checkbox"/> VOC BTX MBB, only	<input type="checkbox"/> VOC 8021VT
<input checked="" type="checkbox"/> VPH MADEP	<input type="checkbox"/> GRO 8015	<input type="checkbox"/> 1,4-Dioxane
<input type="checkbox"/> VOC 524.2	<input type="checkbox"/> VOC 524.2 NH List	<input type="checkbox"/> Gases-Lat.
<input type="checkbox"/> TPH	<input type="checkbox"/> DRO 8015	<input checked="" type="checkbox"/> EPH MADEP
<input type="checkbox"/> 8270PAH	<input type="checkbox"/> 8270ASB	<input type="checkbox"/> TPH Fingerprint
<input type="checkbox"/> 8082 PCB	<input type="checkbox"/> 8081 Pesticides	<input type="checkbox"/> 825.1 EDB
<input type="checkbox"/> 8083 PCB	<input type="checkbox"/> 8083 Pesticides	<input type="checkbox"/> 808.3 PCB
<input type="checkbox"/> 06G 1664	<input type="checkbox"/> Mineral 06G 1664	<input type="checkbox"/> Dissolved Metals-list:
<input type="checkbox"/> pH	<input type="checkbox"/> BOD	<input type="checkbox"/> Conductivity
<input type="checkbox"/> TSS	<input type="checkbox"/> TDS	<input type="checkbox"/> Turbidity
<input type="checkbox"/> RCRA Metals	<input type="checkbox"/> Priority Pollutant Metals	<input type="checkbox"/> Apparent Color
<input type="checkbox"/> Total Metals-list: MCP	<input type="checkbox"/> Total Metals-list: MCP	<input type="checkbox"/> Alkalinity
<input type="checkbox"/> Cyanide	<input type="checkbox"/> Sulfide	<input type="checkbox"/> Hardness
<input type="checkbox"/> Nitrate	<input type="checkbox"/> Nitrite + Nitrate	<input type="checkbox"/> TAL Metals
<input type="checkbox"/> Chloride	<input type="checkbox"/> Sulfite	<input type="checkbox"/> Ortho P
<input type="checkbox"/> Carboxy	<input type="checkbox"/> Bromide	<input type="checkbox"/> Fluoride
<input type="checkbox"/> TCPL Metals	<input type="checkbox"/> TCPL VOC	<input type="checkbox"/> Ignitability/FP
<input type="checkbox"/> Subcontract	<input type="checkbox"/> Grain Size	<input type="checkbox"/> TCPL SVOC
<input type="checkbox"/> Herbicides	<input type="checkbox"/> Bacteria MPN	<input type="checkbox"/> TOC
<input type="checkbox"/> Asbestos	<input type="checkbox"/> Enterococci	<input type="checkbox"/> Ferrous Iron
<input type="checkbox"/> PFAS	<input type="checkbox"/> Nitrate + Nitrite	<input type="checkbox"/> Phosphorus
<input type="checkbox"/> Composite (C)	<input type="checkbox"/> Chloride	<input type="checkbox"/> Bacteria MPN

HEXYAVALENT CHROMIUM (VI)

Total Pb per J. Spencer 5/2012

Relinquished per J. Spencer 5/2012 8AM



124 Heritage Avenue #16
Portsmouth, NH 03801
603-436-2001
absoluteressourcesassociates.com

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

PAGE 2 of 2

52498

ANALYSIS REQUEST

Company Name:	Project Name:
Company Address:	Project #:
Report To: <i>SEE PAGE</i> 1 OF 2	Project Location: NH MA ME VT
Phone #:	Accreditation Required? N/Y:
Invoice to:	Protocol: RCRA SDWA NPDES
Email:	MCP NHDES DOD
PO #:	Reporting QAPP GW-1 S-1
	Limits: EPA DW Other
	Quote #
	<input type="checkbox"/> NH Reimbursement Pricing

Lab Sample ID (Lab Use Only)	Field ID	# CONTAINERS	Matrix	Preservation Method	Sampling						
					WATER	SOLID	OTHER	HCl	HNO ₃	H ₂ SO ₄	NaOH
52498-12	SB-103(0-3)	X				X					
-13	SB-103(3-5)	X				X					
-14	SB-103(7-10)	X				X					
-15	TREP BLANK	X				X					

<input type="checkbox"/> VOC 8260 THRES	<input type="checkbox"/> VOC 8260 MADEP	<input type="checkbox"/> VOC 824.1	<input type="checkbox"/> VOC BTEX MBBE, only	<input type="checkbox"/> VOC 8211VT
<input checked="" type="checkbox"/> VPH MADEP	<input type="checkbox"/> GRO 8015	<input checked="" type="checkbox"/> 1,4-Dioxane *		
<input type="checkbox"/> VOC 824.2	<input type="checkbox"/> VOC 524.2 NH Lat	<input type="checkbox"/> Gamma-Lat		
<input type="checkbox"/> TPH	<input type="checkbox"/> DRO 8015	<input checked="" type="checkbox"/> VPH MADEP	<input type="checkbox"/> TPH Fingerprint	
<input type="checkbox"/> 8270PAH	<input type="checkbox"/> 8271APN	<input type="checkbox"/> 825.1	<input type="checkbox"/> EDB	
<input type="checkbox"/> 8092 PCB	<input type="checkbox"/> 8081 Pesticides	<input type="checkbox"/> 808.3 PestU/PCB		
<input type="checkbox"/> O&G 1664	<input type="checkbox"/> Mineral O&G 1664			
<input type="checkbox"/> pH	<input type="checkbox"/> BOD	<input type="checkbox"/> Conductivity	<input type="checkbox"/> Turbidity	<input type="checkbox"/> Apparent Color
<input type="checkbox"/> TSS	<input type="checkbox"/> TDS	<input type="checkbox"/> TDS	<input type="checkbox"/> TDS	<input type="checkbox"/> Alkalinity
<input type="checkbox"/> RCRA Metals	<input type="checkbox"/> Priority Pollutant Metals	<input type="checkbox"/> UAT Metals	<input type="checkbox"/> Hardness	
<input checked="" type="checkbox"/> Total Metals-list: MCP 14 METALS				
<input type="checkbox"/> Dissolved Metals-list:				
<input type="checkbox"/> Ammonia	<input type="checkbox"/> COD	<input type="checkbox"/> TNN	<input type="checkbox"/> TTN	<input type="checkbox"/> TOC
<input type="checkbox"/> T-Phosphorus	<input type="checkbox"/> Bacteria PA	<input type="checkbox"/> Bacteria MPN	<input type="checkbox"/> Enterococci	
<input type="checkbox"/> Cyanide	<input type="checkbox"/> Sulfide	<input type="checkbox"/> Nitrate + Nitrite	<input type="checkbox"/> Ortho P	<input type="checkbox"/> Phenols
<input type="checkbox"/> Nitrate	<input type="checkbox"/> Nitrite	<input type="checkbox"/> Chloride	<input type="checkbox"/> Bromide	<input type="checkbox"/> Fluoride
<input type="checkbox"/> Corrosivity	<input type="checkbox"/> Ignitability/FP			
<input type="checkbox"/> TCLP Metals	<input type="checkbox"/> TCLP VOC	<input type="checkbox"/> TCLP SVOC	<input type="checkbox"/> TCLP Pesticide	
<input type="checkbox"/> Subcontract:	<input type="checkbox"/> Grain Size	<input type="checkbox"/> Herbicides	<input type="checkbox"/> Asbestos	<input type="checkbox"/> PFAS

*MDM 4/6/21
GG 4/6/21
S 4/6/21*

TAT REQUESTED	See absoluteressourcesassociates.com for sample acceptance policy and current accreditation lists.	SPECIAL INSTRUCTIONS <i>*VPH w/TARGET VOCs</i>	
Priority (24 hr)*	<input type="checkbox"/>	REPORTING INSTRUCTIONS	<input type="checkbox"/> PDF (e-mail address)
Expedited (48 hr)*	<input type="checkbox"/>	<input type="checkbox"/> HARD COPY REQUIRED <input checked="" type="checkbox"/> EDD	
Standard (10 Business Days)	<input type="checkbox"/>	RECEIVED ON ICE <input type="checkbox"/> YES <input type="checkbox"/> NO	
*Date Needed	<i>5-DM</i>	TEMPERATURE	<i>8</i> °C
CUSTODY RECORD		Relinquished by Sampler:	Date <i>4/6/20</i> Time <i>1340</i>
		Relinquished by:	Date <i>4-6</i> Time <i>1543</i>
		Relinquished by:	Date <i>4/6/20</i> Time <i>1543</i>
		Received by:	Date <i>4-6</i> Time <i>1-40</i>
		Received by:	Date <i>4/6/20</i> Time <i>1543</i>
		Received by Laboratory:	Date <i>4/6/20</i> Time <i>1543</i>

APPENDIX C

Risk Characterization Tables

Method 3 Imminent Hazard Assessment for Park Visitor Exposed to Chemicals in Soil - Shortform 2012 (sf12psi)

Index

Tab

EPCs	Table PSIH-1: Select chemicals and enter Exposure Point Concentrations (EPCs). Estimated risks are presented to the right.
C Eq	Table PSIH-2: Equations to calculate cancer risks.
NC Eq	Table PSIH-3: Equations to calculate noncancer risks.
Exp	Table PSIH-4: Definitions and exposure factors.
Chem	Table PSIH-5: Chemical-specific data.
Cyanide	Table PSIH-6: Cyanide Calculation

Spreadsheets designed by Rafael McDonald, MassDEP

Questions and Comments may be addressed to:

Lydia Thompson

Massachusetts Department of Environmental Protection

Office of Research and Standards

One Winter Street

Boston, MA 02108 USA

Telephone: (617) 556-1165

Fax: (617) 556-1006

Email: Lydia.Thompson@state.ma.us

Park Visitor - Soil Imminent Hazard Evaluation: Table PSIH-1
Exposure Point Concentration (EPC)
Based on Visitor Ages 1-6 (Cancer) and 1-2 (Noncancer)

ShortForm Version 10-12

Vlookup Version v0315

ELCR (all chemicals) =
Subchronic HI (all chemicals) = 2.4E+00

Do not insert or delete any rows

Click on empty cell below and select OHM using arrow.

Oil or Hazardous Material	EPC (mg/kg)	ELCR _{ingestion}	ELCR _{dermal}	ELCR _{total}	Subchronic		
					HQ _{ing}	HQ _{derm}	HQ _{total}
LEAD	8.5E+02				2.3E+00	1.6E-01	2.4E+00

Note! Lead IH HQ limit is 1, not 10.

Park Visitor - Soil: Table PSIH-2

Equations to Calculate Cancer Risk for Visitor (Age 1-6 years)

Cancer Risk from Ingestion

$$ELCR_{ing} = LADD_{ing} * CSF$$

$$LADD_{ing} = \frac{[OHM]_{soil} * IR_x * RAF_{c-ing} * EF_{ing} * ED * EP * C}{BW * AP_{lifetime}}$$

Cancer Risk from Dermal Absorption

$$ELCR_{derm} = LADD_{derm} * CSF$$

$$LADD_{derm} = \frac{[OHM]_{soil} * SA * RAF_{c-derm} * SAF * EF_{derm} * ED * EP * C}{BW * AP_{lifetime}}$$

Vlookup Version v0315

Parameter	Value	Units
CSF	OHM specific	(mg/kg-day) ⁻¹
LADD	age/OHM specific	mg/kg-day
[OHM] _{soil}	OHM specific	mg/kg
IR	100	mg/day
RAF _{c-ing}	OHM specific	dimensionless
RAF _{c-derm}	OHM specific	dimensionless
EF _{ing,derm}	0.247	event/day
ED	1	day/event
EP	5	years
C	0.000001	kg/mg
BW	14.6	kg
AP _(lifetime)	70	years
SA	2231	cm ² /day
SAF	0.35	mg/cm ²

Park Visitor - Soil: Table PSIH-3

Equations to Calculate Noncancer Risk for Visitor (Age 1-2 years)

Vlookup Version v0315

Noncancer Risk from Ingestion

$$HQ_{ing} = \frac{ADD_{ing}}{RfD_{subchronic}}$$

$$ADD_{ing} = \frac{[OHM]_{soil} * IR * RAF_{nc-ing} * EF_{ing} * ED * EP * C}{BW * AP}$$

Noncancer Risk from Dermal Absorption

$$HQ_{derm} = \frac{ADD_{derm}}{RfD_{subchronic}}$$

$$ADD_{derm} = \frac{[OHM]_{soil} * SA * RAF_{nc-derm} * SAF * EF_{derm} * ED * EP * C}{BW * AP}$$

Parameter	Value	Units
RfD	OHM specific	mg/kg-day
ADD	OHM specific	mg/kg-day
[OHM] _{soil}	OHM specific	mg/kg
IR	100	mg/day
RAF _{nc-ing}	OHM specific	dimensionless
RAF _{nc-derm}	OHM specific	dimensionless
EF _{ing,derm}	0.428	event/day
ED	1	day/event
EP	0.577	years
C	0.000001	kg/mg
BW	10.7	kg
AP	0.577	year
SA	1670	cm ² /day
SAF	0.35	mg/cm ²

Park Visitor - Soil: Table PSIH-4
Definitions and Exposure Factors

Vlookup Version v0315

Parameter	Value	Units	Notes
ELCR - Excess Lifetime Cancer Risk	chemical specific	dimensionless	Pathway specific (ing =ingestion, derm=dermal)
CSF - Cancer Slope Factor	chemical specific	(mg/kg-day) ⁻¹	see Table PSIH-5.
LADD - Lifetime Average Daily Dose	chemical specific	mg/kg-day	Pathway specific - see Table PSIH-2.
HQ - Hazard Quotient	chemical specific	dimensionless	Pathway specific (ing =ingestion, derm=dermal) - see Table PSIH-3.
RfD - Reference Dose	chemical specific	mg/kg-day	see Table PSIH-5.
ADD - Average Daily Dose	chemical specific	mg/kg-day	Pathway specific
EPC - Exposure Point Concentration	chemical specific	mg/kg	
IR - Soil Ingestion Rate	100	mg/day	
RAF _c - Relative Absorption Factor for Cancer Effects	chemical specific	dimensionless	MADEP. 1995. Guidance for Disposal Site Risk Characterization. Appendix Table B-3.
RAF _{NC} - Relative Absorption Factor for non-Cancer Effects	chemical specific	dimensionless	Adjusts estimated dose to conform to the relavant CSF. See Table PS-6
EF _{subchronic} - Exposure Frequency for subchronic exposure	0.428	event/day	Adjusts estimated dose to conform to the relavant RfD. See Table PS-6
EF _{lifetime} - Exposure Frequency for chronic or lifetime exposure	0.247	event/day	3 events/week 3 events/week, 30 weeks/year
ED - Exposure Duration	1	day/event	
EP ₍₁₋₂₎ - Exposure Period for age group 1-2	0.577	years	30 weeks
EP ₍₁₋₆₎ - Exposure Period for age group 1-6	5	years	
BW ₍₁₋₂₎ - Body Weight for age group 1-2	10.7	kg	U.S. EPA. 1997. Exposure Factors Handbook. Table 7-7, females.
BW ₍₁₋₆₎ - Body Weight for age group 1-6	14.6	kg	Ibid
AP _{subchronic} - Averaging Period for subchronic noncancer	0.577	years	30 weeks
AP _{lifetime} - Averaging Period for cancer/lifetime	70	years	
SA ₍₁₋₂₎ - Surface Area for age group 1-2	1670	cm ² /day	50th percentile of face (1/3 head), forearms, hands, lower legs, and feet for females
SA ₍₁₋₆₎ - Surface Area for age group 1-6	2231	cm ² / day	MADEP 1995 Guidance for Disposal Site Risk Characterization, Appendix Table B-2.
SAF - Surface Adherence Factor	0.35	mg _{soil} / cm ²	Ibid All SAFs developed for ShortForm according to procedure outlined in MA DEP Technical Update: Weighted Skin-Soil Adherence Factors, April 2002

Park Visitor - Soil: Table PSIH-5
Chemical-Specific Data

Vlookup Version v0315

Oil or Hazardous Material	CSF (mg/kg-day) ⁻¹	RAF _{c-ing}	RAF _{c-derm}	Subchronic RfD mg/kg-day	Subchronic RAF _{nc-ing}	Subchronic RAF _{nc-derm}
LEAD	7.5E-04	0.5	0.006			

APPENDIX D

Photographic Log

**Immediate Response Action (IRA) Plan
618R Waverly Street, Framingham, MA
Release Tracking Number (RTN) 3-36304**

PHOTO DOCUMENTATION



Photo 1

View looking south at the northeastern corner of the temporary fence installed at the Site.



Photo 2

View looking south at the northern portion of the Site, from the paved parking lot to the north.



Photo 3

View looking south at the northwestern corner of the temporary fence installed at the Site. The posted signage is visible in the center of the photo.

APPENDIX E

IDW Disposal Documentation



DAILY WORKSHEET

Date:

7/29/20

Project Number:

20-0020

CLIENT / SITE INFORMATION

Westin & Sampson

Name: Cedar Woods

Address: 618 R Waverly St, Framingham, MA

Contact: Joe Spencer 781-443-2779

PROJECTS NOTES

1-soil horizons

Pick up drum Disposal Northland

LABOR Onsite 1145 - 1200

MATERIALS / EQUIPMENT / TOOLS


SUBCONTRACTORS

Disposal @ Northland

WEATHER OBSERVATIONS

Project Manager's Signature

Client's Signature:



Massachusetts Department of Environmental Protection
Bureau of Waste Site Cleanup

BWSC 112

Release Tracking Number

3

- 36304

BILL OF LADING (pursuant to 310 CMR 40.0030)

A. LOCATION OF SITE OR DISPOSAL SITE WHERE REMEDIATION WASTE WAS GENERATED:

1. Release Name/Location Aid: PROPERTY TO EAST OF WAVERLY & MELLEN STS

2. Street Address: 618R WAVERLY STREET

3. City/Town: FRAMINGHAM 4. Zip Code: 017020000

5. Check here if the disposal site that is the source of the release is Tier Classified. Check the current Tier Classification Category.
 a. Tier I b. Tier ID c. Tier II

B. THIS FORM IS BEING USED TO: (check one: B1-B4):

1. Submit a Bill of Lading (BOL) to transport Remediation Waste to Temporary Storage or a Receiving Facility.

Response Actions associated with this BOL (check all that apply):

- a. Immediate Response Action (IRA) e. Comprehensive Response Actions
 b. Release Abatement Measure (RAM) f. Limited Removal Action (LRA): (must be
 c. Downgradient Property Status (DPS) retained pursuant to 310 CMR 40.0034(6); can't be
 d. Utility Release Abatement Measure (URAM) submitted via eDEP)
 g. Other

2. Submit an Attestation of Completion of Shipment to Temporary Storage (Sections C, F and J are not required):

3. Submit an Attestation of Completion of Shipment to a Receiving Facility (Sections C, F and J are not required):

4. Certify that Remediation Waste Was Not Shipped, and the Bill of Lading is Void. (Sections C, D, E, and F are not required)

5. Date Bill of Lading submitted to the Department:

b. eDEP Transaction ID:

(mm/dd/yyyy)

6. Period of Generation Associated with this Bill of Lading

4/6/2020

to 4/8/2020

(mm/dd/yyyy)

(mm/dd/yyyy)

(All sections of this transmittal form must be filled out unless otherwise noted above)

The Bill of Lading is not considered complete until the Attestation of Completion of Shipment is received by the Department.

C. DESCRIPTION OF WASTE AND WASTE SOURCE:

1. Contaminated Media/Debris (check all that apply):

- a. Soil b. Groundwater c. Surface Water d. Sediment e. Vegetation or Organic Debris
 f. Demolition/Construction Waste g. Inorganic Absorbent Materials h. Other:

2. Uncontainerized Waste (check all that apply):

- a. Inorganic Absorbent Materials b. Other:



Massachusetts Department of Environmental Protection
Bureau of Waste Site Cleanup

BILL OF LADING (pursuant to 310 CMR 40.0030)

BWSC 112

Release Tracking Number

3 - 36304

C. DESCRIPTION OF WASTE AND WASTE SOURCE (cont.):

3. Containerized Waste (check all that apply):

- a. Tank Bottoms/Sludges b. Containers c. Drums d. Engineered Impoundments
 e. Other: _____

4. Estimated Quantity: 0.2 _____ Tons Cu. Yds. Gallons

5. Contaminant Source (check one):

- a. Transportation Accident b. Underground Storage Tank c. Brownfields Redevelopment
 d. Other: URBAN FILL/IMPACTED FILL MATERIAL

6. Type of Contaminant (check all that apply):

- a. Gasoline b. Diesel Fuel c. #2 Fuel Oil d. #4 Fuel Oil e. #6 Fuel Oil f. Jet Fuel
 g. Waste Oil h. Kerosene i. Chlorinated Solvents j. Urban Fill k. Other: _____

7. Constituents of Concern (check all that apply):

- a. As b. Cd c. Cr d. Pb e. Hg f. EPH/TPH g. VPH
 h. PCBs i. VOCs j. SVOCs k. Other: ZN, SB

8. If applicable, check the box for the Reportable Concentration Category of the site:

- a. RCS-1 b. RCS-2 c. RCGW-1 d. RCGW-2

9. Remediation Waste Characterization Documentation (check at least one):

- a. Site History Information b. Sampling Analytical Methods and Procedures c. Laboratory Data
 d. Field Screening Data e. Characterization Documentation previously submitted to the Department

i. Date submitted: _____ ii. Type of Documentation: _____
(mm/dd/yyyy)

D. TRANSPORTER OR COMMON CARRIER INFORMATION:

1. Transporter/Common Carrier Name:	STRATEGIC ENVL SERVICES		
2. Contact First Name:	ALISA	3. Last Name:	SEELEY
4. Street:	27 KREIGER LANE UNIT 10	5. Title:	WASTE DISPOSAL COORDINATOR
6. City/Town:	GLASTONBURY	7. State:	CT
9. Telephone:	8602662616	10. Ext:	11. Email:
			aseeley@strategic-es.com



Massachusetts Department of Environmental Protection
Bureau of Waste Site Cleanup

BILL OF LADING (pursuant to 310 CMR 40.0030)

BWSC 112

Release Tracking Number

3 - 36304

E. RECEIVING FACILITY/TEMPORARY STORAGE LOCATION:

1. Operator/Facility Name:	STERICYCLE/NORTHLAND ENV LLC		
2. Contact First Name:	ANTONIO	3. Last Name:	BOIANO
4. Street:	275 ALLENS AVENUE		
5. Title:	FACILITY MANAGER		
6. City/Town:	PROVIDENCE		
7. State:	RI	8. Zip Code:	029050000
9. Telephone:	4017816340	10. Ext:	
11. Email:	antonio.boiano@stericycle.com		
12. Type of facility: (check one)			
a. Temporary Storage	i. Period of Temporary Storage	8/3/2020 (mm/dd/yyyy)	to 12/4/2020 (mm/dd/yyyy)
ii. Reason for Temporary Storage: SOIL TO BE COMBINED WITH LIKE MATERIAL AND SENT TO LICENSED LANDFILL BY STERICYCLE			
<input type="checkbox"/> b. Asphalt Batch/Hot Mix	<input type="checkbox"/> c. Landfill/Disposal	<input type="checkbox"/> d. Landfill/Structural Fill	<input type="checkbox"/> e. Landfill/Daily Cover
<input type="checkbox"/> f. Asphalt Batch/Cold Mix	<input type="checkbox"/> g. Thermal Processing	<input type="checkbox"/> h. Incinerator	<input type="checkbox"/> i. Other: _____
13. Division of Hazardous Waste/Class A Permit Number: _____			
14. Division of Solid Waste Permit Number: _____			
15. EPA Identification Number: RID040098352			


F. LSP SIGNATURE AND STAMP:

I attest under the pains and penalties of perjury that I have personally examined and am familiar with this submittal form, including any and all documents accompanying this submittal. In my professional opinion and judgment based upon application of (i) the standard of care in 309 CMR 4.02(1), (ii) the applicable provisions of 309 CMR 4.02(2) and (3), and 309 CMR 4.03(2), and (iii) the provisions of 309 CMR 4.03(3), to the best of my knowledge, information and belief, the assessment action(s) undertaken to characterize the Remediation Waste which is (are) the subject of this submittal for acceptance at the facility identified in this submittal comply with applicable provisions of 310 CMR 40.0000, and such facility is permitted to accept Remediation Waste having the characteristics described in this submittal.

I am aware that significant penalties may result, including, but not limited to, possible fines and imprisonment, if I submit information which I know to be false, inaccurate or materially incomplete.

1. LSP #:	5586		
2. First Name:	FRANCIS M	3. Last Name:	RICCIARDI
4. Telephone:	9785321900	5. Ext:	
6. Email:	ricciarf@wseinc.com		
7. Signature:	FRANCIS M RICCIARDI		
8. Date:	7/28/2020 (mm/dd/yyyy)		
9. LSP Stamp:			





Massachusetts Department of Environmental Protection
Bureau of Waste Site Cleanup

BILL OF LADING (pursuant to 310 CMR 40.0030)

BWSC 112

Release Tracking Number

3 - 36304

G. PERSON SUBMITTING BILL OF LADING:

1. Check all that apply: a. change in contact name b. change of address c. change in the person undertaking response actions
2. Name of Organization: CITY OF FRAMINGHAM
3. Contact First Name: THATCHER 4. Last Name: KEZER III
5. Street: 150 CONCORD STREET 6. Title: CHIEF OPERATING OFFICER
7. City/Town: FRAMINGHAM 8. State: MA 9. Zip Code: 017020000
10. Telephone: 5085325400 11. Ext: 12. Email: tkezer@framinghamma.gov

H. RELATIONSHIP TO SITE OF PERSON SUBMITTING BILL OF LADING:

Check here to change relationship

1. RP or PRP a. Owner b. Operator c. Generator d. Transporter
- e. Other RP or PRP Specify: _____
2. Fiduciary, Secured Lender or Municipality with Exempt Status (as defined by M.G.L. c. 21E, s. 2)
3. Agency or Public Utility on a Right of Way (as defined by M.G.L. c. 21E, s. 5(j))
4. Any Other Person Undertaking Response Actions: Specify Relationship: _____

I. REQUIRED ATTACHMENT AND SUBMITTALS:

1. Check here if the Response Action(s) on which this opinion is based, if any, are (were) subject to any order(s), permit(s) and/or approvals issued by DEP or EPA. If the box is checked, you must attach a statement identifying the applicable provisions thereof.
2. Check here if any non-updatable information provided on this form is incorrect, e.g. Release Address/Location Aid. Send corrections to BWSC.eDEP@state.ma.us
3. Check here to certify that the LSP Opinion containing the material facts, data, and other information is attached.

J. CERTIFICATION OF PERSON SUBMITTING BILL OF LADING:

1. I, THATCHER W. KEZER III, attest under the pains and penalties or perjury (i) that I have personally examined and am familiar with the information contained in this submittal, including any and all documents accompanying this transmittal form, (ii) that, based on my inquiry of those individuals immediately responsible for obtaining the information, the material information contained in this submittal is, to the best of my knowledge and belief, true, accurate and complete, and (iii) that I am fully authorized to make this attestation on behalf of the entity legally responsible for this submittal. I/the person or entity on whose behalf this submittal is made am/is aware that there are significant penalties, including, but not limited to, possible fines and imprisonment, for willfully submitting false, inaccurate, or incomplete information.

2. By: THATCHER W. KEZER III 3. Title: CHIEF OPERATING OFFICER
4. For: CITY OF FRAMINGHAM 5. Date: 7/28/2020
- (Name of person or entity recorded in Section G) (mm/dd/yyyy)



Massachusetts Department of Environmental Protection
Bureau of Waste Site Cleanup

BILL OF LADING (pursuant to 310 CMR 40.0030)

BWSC 112

Release Tracking Number

3 - 36304

J. CERTIFICATION OF PERSON SUBMITTING BILL OF LADING (cont.):

6. Check here if the address of the person providing certification is different from address recorded in Section G.

7. Street: _____

8. City/Town: _____

9. State: _____

10. Zip Code: _____

11. Telephone: _____

12. Ext: _____

13. Email: _____

YOU ARE SUBJECT TO AN ANNUAL COMPLIANCE ASSURANCE FEE OF UP TO \$10,000 PER BILLABLE YEAR FOR THIS DISPOSAL SITE. YOU MUST LEGIBLY COMPLETE ALL RELEVANT SECTIONS OF THIS FORM OR DEP MAY RETURN THE DOCUMENT AS INCOMPLETE. IF YOU SUBMIT AN INCOMPLETE FORM, YOU MAY BE PENALIZED FOR MISSING A REQUIRED DEADLINE.

Date Stamp (MassDEP USE ONLY):

Received by DEP on 7/28/2020 6:19:08 PM



Massachusetts Department of Environmental Protection
Bureau of Waste Site Cleanup

BILL OF LADING Transport Log Sheet

Page 1 OF 1

Release Tracking Number

-

I. LOAD INFORMATION: Signature of Transporter Representative:

Load 1:

Date of Shipment:

7/29/20

Time of Shipment:

1145

AM PM

Truck/Tractor Registration:

MA T33-466

Trailer Registration (if any):

Receiving Facility/Temporary Storage Representative:

Ceth Arnold

Date of Receipt:

7/29/20

Time of Receipt:

AM PM

Load Size (cu. yds./tons):

Load 2: Signature of Transporter Representative:

Date of Shipment:

Time of Shipment:

AM PM

Truck/Tractor Registration:

[Signature]

Trailer Registration (if any):

Receiving Facility/Temporary Storage Representative:

Date of Receipt:

Time of Receipt:

AM PM

Load Size (cu. yds./tons):

Load 3: Signature of Transporter Representative:

Date of Shipment:

Time of Shipment:

AM PM

Truck/Tractor Registration:

[Signature]

Trailer Registration (if any):

Receiving Facility/Temporary Storage Representative:

Date of Receipt:

Time of Receipt:

AM PM

Load Size (cu. yds./tons):

Load 4: Signature of Transporter Representative:

Date of Shipment:

Time of Shipment:

AM PM

Truck/Tractor Registration:

[Signature]

Trailer Registration (if any):

Receiving Facility/Temporary Storage Representative:

Date of Receipt:

Time of Receipt:

AM PM

Load Size (cu. yds./tons):

Load 5: Signature of Transporter Representative:

Date of Shipment:

Time of Shipment:

AM PM

Truck/Tractor Registration:

[Signature]

Trailer Registration (if any):

Receiving Facility/Temporary Storage Representative:

Date of Receipt:

Time of Receipt:

AM PM

Load Size (cu. yds./tons):

Load 6: Signature of Transporter Representative:

Date of Shipment:

Time of Shipment:

AM PM

Truck/Tractor Registration:

[Signature]

Trailer Registration (if any):

Receiving Facility/Temporary Storage Representative:

Date of Receipt:

Time of Receipt:

AM PM

Load Size (cu. yds./tons):

J. LOG SHEET VOLUME INFORMATION:

Total Volume Recorded This Page (cu. yds./tons)

Total Carried Forward (cu. yds./tons):

Total Carried Forward and This Page (cu. yds./tons):

July 24, 2020

Massachusetts Department of Environmental Protection
Northeast Regional Office
Bureau of Waste Site Cleanup
205B Lowell Street
Wilmington, Massachusetts 01887

Re: **LSP Opinion - Soil Disposal**
618R Waverly Street
Framingham, Massachusetts
RTN 3-36304

Dear Sir/Madam:

Weston & Sampson has prepared this Licensed Site Professional (LSP) Opinion letter for the disposal of one 55-gallon drum of soil that was generated during assessment activities at the above-referenced property, located in Framingham, Massachusetts (the Site). See Figure 1 for the general location of the Site.

The Site is regulated under the Massachusetts Contingency Plan (MCP), and the subject soil was generated during Site assessment activities conducted under the City of Framingham's US EPA Brownfields Grant. Based on the data obtained during Site assessment activities, a 2-hour Notification Condition was identified due to elevated concentrations of lead identified in a small area (approximately 500 sf) of shallow soil. On June 3, 2020, the City reported the Release to MassDEP, and MassDEP assigned Release Tracking Number (RTN) 3-36304 to the Release.

Current and Former Site Use

The Site consists of approximately 2.08 acres of vacant land, comprised of woodlands, wetland, and paved parking lot. The 618R Waverly Street parcel (parcel ID: 134-64-7867) was initially part of a larger parcel (with current day 618 Waverly Street formerly known comprehensively as 612 Waverly Street), that was formerly occupied by Silton Glass Co. Historical operations on the property included an auto parts retailer, filling station, and auto glass facility.

An ASTM Phase I ESA in 2009, ASTM Phase II ESA in 2010, and cleanup/reuse planning was conducted for the former Silton Glass property (612 Waverly Street). An Activity and Use Limitation (AUL), for release tracking number (RTN) 3-29744, was filed in 2012 for the property by the then current property owner Charles L. Silton, Inc. Contaminants of concern at the property included metals, Extractable Petroleum Hydrocarbons (EPH) and Polycyclic Aromatic Hydrocarbons (PAHs). These impacts were associated with historic fill materials and point source releases of petroleum from past operations as a gasoline station and salvage facility. The AUL restricts the use of the property to commercial / industrial uses only and requires a Soil Management Plan and Health and Safety Plan prior to any soil disturbance.

The Silton Glass property was acquired in 2015 by the City of Framingham through tax title taking, and the property was subsequently subdivided to support sale of the existing facility structure as a commercial property (currently addressed as 618 Waverly St). Ownership of the remainder of the Silton Glass property (currently addressed as 618R Waverly Street), was retained by the City of Framingham.

Soil Generation and Sampling

From April 6 through 8, 2020, Weston & Sampson oversaw the advancement of 15 soil borings (SB-101 through SB-115) at locations depicted in Figure 2, Site Plan. During the course of drilling activities, approximately 40 gallons of surplus drill cuttings were placed in a labeled and secured 55-gallon steel drum and stored on-Site (see Figure 2 for location of drum). The soil was generated in small volumes from each of

the boring locations depicted on the attached Figure 2. Thirty-five soil samples were collected from discrete depth intervals, as shown on Tables 1A-1C and Table 2. Samples were submitted to Absolute Resource Associates of Portsmouth, NH (ARA) for analysis of antimony, arsenic, barium, beryllium, cadmium, chromium (III), chromium (VI), lead, mercury, nickel, silver, thallium, vanadium, zinc, extractable petroleum hydrocarbons (EPH) with target polycyclic aromatic hydrocarbons (PAHs), volatile petroleum hydrocarbons (VPH) with target volatile organic compounds (VOCs), and/or VOCs.

On June 15, 2020, Weston & Sampson collected one composite sample from the drummed soil (IDW-1) and submitted it to ARA for analysis of arsenic, barium, cadmium, chromium, lead, mercury, selenium, and silver by Toxicity Characteristic Leaching Procedures (TCLP) methods. Copies of the laboratory analytical reports are included as an attachment.

Analytical Results

Data in the attached tables were compared to applicable MCP Reportable Concentrations criteria (RCS-1).

Metals

All metals, excepting selenium, were detected above laboratory reporting limits in at least one of the 35 soil samples submitted for analysis. Antimony, arsenic, lead, and zinc were detected at concentrations exceeding the applicable RCS-1 threshold in multiple samples. The result of the TCLP analysis for the subject sample showed concentrations below levels indicative of a characteristic hazardous waste.

EPH/PAHs

EPH aliphatic and aromatic fractions, as well as target PAHs were detected above the laboratory reporting limits at multiple boring locations. The PAHs benzo(a)pyrene and dibenz(a,h)anthracene were detected at concentrations exceeding the respective MCP RCS-1 in multiple samples.

VPH/VOCs

VPH aliphatic and aromatic fractions, as well as target petroleum VOCs were detected above the laboratory reporting limits, but below the respective RCS-1 threshold at three locations.

In addition, including two chlorinated VOCs (cis-1,2-dichloroethylene and trichloroethylene) were detected in sample SB-108 (6-9) at concentrations above the respective RCS-1 threshold.

Closure Statement

Due diligence was used to characterize the soil for the presence of listed hazardous waste and characteristic hazardous waste in accordance with DEP Policy # HW93-01. Historical Site review and chemical testing performed on the soil did not indicate the presence of a listed hazardous waste nor did the soil exhibit a characteristic of hazardous waste. Importantly, there is no known history of activities involving cis-1,2-dichloroethylene and trichloroethylene that indicate the presence of these contaminants constitute a hazardous waste.

In consideration of the Site history and current conditions at the Site from which the soil proposed for disposal has been generated, it is our opinion that the samples collected to characterize the soil were sufficient in terms of sampling methods, sampling dates, analytes tested for, QA/QC criteria, number of samples, sampling depth, and sampling locations to provide analytical data which are representative of the soil proposed for such disposal/re-use.

Weston & Sampson has completed an evaluation of the laboratory analytical QA/QC data accompanying the laboratory reports and this submittal contains data which are judged to be useable and representative. Based on our review of the chemical soil testing data obtained during this sampling program, the soils represented by this submittal are suitable for disposal as non-hazardous waste at a landfill. If you have any questions or comments regarding this letter or need any additional information, please do not hesitate to contact our office at (978) 532-1900.


Sincerely,

WESTON & SAMPSON ENGINEERS, INC.



Frank M. Ricciardi, PE, LSP
Vice President

Attachments:
Figures
Tables
Stericycle Waste Profile Sheet
Laboratory Analytical Reports



Copyright: © 2013 National Geographic Society, i-cubed

FIGURE 1
CEDAR WOODS
FRAMINGHAM, MA

LOCUS MAP

1,600

0

1,600

Scale In Feet




Table 1A
Summary of Soil Analytical Results - April 2020 Soil Borings
Cedar Woods
Framingham, Massachusetts

Parameter	Units	Reportable Concentrations	Method 1 Cleanup Standards (1)															
			RCS-1		S-1/GW-2	S-1/GW-3	SB-101		SB-102		SB-103			SB-104		SB-105		
			0-3 feet	9-12 feet	4/6/2020	0-3 feet	11-14 feet	4/6/2020	0-3 feet	3-5 feet	4/6/2020	7-10 feet	4/6/2020	0-3 Feet	8-10 Feet	4/6/2020	0-3 feet	5-8 feet
																	4/6/2020	4/6/2020
EPH																		
C9-C18 Aliphatics	mg/kg	1000	1000	1000	<21	<25	<20	<46	NT	NT	NT	<20	<22	<24	<22			
C19-C36 Aliphatics	mg/kg	3000	3000	3000	35	82	130	80	NT	NT	NT	34	100	280	23			
C11-C22 Aromatics	mg/kg	1000	1000	1000	<21	41	50	<46	NT	NT	NT	25	<22	130	<22			
Target PAHS																		
Acenaphthene	mg/kg	4	1000	1000	<0.21	<0.25	<0.20	<0.46	NT	NT	NT	<0.20	<0.22	<0.24	<0.22			
Acenaphthylene	mg/kg	1	600	10	<0.21	<0.25	<0.20	<0.46	NT	NT	NT	<0.20	<0.22	<0.24	<0.22			
Anthracene	mg/kg	1000	1000	1000	<0.21	0.40	<0.20	<0.46	NT	NT	NT	<0.20	<0.22	<0.24	<0.22			
Benzo(A)Anthracene	mg/kg	7	7	7	<0.21	0.98	<0.20	<0.46	NT	NT	NT	0.40	<0.22	1.5	<0.22			
Benzo(A)Pyrene	mg/kg	2	2	2	<0.21	0.89	<0.20	<0.46	NT	NT	NT	0.44	<0.22	1.4	<0.22			
Benzo(B)Fluoranthene	mg/kg	7	7	7	<0.21	0.88	<0.20	<0.46	NT	NT	NT	0.46	<0.22	1.6	<0.22			
Benzo(G,H,I)Perylene	mg/kg	1000	1000	1000	<0.21	0.72	<0.20	<0.46	NT	NT	NT	0.35	<0.22	1.2	<0.22			
Benzo(K)Fluoranthene	mg/kg	70	70	70	<0.21	0.71	<0.20	<0.46	NT	NT	NT	0.44	<0.22	1.2	<0.22			
Chrysene	mg/kg	70	70	70	<0.21	1.0	<0.20	<0.46	NT	NT	NT	0.56	<0.22	1.9	<0.22			
Dibenz(A,H)Anthracene	mg/kg	0.7	1	1	<0.21	<0.25	<0.20	<0.46	NT	NT	NT	<0.20	<0.22	0.38	<0.22			
Fluoranthene	mg/kg	1000	1000	1000	0.22	2.1	<0.20	0.48	NT	NT	NT	0.80	<0.22	3.2	<0.22			
Fluorene	mg/kg	1000	1000	1000	<0.21	<0.25	<0.20	<0.46	NT	NT	NT	<0.20	<0.22	<0.24	<0.22			
Indeno(1,2,3-Cd)Pyrene	mg/kg	7	7	7	<0.21	0.63	<0.20	<0.46	NT	NT	NT	0.30	<0.22	1.1	<0.22			
2-Methylnaphthalene	mg/kg	0.7	80	300	<0.21	<0.25	<0.20	<0.46	NT	NT	NT	<0.20	<0.22	<0.24	<0.22			
Naphthalene	mg/kg	4	20	500	<0.21	<0.25	<0.20	<0.46	NT	NT	NT	<0.20	<0.22	<0.24	<0.22			
Phenanthrene	mg/kg	10	500	500	<0.21	2.1	<0.20	<0.46	NT	NT	NT	0.39	<0.22	1.5	<0.22			
Pyrene	mg/kg	1000	1000	1000	0.24	2.3	<0.20	0.56	NT	NT	NT	0.85	<0.22	2.9	<0.22			
VPH																		
C5-C8 Aliphatics	mg/kg	100	100	100	NT	<6.3	NT	<16	NT	NT	NT	<5.8	NT	<4.9	NT	<4.3		
C9-C12 Aliphatics	mg/kg	1000	1000	1000	NT	<6.3	NT	<16	NT	NT	NT	<5.8	NT	<4.9	NT	<4.3		
C9-C10 Aromatics	mg/kg	100	100	100	NT	<6.3	NT	<16	NT	NT	NT	<5.8	NT	<4.9	NT	<4.3		
Target VOCs																		
Benzene	mg/kg	2	40	40	NT	<0.13	NT	<0.31	NT	NT	NT	<0.12	NT	<0.097	NT	<0.087		
Ethylbenzene	mg/kg	40	500	500	NT	<0.13	NT	<0.31	NT	NT	NT	<0.12	NT	<0.097	NT	<0.087		
Methyl tert-Butyl Ether (MTBE)	mg/kg	0.1	100	100	NT	<0.13	NT	<0.31	NT	NT	NT	<0.12	NT	<0.097	NT	<0.087		
Naphthalene	mg/kg	4	20	500	NT	<0.31	NT	<0.78	NT	NT	NT	<0.29	NT	<0.24	NT	<0.22		
Toluene	mg/kg	30	500	500	NT	<0.13	NT	<0.31	NT	NT	NT	<0.12	NT	<0.097	NT	<0.087		
m+p Xylene	mg/kg	100	100	500	NT	<0.13	NT	<0.31	NT	NT	NT	<0.12	NT	<0.097	NT	<0.087		
o-Xylene	mg/kg	100	100	500	NT	<0.13	NT	<.31	NT	NT	NT	<0.12	NT	<0.097	NT	<0.087		
Metals																		
Antimony	mg/kg	20	20	20	<0.52	2.7	<0.54	<1.1	0.51	3.7	<0.60	<0.54	<0.57	4.7	<0.55			
Arsenic	mg/kg	20	20	20	3.3	28	3.3	10	3.5	13	3.3	<2.7	3.1	7.3	3.0			
Barium	mg/kg	1000	1000	1000	18	140	27	56	25	250	36	17	27	310	23			
Beryllium	mg/kg	90	90	90	<0.52	<0.68	<0.54	<1.1	<0.51	<0.62	<0.60	<0.54	<0.57	<0.60	<0.55			
Cadmium	mg/kg	70	70	70	<0.52	1.3	<0.54	<1.1	<0.51	4.9	<0.60	<0.54	<0.57	2.0	<0.55			
Chromium (III)	mg/kg	1000	1000	1000	NT	51	NT	41	NT	9.4	NT	NT	16	18	NT			
Chromium (VI)	mg/kg	100	100	100	7.3	3.8	17	<1.00	6.9	<0.49	18	<5.4	<0.47	11	11			
Lead	mg/kg	200	200	200	8.7	230	16	190	22	710	8.4	16	5.5	650	5.0			
Mercury	mg/kg	20	20	20	<0.15	0.58	<0.13	<0.31	<0.15	0.58	<0.17	<0.15	<0.16	2.9	<0.15</td			

Table 1B
Summary of Soil Analytical Results - April 2020 Soil Borings
Cedar Woods
Framingham, Massachusetts

Parameter	Units	Reportable Concentrations	Method 1 Cleanup Standards (1)			Sample Location, Depth, and Date											
			RCS-1	S-1/GW-2	S-1/GW-3	SB-106			SB-107		SB-108		SB-109			SB-110	
						0-3 feet	3-4 feet	5-8 feet	0-3 Feet	10-11 Feet	0-3 Feet	6-9 Feet	0-3 Feet	5-8 Feet	DUP-1	0-3 Feet	5-8 Feet
						4/6/2020	4/6/2020	4/6/2020	4/7/2020	4/7/2020	4/7/2020	4/7/2020	4/7/2020	4/7/2020	4/7/2020	4/7/2020	4/7/2020
EPH																	
C9-C18 Aliphatics	mg/kg	1000	1000	1000	<21	NT	<240	<23	34	<26	92	<28	<78	<83	<22	<22	<110
C19-C36 Aliphatics	mg/kg	3000	3000	3000	91	NT	570	36	410	39	1900	42	290	390	68	140	
C11-C22 Aromatics	mg/kg	1000	1000	1000	44	NT	290	<23	76	<0.26	350	<28	100	300	53		<110
Target PAHS																	
Acenaphthene	mg/kg	4	1000	1000	<0.21	NT	<0.47	<0.23	<0.23	<0.26	<0.24	<0.28	<0.78	<0.83	<0.22	<0.22	<1.1
Acenaphthylene	mg/kg	1	600	10	<0.21	NT	<0.47	<0.23	<0.23	<0.26	<0.24	<0.28	<0.78	<0.83	<0.22	<0.22	<1.1
Anthracene	mg/kg	1000	1000	1000	<0.21	NT	<0.47	<0.23	<0.23	<0.26	0.46	<0.28	<0.78	0.92	<0.22	<1.1	
Benzo(A)Anthracene	mg/kg	7	7	7	0.42	NT	<0.47	<0.23	<0.23	<0.26	0.79	<0.28	0.78	4	0.59		<1.1
Benzo(A)Pyrene	mg/kg	2	2	2	0.40	NT	<0.47	<0.23	<0.23	<0.26	0.70	<0.28	0.91	4.4	0.63		<1.1
Benzo(B)Fluoranthene	mg/kg	7	7	7	0.35	NT	<0.47	<0.23	<0.23	<0.26	0.64	<0.28	0.89	4.4	0.57		<1.1
Benzo(G,H,I)Perylene	mg/kg	1000	1000	1000	0.46	NT	<0.47	<0.23	<0.23	<0.26	0.51	<0.28	<0.78	3.2	0.42		<1.1
Benzo(K)Fluoranthene	mg/kg	70	70	70	0.39	NT	<0.47	<0.23	<0.23	<0.26	0.57	<0.28	<0.78	3.7	0.53		<1.1
Chrysene	mg/kg	70	70	70	0.52	NT	<0.47	<0.23	<0.23	<0.26	0.87	<0.28	0.96	5.3	0.74		<1.1
Dibenz(A,H)Anthracene	mg/kg	0.7	1	1	<0.21	NT	<0.47	<0.23	<0.23	<0.26	<0.24	<0.28	<0.78	<0.83	<0.22	<0.22	<1.1
Fluoranthene	mg/kg	1000	1000	1000	0.81	NT	<0.47	0.25	<0.23	<0.26	1.9	<0.28	1.5	9.2	1.3		<1.1
Fluorene	mg/kg	1000	1000	1000	<0.21	NT	<0.47	<0.23	<0.23	<0.26	0.37	<0.28	<0.78	<0.83	<0.22	<0.22	<1.1
Indeno(1,2,3-Cd)Pyrene	mg/kg	7	7	7	0.36	NT	<0.47	<0.23	<0.23	<0.26	0.36	<0.28	<0.78	2.9	0.36		<1.1
2-Methylnaphthalene	mg/kg	0.7	80	300	<0.21	NT	<0.47	<0.23	<0.23	<0.26	0.57	<0.28	<0.78	<0.83	<0.22	<0.22	<1.1
Naphthalene	mg/kg	4	20	500	<0.21	NT	<0.47	<0.23	<0.23	<0.26	0.50	<0.28	<0.78	0.86	<0.22	<0.22	<1.1
Phenanthrene	mg/kg	10	500	500	0.44	NT	<0.47	<0.23	<0.23	<0.26	2.1	<0.28	0.80	5.7	1.1		<1.1
Pyrene	mg/kg	1000	1000	1000	0.88	NT	<0.47	<0.23	<0.23	<0.26	2.1	<0.28	1.7	9	1.4		<1.1
VPH																	
C5-C8 Aliphatics	mg/kg	100	100	100	NT	NT	<5.5	7.6	26	NT	30	NT	<29	<29	NT	<42	
C9-C12 Aliphatics	mg/kg	1000	1000	1000	NT	NT	<5.5	<5.4	22	NT	24	NT	<29	<29	NT	<42	
C9-C10 Aromatics	mg/kg	100	100	100	NT	NT	<5.5	<5.4	39	NT	67	NT	<29	<29	NT	<42	
Target VOCs																	
Benzene	mg/kg	2	40	40	NT	NT	<0.11	<0.11	<0.094	NT	0.30	NT	<0.59	<0.59	NT	<0.83	
Ethylbenzene	mg/kg	40	500	500	NT	NT	<0.11	<0.11	0.48	NT	0.49	NT	<0.59	<0.59	NT	<0.83	
Methyl tert-Butyl Ether (MTBE)	mg/kg	0.1	100	100	NT	NT	<0.11	<0.11	<0.094	NT	<0.11	NT	<0.59	<0.59	NT	<0.83	
Naphthalene	mg/kg	4	20	500	NT	NT	<0.28	<0.27	1.3	NT	1.9	NT	<1.5	<1.5	NT	<2.1	
Toluene	mg/kg	30	500	500	NT	NT	<0.11	<0.11	<0.094	NT	0.42	NT	<0.59	<0.59	NT	<0.83	
m+p Xylene	mg/kg	100	100	500	NT	NT	<0.11	<0.11	1.6	NT	2.7	NT	<0.59	<0.59	NT	<0.83	
o-Xylene	mg/kg	100	100	500	NT	NT	<0.11	<0.094	NT	NT	0.45	NT	<0.59	<0.59	NT	<0.83	
Metals																	
Antimony	mg/kg	20	20	20	0.9	NT	0.78	55	5.9	51	10	64	3.5	2.1	NT	<0.51	3.5
Arsenic	mg/kg	20	20	20	4	NT	3.2	8.0	3.5	8.1	7.1	23	15	20	2.9	<14	
Barium	mg/kg	1000	1000	1000	200	NT	32	280	48	430	470	300	78	86	41	160	
Beryllium	mg/kg	90	90	90	<0.56	NT	<0.59	<0.63	<0.49	<0.65	<0.60	<0.67	<2.0	<2.0	<0.51	<2.8	
Cadmium	mg/kg	70	70	70	<0.56	NT	<0.59	4.4	2.0	5.8	11	3.6	<2.0	<2.0	<0.51	<2.8	
Chromium (III)	mg/kg	1000	1000	1000	NT	NT	33	NT	NT	25	NT	<20	NT	NT	<28		
Chromium (VI)	mg/kg	100	100	100	16	0.50	23	<0.51	19	70	<0.48	64	<1.6	<20	10	<2.2	
Lead	mg/kg	200	200	200	120	NT	150	1200	300	1200							

Table 1C
Summary of Soil Analytical Results - April 2020 Soil Borings
Cedar Woods
Framingham, Massachusetts

Parameter	Units	Reportable Concentrations	Method 1 Cleanup Standards (1)														
			RCS-1	S-1/GW-2	S-1/GW-3	SB-111			SB-112		SB-113			SB-114		SB-115	
						0-1 feet 4/8/2020	0-3 feet 4/8/2020	4-7 feet 4/8/2020	0-3 Feet 4/7/2020	5-8 Feet 4/7/2020	0-3 feet 4/8/2020	5-8 feet 4/8/2020	DUP-2 4/8/2020	0-3 feet 4/8/2020	5-8 feet 4/8/2020	0-3 feet 4/8/2020	5-8 feet 4/8/2020
EPH																	
C9-C18 Aliphatics	mg/kg	1000	1000	1000	<20	<19	<97	<21	<38	<97	<19	<20	<19	<19	<19	<20	
C19-C36 Aliphatics	mg/kg	3000	3000	3000	85	40	340	50	190	450	<19	<20	40	55	<19	57	
C11-C22 Aromatics	mg/kg	1000	1000	1000	62	<19	200	22	140	97	<19	<20	220	33	<19	75	
Target PAHS																	
Acenaphthene	mg/kg	4	1000	1000	<0.20	<0.19	0.24	<0.21	<0.38	<0.19	<0.19	<0.20	<0.19	<0.19	<0.19	<0.20	
Acenaphthylene	mg/kg	1	600	10	<0.20	<0.19	<0.19	<0.21	<0.38	<0.19	<0.19	<0.20	0.77	<0.19	<0.19	<0.20	
Anthracene	mg/kg	1000	1000	1000	<0.20	<0.19	1.3	<0.21	0.84	<0.19	<0.19	<0.20	0.61	<0.19	<0.19	0.33	
Benzo(A)Anthracene	mg/kg	7	7	1.5	<0.19	4.1	0.39	3	<0.19	<0.19	<0.19	<0.20	4.9	0.33	<0.19	1.6	
Benzo(A)Pyrene	mg/kg	2	2	2	<0.19	4.1	0.4	3	<0.19	<0.19	<0.19	<0.20	4.4	0.37	<0.19	1.7	
Benzo(B)Fluoranthene	mg/kg	7	7	2.3	<0.19	3.9	0.37	2.8	<0.19	<0.19	<0.19	<0.20	3.6	0.29	<0.19	1.8	
Benzo(G,H,I)Perylene	mg/kg	1000	1000	1000	2	<0.19	3	0.25	2	<0.19	<0.19	<0.20	3.4	0.34	<0.19	1.5	
Benzo(K)Fluoranthene	mg/kg	70	70	70	1.7	<0.19	3.4	0.38	2.7	<0.19	<0.19	<0.20	3.4	0.31	<0.19	1.4	
Chrysene	mg/kg	70	70	70	1.8	<0.19	4.4	0.42	3.6	<0.19	<0.19	<0.20	5.7	0.38	<0.19	1.9	
Dibenz(A,H)Anthracene	mg/kg	0.7	1	1	0.51	<0.19	0.95	<0.21	0.62	<0.19	<0.19	<0.20	0.78	<0.19	<0.19	0.38	
Fluoranthene	mg/kg	1000	1000	1000	2.2	<0.19	8.5	0.8	6.8	<0.19	<0.19	<0.20	9.3	0.77	<0.19	3.3	
Fluorene	mg/kg	1000	1000	1000	<0.20	<0.19	0.43	<0.21	0.43	<0.19	<0.19	<0.20	<0.19	<0.19	<0.19	0.2	
Indeno(1,2,3-Cd)Pyrene	mg/kg	7	7	7	1.7	<0.19	2.7	0.21	1.7	<0.19	<0.19	<0.20	2.7	0.25	<0.19	1.2	
2-Methylnaphthalene	mg/kg	0.7	80	300	<0.20	<0.19	0.22	<0.21	<0.38	<0.19	<0.19	<0.20	<0.19	<0.19	<0.19	<0.20	
Naphthalene	mg/kg	4	20	500	<0.20	<0.19	0.35	<0.21	<0.38	<0.19	<0.19	<0.20	<0.19	<0.19	<0.19	0.26	
Phenanthrene	mg/kg	10	500	500	0.57	<0.19	5.1	0.41	4.7	<0.19	<0.19	<0.20	4.1	0.54	<0.19	2.2	
Pyrene	mg/kg	1000	1000	1000	1.9	<0.19	6.7	0.73	5.8	<0.19	<0.19	<0.20	11	0.69	<0.19	3.5	
VPH																	
C5-C8 Aliphatics	mg/kg	100	100	100	NT	NT	<5.4	NT	<10	NT	<4.5	<4.5	<3.9	NT	NT	<7.3	
C9-C12 Aliphatics	mg/kg	1000	1000	1000	NT	NT	<5.4	NT	<10	NT	<4.5	<4.5	<3.9	NT	NT	<7.3	
C9-C10 Aromatics	mg/kg	100	100	100	NT	NT	<5.4	NT	<10	NT	<4.5	<4.5	<3.9	NT	NT	<7.3	
Target VOCs																	
Benzene	mg/kg	2	40	40	NT	NT	<0.11	NT	<0.21	NT	<0.090	<0.090	<0.078	NT	NT	<0.15	
Ethylbenzene	mg/kg	40	500	500	NT	NT	<0.11	NT	<0.21	NT	<0.090	<0.090	<0.078	NT	NT	<0.15	
Methyl tert-Butyl Ether (MTBE)	mg/kg	0.1	100	100	NT	NT	<0.11	NT	<0.21	NT	<0.090	<0.090	<0.078	NT	NT	<0.15	
Naphthalene	mg/kg	4	20	500	NT	NT	0.3	NT	<0.52	NT	<0.23	<0.23	<0.20	NT	NT	<0.37	
Toluene	mg/kg	30	500	500	NT	NT	<0.11	NT	<0.21	NT	<0.090	<0.090	<0.078	NT	NT	<0.15	
m+p Xylene	mg/kg	100	100	500	NT	NT	<0.11	NT	<0.21	NT	<0.090	<0.090	<0.078	NT	NT	<0.15	
o-Xylene	mg/kg	100	100	500	NT	NT	<0.11	NT	<0.21	NT	<0.090	<0.090	<0.078	NT	NT	<0.15	
Metals																	
Antimony	mg/kg	20	20	20	0.45	29	4.6	NT	4.2	0.56	<0.42	<0.44	<0.48	0.66	<0.40	1.7	
Arsenic	mg/kg	20	20	20	<1.7	12	8.2	5.0	16	3.7	2.1	<2.2	<2.4	<15	2.6	8.3	
Barium	mg/kg	1000	1000	1000	51	260	80	38	130	48	26	26	17	210	30	94	
Beryllium	mg/kg	90	90	90	<0.34	<0.48	0.44	<0.50	<0.95	0.69	<0.42	<0.44	<0.48	<0.59	0.56	<0.64	
Cadmium	mg/kg	70	70	70	<0.34	3.8	0.7	<0.50	1.1	0.56	<0.42	<0.44	<0.48	<0.59	<0.40	<0.64	
Chromium (III)	mg/kg	1000	1000	1000	NT	NT	13	NT	21	NT	5.7	NT	NT	<29	NT	15	
Chromium (VI)	mg/kg	100	100	100	12	43	2	18	1.3	15	<0.40	6.3	<4.8	<0.59	8	<0.59	
Lead	mg/kg	200	200	200	21	630	460	66	470	36	3.2	3.4	21	270	14	330	
Mercury	mg/kg	20	20	20	<0.14	0.26	<0.16	<0.15	0.80	<0.16</td							

Table 2
Summary of Soil Analytical Results - Shallow Lead Concentrations
Cedar Woods
618R Waverly Street
Framingham, Massachusetts

Parameters	Units	MCP - Method 1 Cleanup Standards ¹ S-1/GW-3	Sample Location, Date, and Depth							
			SB-102 4/6/2020 0-1 feet	SB-106 4/6/2020 0-1 feet	SB-107 4/7/2020 0-1 feet	SB-108 4/7/2020 0-1 feet	SB-109 4/7/2020 0-1 feet	SB-110 4/7/2020 0-1 feet	SB-111 4/8/2020 0-1 feet	SB-112 4/7/2020 0-1 feet
Metals LEAD	mg/Kg	200	73	68	67	900	790	11	21	25

Abbreviations:

MCP = Massachusetts Contingency Plan
mg/kg = milligram per kilogram

Notes:

< = indicates parameter not detected above laboratory method reporting limit, shown
1 = Standards are from Massachusetts Contingency Plan (MCP), 310 CMR 40, April 2014.

BOLD

Parameter detected above laboratory detection limit


BOLD

Parameter exceeds the MCP Method 1, S-1/GW-3 Cleanup Standard

Printed: 07 JUL 2020

Generator's Waste Profile 1663004-00

Page 1

**Stericycle**

Environmental Solutions

Starts : 07 JUL 2020

Expires : 06 JUL 2021

Status : PENDING

Sales Rep 1511 Greg Viens

Acct Mngr 1510 Evan Altmann

A: GENERATOR (646334) SITE INFORMATION

Cedar Woods
618R Waverly Street
FRAMINGHAM, MA 01702

> Contact .

TSDF Approval List No Sub Part P No

EPA EXE
NAICS 531190 Neshap N
Phone (508) 532-5470

B: CUSTOMER (39396) INFORMATION

STRATEGIC ENVIRONMENTAL SERVICES, Inc.
N PO BOX 676
SHREWSBURY, MA 01545-8676

C: WASTE INFORMATION

On File > MSDS No Analysis Yes Sample No Formulary No

Waste Name SOIL/WATER

Process BORINGS. SOURCE OF SOLVENTS IS UNKNOWN. FORMER AUTO GLASS COMPANY, AUTO PARTS RETAILER, FILLING STATION. SEE ANALYTICAL

Unused Commercial Product No Spill Residue No

D: PHYSICAL CHARACTERISTICS OF WASTE

Phys States	L-Liq	Top Color	clear/amber	Odor	None	PH Range	4-10
		Mid Color		Layers	Bi-Layered	Free Liq %	50
	S-Sol	Bot Color	brown	Spec Grav	1.1	Flash Test	Gen Knowledge
		% Ash	0	BTU/Lbs	N/A	Flash Rnge	>200F
		% Water	50	% Halogens	N/A	Viscosity	Med
						Pumpable	No

E: CHEMICAL COMPOSITION OF WASTE

Soil/water		(100 %)				
PCB's	0	Cyanides	0	Phenolics	No	Sulfides
TOC	<1%	VOC	<500PPM	TAB Profile	0	Dioxins

F: METALS METHOD TCLP		Cadmium	<1	Chromium	<5	Silver	<5	Zinc	0
		Arsenic	<5	Merc TCLP	<0.2	Selenium	<1	Nickel	0
		Barium	<100	Lead	<5	Merc Tot	<260	Thallium	0

G: OTHER CHARACTERISTICS OF WASTE

Ign. Solid	No	Oxidizer	No	Explosive	No	Shock Sensitive	No	Cyanide Reactive	No	Sulfide Reactive	No
Explosive	N/A			Asbestos	N/A	Radioactive	No	Water Reactive	No	Reactive (Other)	No
Herbicides	No			Pesticides	0	Ammonia	No	Infectious	No	Medical	No
Gen State UW	No										

H: EPA / STATE WASTE IDENTIFICATION		EPA Waste No	State Waste Yes	TSCA No	Waste Water No	Universal Waste No
Form W113	Source G19	Origin	SubPart CC No	NESHAPS No	CERCLA No	Debris No

EPA Codes

State Codes R015

UHC

Categorical Discharge Standards No Sub Part P No

CTW Category N/A

DW/EHW:

I: SHIPPING INFORMATION

Marine Pollutant No

Containers DM Metal Drum

Qty to Ship Now 1

Projected Volume 55/Onetime

DOT Descrip NON-DOT/NON-RCRA REGULATED

J: SPECIAL DISPOSAL INSTRUCTIONS

Generator's Waste Profile 1663004-00

Status : PENDING

**Stericycle®**

Environmental Solutions

Starts : 07 JUL 2020

Expires : 06 JUL 2021

Sales Rep 1511 Greg Viens

Acct Mngr 1510 Evan Altmann

GENERATOR CERTIFICATION

To the best of my knowledge and belief, I hereby warrant and represent that the information contained and submitted in this waste profile and all attached documents is true, accurate, and complete and that no material fact has been omitted as to make this misleading. I understand that others may rely on this information in the handling and processing of the waste material described herein. By signing this waste profile, I am certifying that I am authorized to sign such documentation on behalf of the generator.

Signature

Thatcher W. Kezer, III

Printed Name

Chief Operating Officer

7/23/2020

Title

Date

In accordance with 40 CFR 264.12(b), Northland Environmental, LLC has the appropriate permits for, and will accept the waste the generator is shipping as described in this profile.