



COMMONWEALTH OF MASSACHUSETTS
EXECUTIVE OFFICE OF ENERGY & ENVIRONMENTAL AFFAIRS
DEPARTMENT OF ENVIRONMENTAL PROTECTION
ONE WINTER STREET, BOSTON, MA 02108 617-292-5500

DEVAL L. PATRICK
Governor

IAN A. BOWLES
Secretary

TIMOTHY P. MURRAY
Lieutenant Governor

LAURIE BURT
Commissioner

Innovative Technology Notice
Application Submitted Pursuant to Title 5, 310 CMR 15.000
Department of Environmental Protection
Wastewater Management Program
Transmittal Number: X228024
Application Filing Date: May 19, 2009

Public Notice is hereby given of the application by **ICC Technologies, LLC** to the Department of Environmental Protection requesting **Certification for General Use Approval** of the **Flowtech** system pursuant to **310 CMR 15.288** of Title 5. This provision of Title 5 describes the approval process for **General Use** of innovative/ alternative technologies for the treatment and subsurface disposal of sewage from facilities with design flows of less than 10,000 gallons per day.

The application proposes the use of alternative standards for the following provision in Title 5:

The **Flowtech** system is proposed to replace the gravel from a conventional soil absorption system (SAS) with a polystyrene aggregate system providing levels of environmental protection at least equivalent to those of standard on-site systems used in accordance with 310 CMR 15.000.

The Department welcomes any interested parties to provide any relevant information concerning the performance of this technology to be considered in the review process. The Department will consider all data and written comments submitted within 21 days after the publication of this notice in order to decide whether to grant approval pursuant to 310 CMR 15.000. To schedule a time to review the application or to obtain further information regarding this application please contact the Wastewater Management Program at (617) 292-5867. All written comments should be submitted to: Department of Environmental Protection, Wastewater Management Program, One Winter Street, 5th Floor, Boston, MA 02108.

If you wish notification of the Department's preliminary determination concerning this application, please send to the Department a written request, with your comments if any, within 21 days from the publication date of this Environmental Monitor.