



# *The Commonwealth of Massachusetts*

*Executive Office of Environmental Affairs*

*100 Cambridge Street, Suite 900*

*Boston, MA 02114-2524*

MITT ROMNEY  
GOVERNOR

KERRY HEALEY  
LIEUTENANT GOVERNOR

ROBERT W. GOLLEDGE, JR.  
SECRETARY

Tel. (617) 626-1000  
Fax. (617) 626-1181  
<http://www.mass.gov/envir>

August 22, 2006

## FINAL RECORD OF DECISION

PROJECT NAME : Canton Comprehensive Water Resources  
Management Plan\Washington Commons  
PROJECT MUNICIPALITY : Canton  
PROJECT WATERSHED : Boston Harbor  
EOEA NUMBER : 12172  
PROJECT PROPONENT : **Samson Home Builders**  
DATE NOTICED IN MONITOR : May 24, 2006

Pursuant to the Massachusetts Environmental Policy Act (MEPA) (G. L. c. 30, ss. 61-62H) and Section 11.10 of the MEPA regulations (301 CMR 11.00), I hereby grant a Phase I Waiver to allow an initial phase of the project to proceed, pending the Town of Canton's preparation of the Phase II/Draft Environmental Impact Report (DEIR) for its Comprehensive Water Resources Management Plan (CWRMP).

### **Project History:**

The Town of Canton is preparing a Comprehensive Water Resources Management Plan (CWRMP) to determine the most effective disposal methods for existing and future wastewater disposal flows within the town. Approximately 60 percent of Canton is connected to the existing sewage collection system, which discharges to the Massachusetts Water Resources Authority (MWRA) system. The remainder of the Town uses individually owned on-site Title 5 septic systems. The Town plans to extend sewer service to unsewered areas and to increase potable water supplies through construction of a new well, Well #9, to meet anticipated future demand.

In May 2004, the Town of Canton submitted a Phase I report as required by a Special Review Procedure for MEPA review created in accordance with 301 CMR 11.09. The Phase I document defined the wastewater disposal needs of the community and included a proposed scope for the Phase II report.

The Phase I report included a needs analysis that identified high needs areas and neighborhoods where on-site wastewater disposal may not be a realistic long-term option. The Phase I report also indicated that Infiltration/Inflow (I/I) is a significant wastewater problem.

In addition, as a condition for approval of an increase in the interbasin transfer rate, the Water Resources Commission (WRC) required that the Town of Canton offset withdrawals from Well #9 that are discharged out of the Neponset River Basin on a 2:1 basis. The Secretary's Certificate issued on June 14, 2004 on the Phase I Report required the proponent to submit a Phase I Waiver Request to the MEPA Office for any future proposals for sewerage in the Town prior to the completion of an approved CWRMP/Final EIR under the waiver provisions of the MEPA regulations at 301 CMR 11.11.

### **Phase I Waiver Request:**

Pursuant to Section 11.11 of the MEPA Regulations, the proponent is requesting a Phase I Waiver to construct a 560-linear foot (lf) extension of the Town of Canton's 8 inch sewer main within an existing right-of-way, and approximately 235 lf of new 1.5 inch force main sewer within the project's internal roadway to serve a 14-lot residential subdivision (6,160 gallons per day (gpd)). The project site is located within a 17.29-acre development parcel located off Kenny Street and Washington Street in Canton. According to the information provided in the NPC, the project site is not located within a sewer needs area as identified in the Town's Phase I Report previously reviewed by MEPA (June 2004), but is located near to the service limits of the Town's existing sewer system. As a result, the project will be served by the Town of Canton's municipal water supply and sewer collection systems. The Town's wastewater flows will be conveyed to the Massachusetts Water Resources Authority's (MWRA) Deer Island Wastewater Treatment Facility (WWTF).

Section 11.11 of the MEPA regulations provides that the Secretary may waive any provision or requirement of 301 CMR 11.00 not specifically required by MEPA, and may impose appropriate and relevant conditions or restrictions, provided that the Secretary finds that strict compliance with the provision or requirement would: (a) result in an undue hardship for the proponent, unless based on delay in compliance by the proponent; and (b) not serve to avoid or minimize Damage to the Environment. In the case of a partial waiver of a mandatory EIR review threshold that will allow the proponent to proceed with phase one of the project prior to preparing an EIR, the Secretary, at a minimum, must base this finding on a determination that:

1. the potential impacts of phase one of the project, taken alone, are insignificant;
2. ample and unconstrained infrastructure facilities and services exist to support phase one of the project;
3. the project is severable, such that phase one does not require the implementation of any other future phase of the project or restrict the means by which potential environmental impacts from any other phase of the project may be avoided, minimized or mitigated; and,

4. the agency action on phase one will contain terms such as a condition or restriction in a permit, contract or other relevant document approving or allowing the agency action, or other evidence satisfactory to the Secretary, so as to ensure due compliance with MEPA and 301 CMR 11.00 prior to commencement of any other phase of the project.

### Findings


I have carefully reviewed the Phase I Waiver Request, supporting documentation, and written comments.

1. As described by the proponent, the Washington Commons project will involve the construction of approximately 560-linear foot (lf) cross-country extension of the Town of Canton's 8 inch sewer main within an existing right-of-way, and approximately 240 lf of new 1.5 inch sewer force main. According to the proponent, the project has been designed to meet DEP's Stormwater Management Policy standards and practices. The proponent must implement appropriate erosion and sedimentation control measures during project construction. The proponent's 14-lot residential subdivision project will not impact bordering vegetated wetlands resource areas.
2. The wastewater flows from the proposed residential subdivision project (6,160 gpd) will be serviced by the Town of Canton's municipal sewer collection for treatment at the Massachusetts Water Resources Authority's (MWRA) Deer Island Wastewater Treatment Facility (WWTF). According to the proponent, the Town's sewer collection system and MWRA's treatment system have the capacity to accommodate the additional total wastewater flows anticipated from the project.
3. As a condition of my approval of the Phase I Waiver Request, I am requiring that the proponent provide the Department of Environmental Protection (DEP) with a letter from the Town of Canton supporting the proposed sewer extension, and explaining why the project site was not identified as a priority area for sewerage under the Town of Canton's Sewer Needs Survey. The Town of Canton's letter should stipulate that the proposed sewer extension will not result in any exceedance of the Town's existing sewer or pump station capacity. The Town of Canton's letter should also include a status of the Town's I/I Program.
4. According to DEP, the proponent must work closely with the Town of Canton to develop and implement an infiltration/inflow (I/I) removal program to enable sewer extension applicants to commit to the 4:1 removal of I/I (24640 gpd) to mitigate the project's water supply and wastewater impacts.

The project will require a Sewer Extension Permit from DEP. I anticipate that DEP's permit review process will contain terms such as a condition or restriction so as to ensure due compliance with MEPA and 301 CMR 11.00.

Based on these findings, it is my judgment that the phase one waiver request does have merit, does meet the tests established in 301 CMR 11.11, and will serve to advance the interests of the Massachusetts Environmental Policy Act. Therefore, I grant the Phase I Waiver subject to the aforementioned findings and conditions.

August 25, 2006  
Date



Robert W. Golledge, Jr., Secretary

Comments received: None

FROD #12172 - Canton CWWMP, Washington Commons  
RWG/NCZ/ncz