



*eDEP Transaction # 255491*

August 3, 2009

Commonwealth of Massachusetts  
Department of Environmental Protection  
Western Regional Office  
436 Dwight Street, Suite 500  
Springfield, Massachusetts 01103

**RE: Release Notification Retraction – Notification Date: June 15, 2009**  
**Sunoco Station, 88-90 South Maple Street**  
**Westfield, Massachusetts 01103**  
**DUNS: 0374-5593**  
**MA DEP RTN: 1-15718**  
**NON WE-09-3A035**  
**File No. 5795-05**

To Whom It May Concern:

On behalf of Sunoco, Inc.(R & M) [Sunoco], Corporate Environmental Advisors, Inc. (CEA) presents this *Release Notification Retraction* (RNR) for the above location, prepared in accordance with 310 CMR 40.0335 of the Massachusetts Contingency Plan (MCP). Polychlorinated biphenyls (PCBs) were detected in unpaved, surficial soils at the site at concentrations above 10 milligram per kilogram (mg/kg). The Massachusetts Department of Environmental Protection (MassDEP) was notified of these findings as a possible Imminent Hazard Condition within two hours of obtaining knowledge on June 15, 2009, in accordance with 310 CMR 40.0312(2).

An IHE was performed and demonstrated that no Imminent Hazard existed based on the PCB data which was reported to MassDEP on June 15, 2009. The IHE was submitted on June 25, 2009.

Additional assessment of PCBs in soil was performed on June 30, 2009. Based on the outcome of the updated IHE using the June 30, 2009 soil data, it remains the conclusion that no Imminent Hazard exists in relation to the detection of PCBs in surficial soil. The Updated IHE is being submitted under eDEP Transaction # 255486. Therefore, the June 15, 2009 2-hour notification to MassDEP is being retracted.

Please contact me at (508) 835-8822 if you have any questions or comments on this submittal.

Sincerely,  
**Corporate Environmental Advisors, Inc.**

Scott VanderSea, LSP, LEP  
Principal Hydrogeologist

cc: Mr. William J. Brochu, Sunoco, Inc (R & M), PO Box 4209, Concord, NH 03302-4209

**ADDRESS** Hartwell Business Park  
127 Hartwell Street, West Boylston, MA 01583  
**TEL** 508.835.8822 | 800.358.7960  
**FAX** 508.835.8812  
**WEB** [www.cea-inc.com](http://www.cea-inc.com)