Maxxam Analytics International Corporation o/a Maxxam Analytics
6740 Campobello Road, Mississauga, Ontario Canada L5N 2L8 Tel:(905) 817-5700 Toll-free:800-563-6266 Fax:(905) 817-5777 www.maxxam.ca

CHAIN OF CUSTODY RECORD

Page 1 of 3

INVOICE TO:		REPORT TO:		PROJECT INFORMATION:		Laboratory Use Only:	
Company Name:	#29803 Cape Cod Comission	Company Name:		Quotation #:		Maxxam Job #:	Bottle Order #:
Attention:	Scott Michaud	Attention:	Same	P.O. #:			603526
Address:	3225 Main Street	Address:		Project:	PFC	COC #:	Project Manager:
	Barnstable MA 02630			Project Name:			
Tel:	(508) 362-3828 x1234 Fax:	Tel:	Fax:	Site #:		C#603526-02-01	Stephanie Pollen
Email:	smichaud@capecodcommission.org	Email:		Sampled By:	team		

MOE REGULATED DRINKING WATER OR WATER INTENDED FOR HUMAN CONSUMPTION MUST BE SUBMITTED ON THE MAXXAM DRINKING WATER CHAIN OF CUSTODY

Regulation 153 (2011): ☐ Table 1 ☐ Res/Park ☐ Medium/Fine ☐ Table 2 ☐ Ind/Comm ☐ Coarse ☐ Table 3 ☐ Agri/Other ☐ For RSC ☐ Table ___

Other Regulations: ☐ CCME ☐ Sanitary Sewer Bylaw ☐ Reg 558 ☐ Storm Sewer Bylaw ☐ MISA Municipality ☐ PWQO ☐ Other

Special Instructions

Include Criteria on Certificate of Analysis (Y/N)? ___

ANALYSIS REQUESTED (PLEASE BE SPECIFIC): 28-Apr-17 14:00 Stephanie Pollen B785777 SEL ENV-580

Turnaround Time (TAT) Required: Please provide advance notice for rush projects

Regular (Standard) TAT: ☒
(will be applied if Rush TAT is not specified)
Standard TAT = 5-7 Working days for most tests.
Please note: Standard TAT for certain tests such as BOD and Dioxins/Furans are > 5 days - contact your Project Manager for details.

Job Specific Rush TAT (if applies to entire submission)
Date Required: ___ Time Required: ___ ☐
Rush Confirmation Number: ___ *(call lab for #)*

	Sample Barcode Label	Sample (Location) Identification	Date Sampled	Time Sampled	Matrix	Field Filtered (please circle): Metals / Hg / Cr VI	PFAS									# of Bottles	Comments
1		PC-39	4/24/17	1030	gw		✓									1	
2		PC-38		1140			✓									1	
3		PC-0		1210			✓									1	
4		PC-2b		1310			✓									1	
5		PC-1		1315			✓									1	
6		PC-2		1350			✓									1	
7		PC-3		1400			✓									1	
8		PC-13		1450			✓									1	
9		MW-12i		1530			✓									1	
10		MW-6	4/25/17	0940			✓									1	

* RELINQUISHED BY: (Signature/Print)	Date: (YY/MM/DD)	Time	RECEIVED BY: (Signature/Print)	Date: (YY/MM/DD)	Time	# jars used and not submitted
Tom Lombardi	4/27/17	16:00	[illegible]	4/27/17	1600	
[illegible]	4/27/17	1630	[illegible]	2017/04/28	1400	

Laboratory Use Only: Time Sensitive; Temperature (°C) on Recei: 2.6 12.4 12.8

Custody Seal	Yes	No
Present	✓	
Intact	✓	

* UNLESS OTHERWISE AGREED TO IN WRITING, WORK SUBMITTED ON THIS CHAIN OF CUSTODY IS SUBJECT TO MAXXAM'S STANDARD TERMS AND CONDITIONS. SIGNING OF THIS CHAIN OF CUSTODY DOCUMENT IS ACKNOWLEDGMENT AND ACCEPTANCE OF OUR TERMS WHICH ARE AVAILABLE FOR VIEWING AT WWW.MAXXAM.CA/TERMS.

* IT IS THE RESPONSIBILITY OF THE RELINQUISHER TO ENSURE THE ACCURACY OF THE CHAIN OF CUSTODY RECORD. AN INCOMPLETE CHAIN OF CUSTODY MAY RESULT IN ANALYTICAL TAT DELAYS.

** SAMPLE CONTAINER, PRESERVATION, HOLD TIME AND PACKAGE INFORMATION CAN BE VIEWED AT HTTP://MAXXAM.CA/WP-CONTENT/UPLOADS/ONTARIO-COC.PDF.

SAMPLES MUST BE KEPT COOL (< 10° C) FROM TIME OF SAMPLING UNTIL DELIVERY TO MAXXAM

White: Maxxa Yellow: Client

Maxxam Analytics International Corporation o/a Maxxam Analytics
6740 Campobello Road, Mississauga, Ontario Canada L5N 2L8 Tel:(905) 817-5700 Toll-free:800-563-6266 Fax:(905) 817-5777 www.maxxam.ca

CHAIN OF CUSTODY RECORD

INVOICE TO:		REPORT TO:		PROJECT INFORMATION:		Laboratory Use Only:	
Company Name:	#29803 Cape Cod Comission	Company Name:		Quotation #:		Maxxam Job #:	Bottle Order #:
Attention:	Scott Michaud	Attention:	Same	P.O. #:			603526
Address:	3225 Main Street	Address:		Project:	PFC	COC #:	Project Manager:
	Barnstable MA 02630			Project Name:		C#603526-01-01	Stephanie Pollen
Tel:	(508) 362-3828 x1234 Fax:	Tel:	Fax:	Site #:			
Email:	smichaud@capecodcommission.org	Email:		Sampled By:	team		

MOE REGULATED DRINKING WATER OR WATER INTENDED FOR HUMAN CONSUMPTION MUST BE SUBMITTED ON THE MAXXAM DRINKING WATER CHAIN OF CUSTODY

Regulation 153 (2011): ☐ Table 1 ☐ Res/Park ☐ Medium/Fine; ☐ Table 2 ☐ Ind/Comm ☐ Coarse; ☐ Table 3 ☐ Agri/Other ☐ For RSC; ☐ Table ___

Other Regulations: ☐ CCME ☐ Sanitary Sewer Bylaw; ☐ Reg 558 ☐ Storm Sewer Bylaw; ☐ MISA Municipality ___; ☐ PWQO; ☐ Other ___

Special Instructions:

Include Criteria on Certificate of Analysis (Y/N)? ___

Field Filtered (please circle): Metals / Hg / Cr VI

ANALYSIS REQUESTED (PLEASE BE SPECIFIC): PFAS

Turnaround Time (TAT) Required:
Please provide advance notice for rush projects

Regular (Standard) TAT: ☒
(will be applied if Rush TAT is not specified)
Standard TAT = 5-7 Working days for most tests.
Please note: Standard TAT for certain tests such as BOD and Dioxins/Furans are > 5 days - contact your Project Manager for details.

Job Specific Rush TAT (if applies to entire submission)
Date Required: ___ Time Required: ___ ☐
Rush Confirmation Number: ___ *(call lab for #)*

	Sample Barcode Label	Sample (Location) Identification	Date Sampled	Time Sampled	Matrix	Field Filtered	PFAS	# of Bottles	Comments
1		PC-36D	4/25/17	1020	gw		✓	1	
2		MW-15	4/26/17	1345			✓	1	
3		MW-991		1500			✓	1	
4		MW-37		1430			✓	1	
5		PC-12	4/27/17	0950			✓	1	
6		PC-19		1010			✓	1	
7		PC-11		1045			✓	1	
8		PC-8		1110			✓	1	
9		PC-6a		1130			✓	1	
10		PC-7		1135			✓	1	

* RELINQUISHED BY: (Signature/Print)	Date: (YY/MM/DD)	Time	RECEIVED BY: (Signature/Print)	Date: (YY/MM/DD)	Time	# jars used and not submitted
[signature]	4/27/17	16:00	[signature]	4/27/17	1600	
[signature]	4/27/17	1630	KIAPRIC ESTRPK	2017/04/28	1400	

Laboratory Use Only: Time Sensitive; Temperature (°C) on Recei: 2.6 | 2.4 | 2.8

Custody Seal	Yes	No
Present	✓	
Intact	✓	

* UNLESS OTHERWISE AGREED TO IN WRITING, WORK SUBMITTED ON THIS CHAIN OF CUSTODY IS SUBJECT TO MAXXAM'S STANDARD TERMS AND CONDITIONS. SIGNING OF THIS CHAIN OF CUSTODY DOCUMENT IS ACKNOWLEDGMENT AND ACCEPTANCE OF OUR TERMS WHICH ARE AVAILABLE FOR VIEWING AT WWW.MAXXAM.CA/TERMS.

* IT IS THE RESPONSIBILITY OF THE RELINQUISHER TO ENSURE THE ACCURACY OF THE CHAIN OF CUSTODY RECORD. AN INCOMPLETE CHAIN OF CUSTODY MAY RESULT IN ANALYTICAL TAT DELAYS.

** SAMPLE CONTAINER, PRESERVATION, HOLD TIME AND PACKAGE INFORMATION CAN BE VIEWED AT HTTP://MAXXAM.CA/WP-CONTENT/UPLOADS/ONTARIO-COC.PDF.

SAMPLES MUST BE KEPT COOL (< 10° C) FROM TIME OF SAMPLING UNTIL DELIVERY TO MAXXAM

White: Maxxa Yellow: Client

Maxxam Analytics International Corporation o/a Maxxam Analytics
6740 Campobello Road, Mississauga, Ontario Canada L5N 2L8 Tel (905) 817-5700 Toll-free 800-563-6266 Fax (905) 817-5777 www.maxxam.ca

CHAIN OF CUSTODY RECORD

INVOICE TO:
Company Name: #29803 Cape Cod Comission
Attention: Scott Michaud
Address: 3225 Main Street, Barnstable MA 02630
Tel: (508) 362-3828 x1234 Fax:
Email: smichaud@capecodcommission.org

REPORT TO:
Company Name:
Attention: Same
Address:
Tel: Fax:
Email:

PROJECT INFORMATION:
Quotation #:
P.O. #:
Project: PFC
Project Name:
Site #:
Sampled By: team

Laboratory Use Only:
Maxxam Job #:
Bottle Order #: 607049
COC #: C#607049-01-01
Project Manager: Stephanie Pollen

MOE REGULATED DRINKING WATER OR WATER INTENDED FOR HUMAN CONSUMPTION MUST BE SUBMITTED ON THE MAXXAM DRINKING WATER CHAIN OF CUSTODY

Regulation 153 (2011): ☐ Table 1 ☐ Res/Park ☐ Medium/Fine ☐ Table 2 ☐ Ind/Comm ☐ Coarse ☐ Table 3 ☐ Agri/Other ☐ For RSC ☐ Table ___

Other Regulations: ☐ CCME ☐ Sanitary Sewer Bylaw ☐ Reg 558 ☐ Storm Sewer Bylaw ☐ MISA Municipality ☐ PWQO ☐ Other

Special Instructions

Include Criteria on Certificate of Analysis (Y/N)? ____

Field Filtered (please circle): Metals / Hg / Cr VI

ANALYSIS REQUESTED (PLEASE BE SPECIFIC): PFAS

Turnaround Time (TAT) Required
Please provide advance notice for rush projects

Regular (Standard) TAT: ☒
(will be applied if Rush TAT is not specified).
Standard TAT = 5-7 Working days for most tests.
Please note: Standard TAT for certain tests such as BOD and Dioxins/Furans are > 5 days - contact your Project Manager for details.

Job Specific Rush TAT (if applies to entire submission)
Date Required: Time Required: ☐
Rush Confirmation Number: *(call lab for #)*

	Sample Barcode Label	Sample (Location) Identification	Date Sampled	Time Sampled	Matrix	Field Filtered (please circle): Metals / Hg / Cr VI	PFAS									# of Bottles	Comments
1		PC-31	4/27/17	1230	gw		✓									1	
2		PC-33		1310			✓									1	
3		PC-32		1315			✓									1	
4		PC-16D		1355			✓									1	
5		PC-17		1355			✓									1	
6		PC-18		1500			✓									1	
7		PC-30		1500			✓									1	
8																	
9																	
10																	

* RELINQUISHED BY: (Signature/Print)	Date: (YY/MM/DD)	Time	RECEIVED BY: (Signature/Print)	Date: (YY/MM/DD)	Time
Tom Cambrain	4-27-17	16:00	[illegible]	4/27/17	1608
[illegible]	4/27/17	1630	KLAPPE ECHAP	2017/04/28	1400

jars used and not submitted

Laboratory Use Only: Time Sensitive ✓ | Temperature (°C) on Recei 2.6 | 2.4 | 2.8 | Custody Seal: Present ✓, Intact ✓ | Yes | No

* UNLESS OTHERWISE AGREED TO IN WRITING, WORK SUBMITTED ON THIS CHAIN OF CUSTODY IS SUBJECT TO MAXXAM'S STANDARD TERMS AND CONDITIONS. SIGNING OF THIS CHAIN OF CUSTODY DOCUMENT IS ACKNOWLEDGMENT AND ACCEPTANCE OF OUR TERMS WHICH ARE AVAILABLE FOR VIEWING AT WWW.MAXXAM.CA/TERMS.

* IT IS THE RESPONSIBILITY OF THE RELINQUISHER TO ENSURE THE ACCURACY OF THE CHAIN OF CUSTODY RECORD. AN INCOMPLETE CHAIN OF CUSTODY MAY RESULT IN ANALYTICAL TAT DELAYS.

** SAMPLE CONTAINER, PRESERVATION, HOLD TIME AND PACKAGE INFORMATION CAN BE VIEWED AT HTTP://MAXXAM.CA/WP-CONTENT/UPLOADS/ONTARIO-COC.PDF.

SAMPLES MUST BE KEPT COOL (< 10° C) FROM TIME OF SAMPLING UNTIL DELIVERY TO MAXXAM

White: Maxxa Yellow: Client