Maxxam Analytics International Corporation o/a Maxxam Analytics
6740 Campobello Road, Mississauga, Ontario Canada L5N 2L8 Tel:(905) 817-5700 Toll-free:800-563-6266 Fax:(905) 817-5777 www.maxxam.ca

CHAIN OF CUSTODY RECORD

Page 1 of 1

INVOICE TO:		REPORT TO:		PROJECT INFORMATION:		Laboratory Use Only:	
Company Name:	#29803 Cape Cod Comission	Company Name:	Tom Camberer,	Quotation #:		Maxxam Job #:	Bottle Order #:
Attention:	Scott Michaud	Attention:	tcamberer@capecodcommission	P.O. #:	Rolly		593726
Address:	3225 Main Street	Address:	same	Project:	PFC	COC #:	Project Manager:
	Barnstable MA 02630			Project Name:	BFTA	C#593726-03-01	Stephanie Pollen
Tel:	(508) 362-3828 x1234 Fax:	Tel:	Fax:	Site #:			
Email:	smichaud@capecodcommission.org	Email:		Sampled By:			

MOE REGULATED DRINKING WATER OR WATER INTENDED FOR HUMAN CONSUMPTION MUST BE SUBMITTED ON THE MAXXAM DRINKING WATER CHAIN OF CUSTODY

Regulation 153 (2011)	Other Regulations	Special Instructions
☐ Table 1 ☐ Res/Park ☐ Medium/Fine	☐ CCME ☐ Sanitary Sewer Bylaw	
☐ Table 2 ☐ Ind/Comm ☐ Coarse	☐ Reg 558 ☐ Storm Sewer Bylaw	
☐ Table 3 ☐ Agri/Other ☐ For RSC	☐ MISA Municipality _____	
☐ Table ___	☐ PWQO	
	☐ Other _____	

Include Criteria on Certificate of Analysis (Y/N)? _____

ANALYSIS REQUESTED (PLEASE BE SPECIFIC)

Turnaround Time (TAT) Required:
Please provide advance notice for rush projects

Regular (Standard) TAT: ☒
(will be applied if Rush TAT is not specified):
Standard TAT = 5-7 Working days for most tests.
Please note: Standard TAT for certain tests such as BOD and Dioxins/Furans are > 5 days - contact your Project Manager for details.

Job Specific Rush TAT (if applies to entire submission)
Date Required: _____ Time Required: _____ ☐
Rush Confirmation Number: _____ *(call lab for #)*

	Sample Barcode Label	Sample (Location) Identification	Date Sampled	Time Sampled	Matrix	Field Filtered (please circle): Metals / Hg / Cr VI	PFAS									# of Bottles	* Comments
1		PRW-4	2/14/17	1640	gw		✓									1	
2		INFLUENT PRW-4	2/16/17	1000	gw		✓									1	
3		MIDPOINT	↓	↓	h_2o		✓									1	
4		EFFLUENT	↓	↓	h_2o		✓									1	
5																	
6																	
7																	
8																	
9																	
10																	

17-Feb-17 14:23
Stephanie Pollen
B734062
GK1 ENV-1323

* RELINQUISHED BY: (Signature/Print)	Date: (YY/MM/DD)	Time	RECEIVED BY: (Signature/Print)	Date: (YY/MM/DD)	Time	# jars used and not submitted	Time Sensitive	Temperature (°C) on Receipt	Custody Seal	Yes	No
[signature]	2/16/17	1575	[signature] Asmo Bhatou	2017/02/17	14:23			3.9/4.6/4.0	Present	✓	
									Intact	✓	

* IT IS THE RESPONSIBILITY OF THE RELINQUISHER TO ENSURE THE ACCURACY OF THE CHAIN OF CUSTODY RECORD. AN INCOMPLETE CHAIN OF CUSTODY MAY RESULT IN ANALYTICAL TAT DELAYS.

SAMPLES MUST BE KEPT COOL (< 10° C) FROM TIME OF SAMPLING UNTIL DELIVERY TO MAXXAM

White: Maxxam Yellow: Client

Maxxam Analytics International Corporation o/a Maxxam Analytics