Maxxam Analytics International Corporation o/a Maxxam Analytics
6740 Campobello Road, Mississauga, Ontario Canada L5N 2L8 Tel (905) 817-5700 Toll-free 800-563-6266 Fax (905) 817-5777 www.maxxam.ca

17-Aug-17 14:00
Stephanie Pollen
B7H7648
PS4 ENV-1245
C#609872-01-01

Page 1 of 1

Only:
Bottle Order #: 609872
Project Manager: Stephanie Pollen

INVOICE TO:		REPORT TO:		PROJECT INFORMATION:	
Company Name:	#29808 Cape Cod Comission	Company Name:		Quotation #:	
Attention:	Scott Michaud	Attention:	Same	P.O. #:	
Address:	3225 Main Street	Address:		Project:	PFC
	Barnstable MA 02630			Project Name:	BFTA
Tel:	(508) 362-3828 x1234 Fax:	Tel:	Fax:	Site #:	
Email:	smichaud@capecodcommission.org	Email:		Sampled By:	Scott Michaud

MOE REGULATED DRINKING WATER OR WATER INTENDED FOR HUMAN CONSUMPTION MUST BE SUBMITTED ON THE MAXXAM DRINKING WATER CHAIN OF CUSTODY

Regulation 153 (2011)	Other Regulations	Special Instructions
☐ Table 1 ☐ Res/Park ☐ Medium/Fine	☐ CCME ☐ Sanitary Sewer Bylaw	
☐ Table 2 ☐ Ind/Comm ☐ Coarse	☐ Reg 558 ☐ Storm Sewer Bylaw	
☐ Table 3 ☐ Agri/Other ☐ For RSC	☐ MISA Municipality	
☐ Table ___	☐ PWQO	
	☐ Other	

Include Criteria on Certificate of Analysis (Y/N)? _____

ANALYSIS REQUESTED (PLEASE BE SPECIFIC)

Turnaround Time (TAT) Required
Please provide advance notice for rush projects

Regular (Standard) TAT: ☒
(will be applied if Rush TAT is not specified):
Standard TAT = 5-7 Working days for most tests.
Please note. Standard TAT for certain tests such as BOD and Dioxins/Furans are > 5 days - contact your Project Manager for details.

Job Specific Rush TAT (if applies to entire submission)
Date Required: _____ Time Required: _____ ☐
Rush Confirmation Number: _____ *(call lab for #)*

	Sample Barcode Label	Sample (Location) Identification	Date Sampled	Time Sampled	Matrix	Field Filtered (please circle): Metals / Hg / Cr VI	PFAS								# of Bottles	Comments
1		OW-8a	8/16/17	1000	gw		✓								1	250mL bottle
2		INFLUENT PRW-4		1300	gw		✓								1	
3		MIDPOINT			h2o		✓								1	
4		EFFLUENT					✓								1	
5		POND-FRP		13:5			✓								1	
6																
7																
8																
9																
10																

* RELINQUISHED BY: (Signature/Print)	Date: (YY/MM/DD)	Time	RECEIVED BY: (Signature/Print)	Date: (YY/MM/DD)	Time	# jars used and not submitted
Scott Michaud	8/16/17	1500	HARJIT RAIN	2017/08/17	14:00	

Laboratory Use Only

Time Sensitive	Temperature (°C) on Rece	Custody Seal	Yes	No
	3.7/4.0/3.8	Present	✓	
		Intact	✓	

* UNLESS OTHERWISE AGREED TO IN WRITING, WORK SUBMITTED ON THIS CHAIN OF CUSTODY IS SUBJECT TO MAXXAM'S STANDARD TERMS AND CONDITIONS. SIGNING OF THIS CHAIN OF CUSTODY DOCUMENT IS ACKNOWLEDGMENT AND ACCEPTANCE OF OUR TERMS WHICH ARE AVAILABLE FOR VIEWING AT WWW.MAXXAM.CA/TERMS.

* IT IS THE RESPONSIBILITY OF THE RELINQUISHER TO ENSURE THE ACCURACY OF THE CHAIN OF CUSTODY RECORD. AN INCOMPLETE CHAIN OF CUSTODY MAY RESULT IN ANALYTICAL TAT DELAYS.

** SAMPLE CONTAINER, PRESERVATION, HOLD TIME AND PACKAGE INFORMATION CAN BE VIEWED AT HTTP://MAXXAM.CA/WP-CONTENT/UPLOADS/ONTARIO-COC.PDF.

SAMPLES MUST BE KEPT COOL (< 10° C) FROM TIME OF SAMPLING UNTIL DELIVERY TO MAXXAM

White: Maxxa Yellow: Client