

February 28, 2020

Joe Laughton
Massachusetts DEP - Worcester
8 New Bond Street
Worcester, MA 01606

Project Location: Princeton, MA
Client Job Number:
Project Number: 101979.00
Laboratory Work Order Number: 20B0669

Enclosed are results of analyses for samples received by the laboratory on February 14, 2020. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Kaitlyn", with a stylized flourish at the end.

Kaitlyn A. Feliciano
Project Manager

Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	5
20B0669-01	5
20B0669-02	6
20B0669-03	7
Sample Preparation Information	8
QC Data	9
Semivolatile Organic Compounds by - LC/MS-MS	9
B252364	9
Flag/Qualifier Summary	10
Certifications	11
Chain of Custody/Sample Receipt	12

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Massachusetts DEP - Worcester
8 New Bond Street
Worcester, MA 01606
ATTN: Joe Laughton

REPORT DATE: 2/28/2020

PURCHASE ORDER NUMBER:

PROJECT NUMBER: 101979.00

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 20B0669

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Princeton, MA

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
9 Allan Hill rd	20B0669-01	Drinking Water		EPA 537.1	
Trip Blank TB-02122020	20B0669-02	Trip Blank Water		EPA 537.1	
9 Allan Hill rd FB	20B0669-03	Drinking Water		EPA 537.1	

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

A handwritten signature in black ink, appearing to read "Lisa Worthington", is written over a light pink rectangular background.

Lisa A. Worthington
Technical Representative

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Princeton, MA

Sample Description:

Work Order: 20B0669

Date Received: 2/14/2020

Field Sample #: 9 Allan Hill rd

Sampled: 2/12/2020 10:40

Sample ID: 20B0669-01

Sample Matrix: Drinking Water

Semivolatile Organic Compounds by - LC/MS-MS

Analyte	Results	RL	MCL/SMCL MA ORSG	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Perfluorobutanesulfonic acid (PFBS)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:01	JFC
Perfluorohexanoic acid (PFHxA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:01	JFC
Perfluorohexanesulfonic acid (PFHxS)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:01	JFC
Perfluoroheptanoic acid (PFHpA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:01	JFC
Perfluorooctanoic acid (PFOA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:01	JFC
Perfluorooctanesulfonic acid (PFOS)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:01	JFC
Perfluorononanoic acid (PFNA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:01	JFC
Perfluorodecanoic acid (PFDA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:01	JFC
N-EtFOSAA	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:01	JFC
Perfluoroundecanoic acid (PFUnA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:01	JFC
N-MeFOSAA	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:01	JFC
Perfluorododecanoic acid (PFDoA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:01	JFC
Perfluorotridecanoic acid (PFTrDA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:01	JFC
Perfluorotetradecanoic acid (PFTA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:01	JFC
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:01	JFC
11Cl-PF3OUdS (F53B Major)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:01	JFC
9Cl-PF3ONS (F53B Minor)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:01	JFC
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:01	JFC

Surrogates	% Recovery	Recovery Limits	Flag/Qual
13C-PFHxA	106	70-130	2/27/20 14:01
M3HFPO-DA	103	70-130	2/27/20 14:01
13C-PFDA	117	70-130	2/27/20 14:01
d5-NEtFOSAA	116	70-130	2/27/20 14:01

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Princeton, MA

Sample Description:

Work Order: 20B0669

Date Received: 2/14/2020

Field Sample #: Trip Blank TB-02122020

Sampled: 2/14/2020 00:00

Sample ID: 20B0669-02

Sample Matrix: Trip Blank Water

Semivolatile Organic Compounds by - LC/MS-MS

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL	MA ORSG					Prepared	Analyzed	
Perfluorobutanesulfonic acid (PFBS)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:47	JFC
Perfluorohexanoic acid (PFHxA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:47	JFC
Perfluorohexanesulfonic acid (PFHxS)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:47	JFC
Perfluoroheptanoic acid (PFHpA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:47	JFC
Perfluorooctanoic acid (PFOA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:47	JFC
Perfluorooctanesulfonic acid (PFOS)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:47	JFC
Perfluorononanoic acid (PFNA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:47	JFC
Perfluorodecanoic acid (PFDA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:47	JFC
N-EtFOSAA	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:47	JFC
Perfluoroundecanoic acid (PFUnA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:47	JFC
N-MeFOSAA	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:47	JFC
Perfluorododecanoic acid (PFDoA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:47	JFC
Perfluorotridecanoic acid (PFTrDA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:47	JFC
Perfluorotetradecanoic acid (PFTA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:47	JFC
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:47	JFC
11Cl-PF3OUdS (F53B Major)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:47	JFC
9Cl-PF3ONS (F53B Minor)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:47	JFC
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 14:47	JFC

Surrogates	% Recovery	Recovery Limits	Flag/Qual
13C-PFHxA	105	70-130	2/27/20 14:47
M3HFPO-DA	103	70-130	2/27/20 14:47
13C-PFDA	115	70-130	2/27/20 14:47
d5-NEtFOSAA	111	70-130	2/27/20 14:47

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Princeton, MA

Sample Description:

Work Order: 20B0669

Date Received: 2/14/2020

Field Sample #: 9 Allan Hill rd FB

Sampled: 2/12/2020 10:40

Sample ID: 20B0669-03

Sample Matrix: Drinking Water

Semivolatile Organic Compounds by - LC/MS-MS

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL	MA ORSG					Prepared	Analyzed	
Perfluorobutanesulfonic acid (PFBS)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 15:08	JFC
Perfluorohexanoic acid (PFHxA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 15:08	JFC
Perfluorohexanesulfonic acid (PFHxS)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 15:08	JFC
Perfluoroheptanoic acid (PFHpA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 15:08	JFC
Perfluorooctanoic acid (PFOA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 15:08	JFC
Perfluorooctanesulfonic acid (PFOS)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 15:08	JFC
Perfluorononanoic acid (PFNA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 15:08	JFC
Perfluorodecanoic acid (PFDA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 15:08	JFC
N-EtFOSAA	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 15:08	JFC
Perfluoroundecanoic acid (PFUnA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 15:08	JFC
N-MeFOSAA	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 15:08	JFC
Perfluorododecanoic acid (PFDoA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 15:08	JFC
Perfluorotridecanoic acid (PFTrDA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 15:08	JFC
Perfluorotetradecanoic acid (PFTA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 15:08	JFC
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 15:08	JFC
11Cl-PF3OUdS (F53B Major)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 15:08	JFC
9Cl-PF3ONS (F53B Minor)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 15:08	JFC
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	ND	2.0		ng/L	1		EPA 537.1	2/17/20	2/27/20 15:08	JFC

Surrogates	% Recovery	Recovery Limits	Flag/Qual
13C-PFHxA	107	70-130	2/27/20 15:08
M3HFPO-DA	108	70-130	2/27/20 15:08
13C-PFDA	114	70-130	2/27/20 15:08
d5-NEtFOSAA	113	70-130	2/27/20 15:08

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Sample Extraction Data

Prep Method: EPA 537.1-EPA 537.1

Lab Number [Field ID]	Batch	Initial [mL]	Final [mL]	Date
20B0669-01 [9 Allan Hill rd]	B252364	250	1.00	02/17/20
20B0669-02 [Trip Blank TB-02122020]	B252364	250	1.00	02/17/20
20B0669-03 [9 Allan Hill rd FB]	B252364	250	1.00	02/17/20

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Semivolatile Organic Compounds by - LC/MS-MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B252364 - EPA 537.1										
Blank (B252364-BLK1)										
Prepared: 02/17/20 Analyzed: 02/27/20										
Perfluorobutanesulfonic acid (PFBS)	ND	2.0	ng/L							
Perfluorohexanoic acid (PFHxA)	ND	2.0	ng/L							
Perfluorohexanesulfonic acid (PFHxS)	ND	2.0	ng/L							
Perfluoroheptanoic acid (PFHpA)	ND	2.0	ng/L							
Perfluorooctanoic acid (PFOA)	ND	2.0	ng/L							
Perfluorooctanesulfonic acid (PFOS)	ND	2.0	ng/L							
Perfluorononanoic acid (PFNA)	ND	2.0	ng/L							
Perfluorodecanoic acid (PFDA)	ND	2.0	ng/L							
N-EtFOSAA	ND	2.0	ng/L							
Perfluoroundecanoic acid (PFUnA)	ND	2.0	ng/L							
N-MeFOSAA	ND	2.0	ng/L							
Perfluorododecanoic acid (PFDoA)	ND	2.0	ng/L							
Perfluorotridecanoic acid (PFTTrDA)	ND	2.0	ng/L							
Perfluorotetradecanoic acid (PFTA)	ND	2.0	ng/L							
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	2.0	ng/L							
11Cl-PF3OUdS (F53B Major)	ND	2.0	ng/L							
9Cl-PF3ONS (F53B Minor)	ND	2.0	ng/L							
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	ND	2.0	ng/L							
Surrogate: 13C-PFHxA	42.0		ng/L	40.0		105	70-130			
Surrogate: M3HFPO-DA	42.7		ng/L	40.0		107	70-130			
Surrogate: 13C-PFDA	45.7		ng/L	40.0		114	70-130			
Surrogate: d5-NEtFOSAA	181		ng/L	160		113	70-130			
LCS (B252364-BS1)										
Prepared: 02/17/20 Analyzed: 02/27/20										
Perfluorobutanesulfonic acid (PFBS)	8.80	2.0	ng/L	8.85		99.4	70-130			
Perfluorohexanoic acid (PFHxA)	10.4	2.0	ng/L	10.0		104	70-130			
Perfluorohexanesulfonic acid (PFHxS)	8.57	2.0	ng/L	9.10		94.2	70-130			
Perfluoroheptanoic acid (PFHpA)	9.77	2.0	ng/L	10.0		97.7	70-130			
Perfluorooctanoic acid (PFOA)	9.75	2.0	ng/L	10.0		97.5	70-130			
Perfluorooctanesulfonic acid (PFOS)	8.99	2.0	ng/L	9.25		97.2	70-130			
Perfluorononanoic acid (PFNA)	9.71	2.0	ng/L	10.0		97.1	70-130			
Perfluorodecanoic acid (PFDA)	10.5	2.0	ng/L	10.0		105	70-130			
N-EtFOSAA	13.0	2.0	ng/L	10.0		130	70-130			
Perfluoroundecanoic acid (PFUnA)	11.1	2.0	ng/L	10.0		111	70-130			
N-MeFOSAA	12.0	2.0	ng/L	10.0		120	70-130			
Perfluorododecanoic acid (PFDoA)	10.5	2.0	ng/L	10.0		105	70-130			
Perfluorotridecanoic acid (PFTTrDA)	10.6	2.0	ng/L	10.0		106	70-130			
Perfluorotetradecanoic acid (PFTA)	11.0	2.0	ng/L	10.0		110	70-130			
Hexafluoropropylene oxide dimer acid (HFPO-DA)	7.72	2.0	ng/L	10.0		77.2	70-130			
11Cl-PF3OUdS (F53B Major)	9.78	2.0	ng/L	9.40		104	70-130			
9Cl-PF3ONS (F53B Minor)	9.57	2.0	ng/L	9.30		103	70-130			
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	8.97	2.0	ng/L	10.0		89.7	70-130			
Surrogate: 13C-PFHxA	42.6		ng/L	40.0		106	70-130			
Surrogate: M3HFPO-DA	42.7		ng/L	40.0		107	70-130			
Surrogate: 13C-PFDA	46.8		ng/L	40.0		117	70-130			
Surrogate: d5-NEtFOSAA	185		ng/L	160		115	70-130			

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

FLAG/QUALIFIER SUMMARY

*	QC result is outside of established limits.
†	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
ND	Not Detected
RL	Reporting Limit is at the level of quantitation (LOQ)
DL	Detection Limit is the lower limit of detection determined by the MDL study
MCL	Maximum Contaminant Level
	Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
	No results have been blank subtracted unless specified in the case narrative section.

CERTIFICATIONS
Certified Analyses included in this Report

Analyte	Certifications
<i>EPA 537.1 in Drinking Water</i>	
Perfluorobutanesulfonic acid (PFBS)	NH-P,VT-DW,NJ,CT,ME,PA
Perfluorohexanoic acid (PFHxA)	NH-P,VT-DW,NJ,CT,ME,PA
Perfluorohexanesulfonic acid (PFHxS)	NH-P,VT-DW,NJ,CT,ME,PA
Perfluoroheptanoic acid (PFHpA)	NH-P,VT-DW,NJ,CT,ME,PA
Perfluorooctanoic acid (PFOA)	VT-DW,NJ,CT,ME,NY,NH,PA
Perfluorooctanesulfonic acid (PFOS)	VT-DW,NJ,CT,ME,NY,NH,PA
Perfluorononanoic acid (PFNA)	NH-P,VT-DW,NJ,CT,ME,PA
Perfluorodecanoic acid (PFDA)	NH-P,VT-DW,NJ,CT,ME,PA
N-EtFOSAA	NH-P,VT-DW,NJ,CT,ME,PA
Perfluoroundecanoic acid (PFUnA)	NH-P,VT-DW,NJ,CT,ME,PA
N-MeFOSAA	NH-P,VT-DW,NJ,CT,ME,PA
Perfluorododecanoic acid (PFDoA)	NH-P,VT-DW,NJ,CT,ME,PA
Perfluorotridecanoic acid (PFTrDA)	NH-P,VT-DW,NJ,CT,ME,PA
Perfluorotetradecanoic acid (PFTA)	NH-P,VT-DW,NJ,CT,ME,PA
Hexafluoropropylene oxide dimer acid (HFPO-DA)	NH-P,VT-DW,NJ,CT,ME,PA
11Cl-PF3OUdS (F53B Major)	NH-P,VT-DW,NJ,CT,ME,PA
9Cl-PF3ONS (F53B Minor)	NH-P,VT-DW,NJ,CT,ME,PA
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	NH-P,VT-DW,NJ,CT,ME,PA

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC - ISO17025:2017	100033	03/1/2022
MA	Massachusetts DEP	M-MA100	06/30/2020
CT	Connecticut Department of Public Health	PH-0567	09/30/2021
NY	New York State Department of Health	10899 NELAP	04/1/2020
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2021
RI	Rhode Island Department of Health	LAO00112	12/30/2020
NC	North Carolina Div. of Water Quality	652	12/31/2020
NJ	New Jersey DEP	MA007 NELAP	06/30/2020
FL	Florida Department of Health	E871027 NELAP	06/30/2020
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2020
ME	State of Maine	2011028	06/9/2021
VA	Commonwealth of Virginia	460217	12/14/2020
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2020
VT-DW	Vermont Department of Health Drinking Water	VT-255716	06/12/2020
NC-DW	North Carolina Department of Health	25703	07/31/2020
PA	Commonwealth of Pennsylvania DEP	68-05812	06/30/2020

I Have Not Confirmed Sample Container Numbers With Lab Staff Before Relinquishing Over Samples _____



con-test®
ANALYTICAL LABORATORY

Doc# 277 Rev 5 2017

Login Sample Receipt Checklist - (Rejection Criteria Listing - Using Acceptance Policy) Any False

Statement will be brought to the attention of the Client - State True or False

Client Moss DEP

Received By ALV

Date 2/14/20

Time 1520

How were the samples received? In Cooler T No Cooler _____ On Ice T No Ice _____
Direct from Sampling _____ Ambient _____ Melted Ice _____

Were samples within Temperature? 2-6°C T By Gun # 2 Actual Temp - 5.4
By Blank # _____ Actual Temp - _____

Was Custody Seal Intact? n/a Were Samples Tampered with? n/a

Was COC Relinquished? T Does Chain Agree With Samples? T

Are there broken/leaking/loose caps on any samples? F

Is COC in ink/ Legible? T Were samples received within holding time? T

Did COC include all Client T Analysis T Sampler Name T

pertinent Information? Project T ID's T Collection Dates/Times T

Are Sample labels filled out and legible? T

Are there Lab to Filters? F Who was notified? _____

Are there Rushes? F Who was notified? _____

Are there Short Holds? F Who was notified? _____

Is there enough Volume? T

Is there Headspace where applicable? n/a MS/MSD? F

Proper Media/Containers Used? T Is splitting samples required? F

Were trip blanks received? T On COC? T

Do all samples have the proper pH? _____ Acid n/a Base n/a

Vials	#	Containers:	#		#		#
Unp-		1 Liter Amb.		1 Liter Plastic		16 oz Amb.	
HCL-		500 mL Amb.		500 mL Plastic		8oz Amb/Clear	
Meoh-		250 mL Amb.		250 mL Plastic	<u>4</u>	4oz Amb/Clear	
Bisulfate-		Flashpoint		Col./Bacteria		2oz Amb/Clear	
DI-		Other Glass		Other Plastic		Encore	
Thiosulfate-		SOC Kit		Plastic Bag		Frozen:	
Sulfuric-		Perchlorate		Ziplock			

Unused Media

Vials	#	Containers:	#		#		#
Unp-		1 Liter Amb.		1 Liter Plastic		16 oz Amb.	
HCL-		500 mL Amb.		500 mL Plastic		8oz Amb/Clear	
Meoh-		250 mL Amb.		250 mL Plastic		4oz Amb/Clear	
Bisulfate-		Col./Bacteria		Flashpoint		2oz Amb/Clear	
DI-		Other Plastic		Other Glass		Encore	
Thiosulfate-		SOC Kit		Plastic Bag		Frozen:	
Sulfuric-		Perchlorate		Ziplock			

Comments: