

P-053420

September 7, 2022

Mr. Paul Vigeant  
Massachusetts Department of Environmental Protection  
8 New Bond Street  
Worcester, MA 01606

**Re: IRA Status Report No. 6  
6 Town Hall Drive, Princeton  
RTN 2-21072**

Dear Mr. Vigeant:

On behalf of the Town of Princeton (the "Town"), Tighe & Bond has prepared this Immediate Response Action (IRA) Status Report for the response actions that commenced after the Massachusetts Department of Environmental Protection (MassDEP) sent a Notice of Responsibility (NOR) to the Town dated November 25, 2019, in response to the reported detection of per- and polyfluoroalkyl substances (collectively known as PFAS) in the drinking water well that serves the Princeton Town Hall campus at 6 Town Hall Drive in Princeton ("the Site").

The Site previously was identified as a disposal site for a release of fuel oil from underground storage tanks (UST) removed in 1987 that has been the subject of response actions conducted under Release Tracking Number (RTN) 2-11327. In May 2019, the Town and MassDEP entered into Administrative Consent Order ACO-CE-19-5D00006872 (ACO) to address the Town's obligations for the Public Water Supply (PWS) being operated at the Site. In accordance with Section 8(C)(vii) of the ACO, drinking water samples from the PWS well were collected by the Town's PWS operator on September 5, 2019 and September 27, 2019. These sample results identified PFAS6 concentrations of 127 and 102 nanograms/liter (ng/L), respectively. At that time, MassDEP's drinking water guideline was 70 ng/L, and MassDEP's proposed Maximum Contaminant Level (MCL) for PFAS in public water supply wells was proposed to be 20 ng/L for PFAS6.

The PWS sampling results were reported by the Town's PWS operator to MassDEP's Division of Water Supply, which reportedly informed MassDEP's Bureau of Waste Site Cleanup (BWSC) staff of the results. Subsequently, MassDEP's BWSC staff contacted Jeffrey Arps of Tighe & Bond, as the LSP of record for RTN 2-11327, to suggest that action should be taken to address the results under the Massachusetts Contingency Plan (MCP). On November 4, 2019, on behalf of the Town of Princeton, Tighe & Bond verbally notified MassDEP of these drinking water sample results as a 2-hour reporting condition, although the MCP at 310 CMR 40.0317(11) states that releases of oil and/or hazardous material in groundwater detected by sampling conducted by PWS owners or operators under 310 CMR 22.00: Drinking Water, as indicated by the presence of oil and/or hazardous material in a PWS source, are exempt from the notification requirements in the MCP.

On November 4, 2019, MassDEP assigned RTN 2-21072 to the notification and modified the release to a 72-hour Substantial Release Migration (SRM) condition under 310 CMR 40.0313(4)(d). Under the MCP, the requirement to provide notification for an SRM condition is triggered when a release to groundwater is detected in a PWS well, where that condition is associated with a release for which notification otherwise is or has at any time in the past been required under the MCP. Although the presence of PFAS in the PWS well at the Site was



not identified as a condition associated with a release for which notification is or has at any time in the past been required under the MCP, the NOR sent to the Town by MassDEP states: "The detection of PFAS in the public drinking water supply well from a release at the Site constitutes a condition of SRM."

Under 310 CMR 40.0414(3), IRAs are presumed to require elimination and/or mitigation of a Critical Exposure Pathway (CEP), which in this instance would include routes by which PFAS may be transported to human receptors by ingestion of "measurable concentrations" of PFAS from drinking water supply wells located at and servicing a pre-school, daycare, school or occupied residential dwelling. Given the proximity of residences served by private wells in the vicinity of the Site, the IRA plan included steps to investigate the presence of PFAS in private wells and, if measurable concentrations were detected, to mitigate the potential for ingestion of PFAS.

The activities described herein include immediate response actions completed since the submittal of the IRA Status Report No. 5 on March 8, 2022 and the Quarterly Status Report on June 8, 2022.

A Site Plan (Figure 1) showing private well locations and their respective PFAS6 results is included in Appendix A for reference. A complete summary of all potable well results collected to date is presented in Table 1, included in Appendix B.

## **Status of Immediate Response Actions**

### **Potable Well Sampling**

All potable wells within the current disposal site boundary have been sampled, with the exception of 27 and 31 Prospect Street, where there has been no contact with the owners of either property. The property at 27 Prospect Street does appear to be occupied but 31 Prospect is a vacant and condemned property. Numerous attempts have been made to contact the owners of these properties. A representative of the Town visited 27 Prospect on May 23, 2022 and spoke with a tenant of the home. The tenant would not provide the owners information but did take down the contact information for the Town and indicated that they would let the owner know of the visit. To date, we have received no contact from the owner of 27 Prospect Street.

The most recent round of semi-annual potable well sampling was completed in April 2022, as reported in the June 2022 Quarterly Status Report. The laboratory data for all potable well results collected to date are summarized in Table 1, in Appendix B. The laboratory reports and individual notification letters for the April 2022 semi-annual sampling round were included with the June 2022 Quarterly Status Report.

### **Expansion of Private Well Sampling Radius**

Laboratory results for the April 2022 sampling round indicated that PFAS6 concentrations at 23 Worcester Road were detected at a level below the MCL, while this property was previously non-detect for PFAS6. Due to the new detection at this location the sample radius was expanded 500 feet from the property. The Radius Map (Figure 1) was updated to reflect the detection of PFAS at 23 Worcester Road, which captures five new properties (25, 26, 27, 29, and 30 Worcester Road).

Potable water samples were collected from 25, 27, and 29 Worcester Road on July 27, 2022. Based on those results PFAS6 was not detected above laboratory reporting limits in the



samples collected from 27 and 29 Worcester Road. The sample for 25 Worcester Road contained a PFOA concentration of 1.9 ng/L, which is the same concentration as the reporting limit. Therefore, Tighe & Bond requested that the lab rerun the sample. Those results are currently pending. Access to 26 and 30 Worcester Road is still pending a response from those homeowners.

Table C-1, included in Appendix C, provides a summary of the dates that samples were collected, the notification letter due dates and the MassDEP submittal status. No new notification letters have been sent to homeowners since the submittal of the June 2022 Quarterly Status Report.

## **Point-of-Entry Treatment System Status**

POET systems are required for all locations with PFAS6 concentrations exceeding 20 ng/L. To date, 32 locations have been identified as requiring treatment. POET systems have been installed at 31 of these locations. The POET system for 14 Mountain Road required MassDEP approval due to its status as a public water supply.

During the April 2022 semi-annual sampling event, PFAS6 concentrations exceeding 20 ng/L were detected at 11 Prospect Street and 35 Hubbardston Road at concentrations of 22.9 and 35.0 ng/L, respectively. A POET system was installed at 35 Hubbardston Road on June 28, 2022. 11 Prospect Street already has a POET system that was installed by the homeowner in February of 2020. The system installed is identical to the systems installed for locations where PFAS6 exceeds 20 ng/L.

The existing POET system at 11 Prospect Street was sampled on July 29, 2022, by the collection of system samples from the midfluent and effluent sampling taps. Based on those results, the system is performing as intended as PFAS was not reported in either sample above laboratory reporting limits.

The POET system for 35 Hubbardston Road was installed on June 28, 2022, and on July 27, 2022, midfluent and effluent samples were collected to monitor the effectiveness of carbon treatment. Based on those results, PFAS6 was not reported above laboratory reporting limits in either the midfluent or effluent samples.

A summary table of the POET systems installed to date is provided in Table C-2 of Appendix C, for reference.

## **14 Mountain Road**

The Princeton First Congregational Church is located at 14 Mountain Road and the water supply well for the church is registered as a transient non-community public water supply (PWS No. 2241006). As such, MassDEP approval is required prior to the installation of a POET system. A permit application for system modification was submitted to MassDEP on April 22, 2021. Approval for the designed system was received on July 2, 2021 and specifies the installation of two 6-cubic foot capacity granular activated carbon vessels for the treatment of PFAS6. The church and the Town are developing written arrangements to confirm the operational and testing responsibilities for the system. The installation of the POET will be scheduled after these arrangements are finalized.

## **Quarterly POET Monitoring**

In accordance with the June 21, 2021, IRA Plan Modification No. 4 Conditional Approval, quarterly POET monitoring is required for POET locations that have operated for a period of



two years until carbon breakthrough is observed. As of July 2022, the following locations require quarterly monitoring based on the original installation date:

7, 12 Boylston Avenue  
15 Gregory Hill Road  
1, 5, 15, 43 Hubbardston Road  
6, 18, 19, 20, 21, 22, 29, 51, 54, 58, 64 Mountain Road  
5, 11 Prospect Street  
12, 15 Radford Road

With the exception of 1 Hubbardston Road, the POET systems at the locations referenced above were sampled in July 2022. The owner of 1 Hubbardston Road was out of state until Fall 2022. This POET will be sampled during the next quarterly sampling event in October 2022. The laboratory results from the sampled locations indicate that PFAS6 was not detected above laboratory reporting limits in any of the midfluent or effluent samples collected. Laboratory data for the July 2022 Quarterly POET monitoring is summarized in Table 1, in Appendix B. The laboratory reports and individual notification letters for these samples are in the process of being completed and will be included in the next IRA status report.

## **POET Performance**

As reported in the June 2022 Quarterly Status Report, a midfluent concentration of 15.4 ng/L was detected in the midfluent sample collected at 21 Mountain Road on April 12, 2022. The owner of 21 Mountain Road was notified of this detection, and the primary vessel was removed and replaced with a pre-filled vessel in the secondary position, ensuring the vessel with the new GAC is the final treatment step. The spent carbon vessel will be stored in a secure location until there is a sufficient volume of spent carbon to ship for regeneration.

On July 27, 2022, midfluent and effluent samples were collected from 21 Mountain Road to monitor the performance of the POET system, subsequent the GAC replacement; PFAS6 was not detected above laboratory reporting limits in either sample.

Monitoring of midfluent and effluent samples from the POET systems has not detected breakthrough of the primary carbon vessel at any of the other locations where POETs are installed.

## **Town Hall Campus Potable Well Quarterly Sampling**

WhiteWater is the licensed operator for the Town Hall well. As reported in the June 2022 Quarterly Status Report, the PFAS treatment system for this well was installed on March 9, 2022. Formal MassDEP approval to use the well was received on April 14, 2022.

WhiteWater provided the results of POET monitoring for midfluent and effluent samples collected on May 4, 2022. PFAS was not detected in either sample above the laboratory reporting limit. No additional PFAS results were available from WhiteWater for this IRA status report. Laboratory results for the Town Hall well are summarized in Table 1, included in Appendix B.



## **Quarterly Stormwater Sampling**

In accordance with the IRA Plan Modification No. 3 Conditional Approval dated February 2, 2021, seasonal stormwater sampling was required near 41 Prospect Street and 30 Mountain Road. Our June 2022, Quarterly Status Report included a request for an IRA Modification to discontinue stormwater sampling at 41 Prospect Street, as analysis of samples collected from this location did not have PFAS6 detections in any previous sampling events. This modification was verbally approved by MassDEP.

A stormwater sample was collected from 30 Mountain Road on September 6, 2022. The results are pending laboratory analysis and will be included in the next IRA Status report. For reference, the runoff sample location is shown on Figure 2, included in Appendix A.

## **30 Mountain Road, Pipe Discharge Treatment**

An access agreement was executed with the owners of 30 Mountain Road to allow the Town to evaluate the drain pipe that runs from this address to an area along Mountain Road. This pipe is believed to be associated with a foundation drain around the former inn building. The access agreement allows the Town to conduct a pipe inspection using an in-pipe camera to view the interior pipe conditions and map the route of the pipe to evaluate its source. Depending on the results of this evaluation, soil samples may be collected from select locations along the pipe route. We anticipate completing this evaluation during the next reporting period. The access agreement also allows the Town to install a system for collection of water from this pipe and treatment to remove PFAS.

## **Remediation Waste**

To date, 2 cubic feet of spent granular activated carbon has been generated. The spent carbon vessel is currently being stored in a secure location. Spent carbon will be accumulated until there is a sufficient volume to ship for regeneration. No other remediation waste has been generated under RTN 2-21072.

## **Permits**

The only permits involved with this project are the permits needed to install POET systems on the public water systems at the Town Hall and the church at 14 Mountain Road. No other permits are required for the IRA activities completed to date or the proposed IRA activities planned under the modifications for RTN 2-21072.

## **Notification of Environmental Sampling Results**

In accordance with the MCP at 310 CMR 40.1403(10) a Notice of Environmental Sampling is required any time environmental samples are taken at a property in the course of investigating a release for which a notification to the Department has been made on behalf of someone other than the owner of the property, within 30 days of the date the sample results are issued by the laboratory. Table C-1, in Appendix C provides a summary of the dates that laboratory reports were received, the dates when public notifications are due, and the dates when the notification letters were sent. No public notification letters were sent since the submittal of the June 2022 Quarterly Status Report.

## **Conceptual Site Model**

While all potential sources of PFAS in the area have not been identified, three potential sources have been reported in the vicinity of upper and lower Mountain Road: the use of AFFF during the firefighting efforts at 30 Mountain Road in May 2017, the reported major fire at 54



Mountain Road in 1967 where it is possible AFFF was used to fight the fire, and the reported potential use of AFFF in a small area at the Town Campus property several decades ago, during fire training. The surface impacts from use of AFFF would subsequently have percolated through the overburden soils with precipitation, into bedrock groundwater. A fourth overarching source is the historical discharge to septic systems of domestic water that contains PFAS from the water sourced from private wells and/or PFAS from common household sources.

To investigate the reported potential use of AFFF at the Town Campus, several soil samples were collected from the area of the former electrical building on the west side of the property, which was reportedly the target area for some fire training. The samples did not indicate the presence of PFAS. Therefore, this reported potential source is no longer considered a likely source of the PFAS detected in the deep bedrock groundwater supplying drinking water and has been eliminated from the CSM.

Groundwater in deep bedrock with PFAS detections extends from the other potential source areas radially, but has migrated primarily to the south-southwest, as evidenced by PFAS detections in deep bedrock private water supply wells on properties extending in that direction. The apparent northern boundary of the PFAS impact in deep bedrock groundwater appears to be limited by 33 Allen Hill Road, as PFAS was not detected at 7 Thompson Road. Merriam Road and East Princeton Road appear to be the current easterly limit of PFAS impact in deep bedrock groundwater as PFAS6 has not been detected northeast of Merriam Road or beyond 18 and 26 Prospect Street. The southerly limits of the PFAS impact in deep bedrock groundwater appear to be limited to 27 Worcester Road, 17 Boylston Ave, and 18 Connor Lane. The western limit appears to be the properties identified as 18 and 28 Radford Road.

Sampling of potable wells to the southwest suggests the extent of PFAS impact in deep bedrock groundwater in this direction is limited to the vicinity of lower Radford Road and its intersection with Connor Lane and Brooks Station Road.

During the most recent sampling effort, PFAS impact in deep bedrock groundwater was most notably observed at 11 Prospect Street and 23 Worcester Road. 11 Prospect Street has historically had PFAS6 concentrations below the MCL of 20 ng/L. However, during the April 2022 semi-annual sampling event, this property had a PFAS6 concentration of 22.9 ng/L detected.

23 Worcester Road has not historically had PFAS6, but PFAS6 was detected at a concentration of 2.4 ng/L in April 2022. This recent detection of PFAS6 at 23 Worcester Road is consistent with a south-southwesterly plume migration.

As reported in previous IRA Status Reports, it appears that two distinct PFAS signatures are present. Potable wells north and west-northwest of 30 Mountain Road ("northern area" - 51, 54, 58, 64 Mountain Road, 43 Hubbardston Road and 28 Radford Road) generally have higher concentrations of PFOA (37 percent average of PFAS6) and little to no PFHxS (4 percent average of the 6 regulated PFAS compounds). Potable wells at and to the south of 30 Mountain Road ("southern area" - 14, 18, 19, 21, 29 and 30 Mountain, 15 Hubbardston, 12 Boylston and now 11, 13, and 14 Gregory Hill Road) have elevated PFHxS concentrations (54 percent average) and little PFOA (6 percent average). PFOS concentrations appear to be similar between the northern and southern signatures with a 30 to 35 percent average.

The method of PFAS manufacture provides information that allows differentiation of potential source materials. The PFAS detected within the southern area is noted to consist almost exclusively of even-numbered compounds, suggesting telomerization manufacturing. The



PFAS detected in the northern area are dominated by PFOA and PFOS and have detectable concentrations of PFHpA and PFNA (odd-numbered compounds), suggesting electrochemical fluorination (ECF) manufacturing. These data support the theory of two distinct source materials for the PFAS detected in the northern and southern areas of the Site.

According to a 1967 newspaper report, there was a major fire at 54 Mountain Road in April 1967. Although specific details of the firefighting method utilized on that property (i.e., whether AFFF was used) are not available, the soil sampling data from 54 Mountain Road show PFAS detections around the perimeter of the building, as would be expected from firefighting. Further, the soil data generally agree with the well water data, with PFHxS notably absent from both media, where this compound has been detected in the southern site area.

A review of the groundwater data from samples collected in the monitoring wells on the Town Hall campus indicate a high percentage of PFHxS and PFOS, consistent with the concentrations identified in potable wells located within the southern portion of the disposal site and the runoff samples collected from the runoff location at 30 Mountain Road.

PFAS6 concentration detections and fluctuations observed in the potable well data suggest a vertical difference in concentrations rather than simply horizontal separation. This data variability among the residential wells may be due to the varying depths of these wells tapping into different bedrock fractures, as well as seasonal changes in the bedrock aquifer. Furthermore, with the proximity of the two currently presumed source areas to each other, it is likely that some degree of mixing has occurred as the impacted groundwater moves in bedrock fractures.

In summary, based on the activities completed to date, the current conceptual site model is that there are three possible sources of PFAS at the Site:; (1) the firefighting at 30 Mountain Road in 2017, (2) the firefighting at 54 Mountain Road in 1967, and (3) discharges to septic systems of water from potable supply wells impacted by PFAS and wastewater impacted by common domestic, household sources of PFAS (i.e., washing of cookware and clothing that contain PFAS).

There are subcategories for each of the first three potential sources: (a) the impact to soil from the initial surface discharge of AFFF at the location, (b) runoff of water with AFFF to adjacent locations, (c) infiltration of rainfall through impacted soil to groundwater, and (d) surface runoff of stormwater that is in contact with impacted soil, reaching roadway drainage systems and surface water bodies. Evaluation of the three potential sources and their subcategories will be ongoing as investigations proceed.

## Conclusions

As discussed above, a substantial sampling effort has been performed to identify the extent of PFAS in private and public wells based upon the directive from MassDEP to evaluate a condition of SRM in the area surrounding the Town Hall Campus. To date, 109 properties have been either sampled or are proposed for sampling based on currently available data.

In addition, POETs have been installed at 32 locations. The April 2022 quarterly sampling round identified one new location (11 Prospect Street) that requires a POET, which was already in operation at that time. The POET at 14 Mountain Road, which is a public water supply, will be installed once the Town and the property owner reach an agreement on the testing and maintenance of the system. The POET system at the Town Hall was installed in March of 2022 and is being operated by WhiteWater.



An Imminent Hazard (IH) evaluation completed by Sovereign Consulting, Inc. indicates that the raw water PFAS6 concentrations in excess of 100 ng/L pose an IH condition, but that the condition has been mitigated through the installation of POET systems (or provision of bottled water pending POET installation) at locations with PFAS6 concentrations of 20 ng/L or greater, resulting in no ongoing exposure to the residents at the homes with PFAS6 concentrations in excess of IH levels.

Evaluation of PFAS6 in two surface water bodies (Schoolhouse Pond and Airport Pond) to the south indicate no PFAS compounds above MassDEP Surface Water Quality Benchmark values. However, the PFAS6 results for Schoolhouse Pond exceed the GW-1 standard for PFAS6 of 20 ng/L. Airport Pond results were below the GW-1 standard. The Princeton Fire Department has been advised of these results and will no longer use Schoolhouse Pond as a source for firefighting water (this water has not been used for firefighting since the 2017 fire at 30 Mountain Road). The results of the pond samples were previously reported in the December 2021 Quarterly Status Report.

## **Recommendations**

Potable well sampling to date has generally defined the extent of PFAS in groundwater at this Site. The next comprehensive sampling round of potable wells is scheduled for October 2022.

Additional POET systems will be installed if PFAS6 concentrations exceed 20 ng/L at any location. Those POETS requiring sampling in accordance with IRA Plan Modification No. 4 conditional approval, will continue to be sampled quarterly.

An update on these activities will be reported to MassDEP in next IRA Status Report in March 2023 as Quarterly Status Reports are no longer required. If you have any questions or require additional information, please contact me at 413.572.3227.

Very truly yours,

**TIGHE & BOND, INC.**



Jeffrey L. Arps, LSP  
Vice President

cc: Sherry Patch, Town of Princeton


## **Appendices**

- Appendix A – Figure 1 – Potable Well Radius Map
- Appendix B – Table 1 - Summary of Private Well Data
- Appendix C – Table C-1 - Public Notification Letter Sampling and Submittal Status  
Table C-2 – POET System Status



## **APPENDIX A**

**FIGURE 2  
ORTHOPHOTOGRAPH  
SITE PLAN**



**NOTES**  
Based on MassGIS Orthoimagery (2019)  
500' Buffer based on a 50' buffer of  
building structures. Well locations are assumed to be  
within 50' of each home.  
Abbreviation Dictionary:

Princeton, Massachusetts

August 2022

Tiahe&Bond

## **APPENDIX B**

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	Old Town Hall Well
Well Depth (feet)		UNKNOWN
Sampling Date		1/19/2021
<b>EPA 537.1 (ng/L)</b>		
Perfluorobutanesulfonic acid (PFBS)		38
Perfluorohexanoic acid (PFHxA)		11
Perfluorohexanesulfonic acid (PFHxS)		250
Perfluoroheptanoic acid (PFHpA)		4.8
Perfluorooctanoic acid (PFOA)		17
Perfluorooctanesulfonic acid (PFOS)		150
Perfluorononanoic acid (PFNA)		ND(1.82)
Perfluorodecanoic acid (PFDA)		ND(1.82)
N-EtFOSAA		ND(1.82)
Perfluoroundecanoic acid (PFUnA)		ND(1.82)
N-MeFOSAA		ND(1.82)
Perfluorododecanoic acid (PFDoA)		ND(1.82)
Perfluorotridecanoic acid (PFTrDA)		ND(1.82)
Perfluorotetradecanoic acid (PFTA)		ND(1.82)
Total (All Compounds)	20	470.8
Regulated Total		<b>421.8</b>

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Containment Level

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	Town Well (WELL-01G)												
		UNKNOWN												
Well Depth (feet)	Sampling Date	9/5/2019	9/27/2019	1/8/2020	6/23/2020	9/29/2020	9/29/2020	12/22/2020	2/17/2021	6/15/2021	8/10/2021	10/18/2021	1/11/2022	3/9/2022
EPA 537.1 (ng/L)							RERUN							POET INSTALLED
Perfluorobutanesulfonic acid (PFBS)		26.9	17	31.9	16.1	39.5	42.9	48.6	41.6	34.5	14.0	40.1	38.3	
Perfluorohexanoic acid (PFHxA)		ND (1.82)	ND (1.87)	2.86	1.48 (J)	2.92	4.51	5.1	5.45	4.14	1.72 (J)	4.62	6.78	
Perfluorohexanesulfonic acid (PFHxS)		94.4	78.1	168	81.7	234	225	329	305	224	90.9	249	301	
Perfluorohethaneptanoic acid (PFHpA)		ND (1.82)	ND (1.87)	2.47	1.25 (J)	1.30 (J)	1.9	4.27	4.67	2.09	1.15 (J)	3.56	5.14	
Perfluorooctanoic acid (FOA)		3.92	3.18	9.52	4.48	8.4	12.3	15.9	14.6	10.8	5.32	13.1	16	
Perfluorooctanesulfonic acid (PFOS)		26.4	18.9	52.6	23.5	56.4	67.4	94.2	86.2	71	30	99.9	113	
Perfluorononanoic acid (PFNA)		ND (1.82)	ND (1.87)	ND (1.84)	ND (1.90)	0.555 (J)	0.985 (J)	0.904 (J)	1.17 (J)	0.769 (J)	ND (1.80)	0.91 (J)	0.98 (J)	
Perfluorodecanoic acid (PFDA)		ND (1.82)	ND (1.87)	ND (1.84)	ND (1.90)	ND (1.85)	ND (1.90)	ND (1.81)	ND (1.77)	ND (1.83)	ND (1.80)	ND (1.80)	ND (2.0)	
N-EtFOSAA		ND (1.82)	ND (1.87)	ND (1.84)	ND (1.90)	ND (1.85)	ND (1.90)	ND (1.81)	ND (1.77)	ND (1.83)	ND (1.80)	ND (1.80)	ND (2.0)	
Perfluoroundecanoic acid (PFUnA)		ND (1.82)	ND (1.87)	ND (1.84)	ND (1.90)	ND (1.85)	ND (1.90)	ND (1.81)	ND (1.77)	ND (1.83)	ND (1.80)	ND (1.80)	ND (2.0)	
N-MeFOSAA		ND (1.82)	ND (1.87)	ND (1.84)	ND (1.90)	ND (1.85)	ND (1.90)	ND (1.81)	ND (1.77)	ND (1.83)	ND (1.80)	ND (1.80)	ND (2.0)	
Perfluorododecanoic acid (PFDoA)		ND (1.82)	ND (1.87)	ND (1.84)	ND (1.90)	ND (1.85)	ND (1.90)	ND (1.81)	ND (1.77)	ND (1.83)	ND (1.80)	ND (1.80)	ND (2.0)	
Perfluorotridecanoic acid (PFTDA)		ND (1.82)	ND (1.87)	ND (1.84)	ND (1.90)	ND (1.85)	ND (1.90)	ND (1.81)	ND (1.77)	ND (1.83)	ND (1.80)	ND (1.80)	ND (2.0)	
Perfluorotetradecanoic acid (PFTA)		ND (1.82)	ND (1.87)	ND (1.84)	ND (1.90)	ND (1.85)	ND (1.90)	ND (1.81)	ND (1.77)	ND (1.83)	ND (1.80)	ND (1.80)	ND (2.0)	
Total (All Compounds)	20	151.6	117.2	264.9	127.1	341.9	354.5	497.5	458.1	346.9	141.7	410.7	480.7	
Regulated Total		<b>124.7</b>	<b>100.2</b>	<b>230.1</b>	<b>110.3</b>	<b>299.5</b>	<b>307.1</b>	<b>443.8</b>	<b>411.1</b>	<b>308.3</b>	<b>126.8</b>	<b>366.0</b>	<b>435.6</b>	

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	Town Well (WELL-01G)		
		UNKNOWN		
Well Depth (feet)	Sampling Date	4/6/2022	5/4/2022	
		INF	MID	EFF
EPA 537.1 (ng/L)				
Perfluorobutanesulfonic acid (PFBS)		27.0	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		5.6	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		222	ND (2.0)	ND (2.0)
Perfluorohethaneptanoic acid (PFHpA)		3.82	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (FOA)		13.6	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		106	ND (2.0)	ND (2.0)
Perfuorononanoic acid (PFNA)		1.04 (J)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTDA)		ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	378.0	ND (2.0)	ND (2.0)
Regulated Total		<b>345.4</b>	ND (2.0)	ND (2.0)

NOTES:  
 Gray colored cells indicate those 6 compounds included in the regulated PFAS Total  
 ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard  
 MMCL is Massachusetts Maximum Containment Level

Values reported with a (J) qualifier are estimated values. If the reported J value is greater than or equal to 1/3 the MRL and < MRL one-half the MRL is used for the concentration of that compound in the summation

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	MW-6				MW-7DR			MW-10A			MW-10D		
		15.5'		19'		8.5'		Not Encountered			25'			
		3'		7'							9'			
		6/23/2020	1/12/2021	9/22/2021	1/25/2022	1/12/2021	9/22/2021	1/25/2022	1/2/2020	9/21/2021	1/25/2022	1/2/2020	9/21/2021	1/25/2022
<b>EPA 537.1 (ng/L)</b>														
Perfluorobutanesulfonic acid (PFBS)		4.6	10	8.6	ND (1.9)	16	22	18	5.3	ND (4.1)	ND (2.0)	7.2	10	ND (1.8)
Perfluorohexanoic acid (PFHxA)		11	2.3	5.6	8.5	4.1	13	10	4.1	4.4	3.9	3.6	3.3	2.1
Perfluorohexanesulfonic acid (PFHxS)		9.9	13	53	ND (1.9)	130	170	130	22	15	1.3	39	50	7.3
Perfluoroheptanoic acid (PFHpA)		3.2	ND (2.0)	3.5	3.2	3.6	5.6	3.7	2.1	ND (4.1)	1.3	3.3	3.7	0.88
Perfluoroctanoic acid (FOA)		15	2.8	8.2	4.3	7.4	14	7.7	4.5	5.7	1.8	8.6	7.4	1.2
Perfluoroctanesulfonic acid (PFOS)		ND (2.0)	6.3	43	ND (1.9)	27	50	34	4	11	ND (2.0)	28	35	2.9
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (1.9)	0.95	ND (2.0)	ND (2.0)	0.41	ND (2.0)	ND (4.1)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (1.9)	0.5	ND (2.0)	ND (2.0)	ND (2.3)	ND (2.0)	ND (4.1)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.3)	ND (2.0)	ND (4.1)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.3)	ND (2.0)	ND (4.1)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.3)	ND (2.0)	ND (4.1)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.3)	ND (2.0)	ND (4.1)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.3)	ND (2.0)	ND (4.1)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.3)	ND (2.0)	ND (4.1)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)
Perfluoropentanesulfonic acid (PFPeS)		-	-	-	-	-	-	-	-	-	-	-	-	-
Perfluorohexanesulfonic acid (PFHps)		-	-	-	-	-	-	-	-	-	-	-	-	-
Perfluoro-1-butanesulfonamide (FBSA)		-	-	-	-	-	-	-	-	-	-	-	-	-
Total (All Compounds)		43.7	34.4	122	17.5	188	275	204	42.0	36.1	8.30	89.7	109	14.4
Regulated Total	20	28.1	22.1	108	8.95	168	240	176	32.6	31.7	4.40	78.9	96.1	12.3

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	MW-14			MW-18R			MW-101			MW-102			
		9.9		30'		35'					15'			
		Not Encountered		15.5'		10'					1'			
		1/2/2020	9/21/2021	1/25/2022	1/2/2020	9/22/2021	1/25/2022	1/12/2021	9/21/2021	1/25/2022	5/10/2022	1/12/2021	9/22/2021	5/10/2022
<b>EPA 537.1 (ng/L)</b>														
Perfluorobutanesulfonic acid (PFBS)		21	24	11	3.9	6.2	7.5	25	39	30	30	66	62	39
Perfluorohexanoic acid (PFHxA)		2.1	28	8.5	2.8	17	7.3	3.3	5	2.4	ND (10)	11	14	7
Perfluorohexanesulfonic acid (PFHxS)		200	210	100	17	27	33	200	340	380	290	740	660	580
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	14	3.8	2.1	4.4	2.1	3	4.2	1.7	ND (10)	5.1	7.2	3.4
Perfluoroctanoic acid (FOA)		6.5	26	13	3.1	5.3	5.8	8.6	12	8	ND (10)	16	22	9.9
Perfluoroctanesulfonic acid (PFOS)		140	240	130	7	8.3	11	53	150	150	ND (10)	250	620	320
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (1.9)	0.87	ND (2.0)	ND (1.9)	1.3	ND (2.0)	ND (1.9)	0.59	ND (10)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (1.9)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (10)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (1.9)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (10)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (1.9)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (10)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (1.9)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (10)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (1.9)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (10)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (1.9)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (10)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (1.9)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (10)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoropentanesulfonic acid (PFPeS)		-	-	-	-	-	-	-	-	-	30	-	-	46
Perfluorohexanesulfonic acid (PFHps)		-	-	-	-	-	-	-	-	-	ND (10)	-	-	16
Perfluoro-1-butanesulfonamide (FBSA)		-	-	-	-	-	-	-	-	-	ND (10)	-	-	2.2
Total (All Compounds)		370	542	267	35.9	68.2	68.0	293	550	573	350	1,088	1,385	1,024
Regulated Total	20	347	490	248	29.2	45.0	53.2	265	506	540	290	1,011	1,309	913

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Containment Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	9 Allen Hill Rd						
		2/12/2020	7/23/2020	1/19/2021	4/27/2021	4/27/2021	12/2/2021	4/12/2022
Sampling Date								
Well Depth (feet): 200								
<b>EPA 537.1 (ng/L)</b>								
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2.8	2.4
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorooctanoic acid (FOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorododecanoic acid (PFDa)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2.8	2.4
Regulated Total		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	12 Allen Hill Rd			
		2/14/2020	7/27/2020	1/19/2021	10/14/2021
Sampling Date					
Well Depth (feet): UNKNOWN	MMCL				
<b>EPA 537.1 (ng/L)</b>					
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		2.2	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		5.8	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		4.2	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	12.2	ND (2.0)	ND (2.0)	ND (2.0)
Regulated Total		12.2	ND (2.0)	ND (2.0)	ND (2.0)

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	15 Allen Hill Road					
		4/28/2020	10/1/2020	1/19/2021	4/23/2021	10/14/2021	4/21/2022
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluoroctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Total (All Compounds)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Regulated Total	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	19 Allen Hill Road					
		4/28/2020	10/1/2020	1/19/2021	4/21/2021	10/29/2021	4/15/2022
Sampling Date							
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Regulated Total		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	20 Allen Hill Road					
Sampling Date		5/8/2020	10/2/2020	1/18/2021	4/20/2021	10/19/2021	4/13/2022
Well Depth (feet): 400							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		3	ND (2.0)	2.5	ND (2.0)	ND (1.9)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		2.3	ND (2.0)	2.5	ND (2.0)	ND (1.9)	ND (2.0)
Perfluorooctanoic acid (PFOA)		3	ND (2.0)	2.4	ND (2.0)	ND (1.9)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)
Total (All Compounds)	20	8.3	ND (2.0)	7.4	ND (2.0)	ND (1.9)	ND (2.0)
Regulated Total		5.3	ND (2.0)	4.9	ND (2.0)	ND (1.9)	ND (2.0)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	32 Allen Hill Rd					
		2/2/2020	7/22/2020	1/22/2021	4/20/2021	11/4/2021	4/12/2022
Sampling Date							
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Total (All Compounds)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Regulated Total	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	33 Allen Hill Rd				
		10/30/2020	12/16/2020	4/20/2021	10/18/2021	4/12/2022
Sampling Date			DUPLICATE			
Well Depth (feet): UNKNOWN						
<b>EPA 537.1 (ng/L)</b>						
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	2.8	2.4
Perfluorooctanesulfonic acid (PFOS)		47	8	2.3	ND (2.0)	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Total (All Compounds)	20	47	8	2.3	ND (2.0)	2.8
Regulated Total		<b>47</b>	8	2.3	ND (2.0)	2.8
						2.4

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	7 Boylston Ave												
		1/27/2020		3/1/2020		3/17/2020		5/1/2020		6/18/2020		7/29/2020		
Flow Meter Reading (gallons)	-	-	NOT RECORDED			14,911			23,425			32,192		
Sampling Date														
Well Depth (feet): UNKNOWN														
EPa 537.1 (ng/L)														
Perfluorobutanesulfonic acid (PFBS)		3.6	3.7	ND (2.0)										
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)										
Perfluorohexanesulfonic acid (PFHxS)		16	17	ND (2.0)										
Perfluorohexanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)										
Perfluorooctanoic acid (PFOA)		2.7	ND (2.0)	14										
Perfluorooctanesulfonic acid (PFOS)		4.5	6.2	4.7										
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)										
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)										
N-EtFOAA		ND (2.0)	ND (2.0)	ND (2.0)										
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)										
N-MeFOAA		ND (2.0)	ND (2.0)	ND (2.0)										
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)										
Perfluorotetradecanoic acid (PFTa)		ND (2.0)	ND (2.0)	ND (2.0)										
Total (All Compounds)		26.8	26.9	18.7										
Regulated Total	20	23.2	23.2	18.7										

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	7 Boylston Ave (continued)						7 Boylston Ave						
		30,276		65,073		79,651		Not Recorded		Not Recorded		Not Recorded		
Flow Meter Reading (gallons)	11/9/2020	2/22/2021	4/20/2021	4/20/2021	4/11/2022	5/16/2022	7/28/2022							
Sampling Date														
Well Depth (feet): UNKNOWN														
EPa 537.1 (ng/L)														
Perfluorobutanesulfonic acid (PFBS)		3.4	ND (2.0)	4.4	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)	ND (1.9)	ND (2.1)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)	ND (1.9)	ND (2.1)
Perfluorohexanesulfonic acid (PFHxS)		19	ND (2.0)	26	ND (2.0)	ND (2.0)	22	ND (2.0)	ND (2.0)	11	ND (1.9)	ND (1.8)	ND (1.9)	ND (2.1)
Perfluorohexanoic acid (PFHpA)		ND (2.0)	ND (2.0)	3.1*	ND (2.0)	2.1*	ND (2.0)	2.1*	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)	ND (1.9)	ND (2.1)
Perfluorooctanoic acid (PFOA)		3.9	ND (2.0)	3	ND (2.0)	ND (2.0)	3.8	ND (2.0)	ND (2.0)	2.1	ND (1.9)	ND (1.8)	ND (1.9)	ND (2.1)
Perfluorooctanesulfonic acid (PFOS)		6.6	ND (2.0)	6.9	ND (2.0)	ND (2.0)	6.4	ND (2.0)	ND (2.0)	4.8	ND (1.9)	ND (1.8)	ND (1.9)	ND (2.1)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)	ND (1.9)	ND (2.1)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)	ND (1.9)	ND (2.1)
N-EtFOAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)	ND (1.9)	ND (2.1)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)	ND (1.9)	ND (2.1)
N-MeFOAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)	ND (1.9)	ND (2.1)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)	ND (1.9)	ND (2.1)
Perfluorotetradecanoic acid (PFTa)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)	ND (1.9)	ND (2.1)
Total (All Compounds)		32.9	ND (2.0)	40.3	ND (2.0)	ND (2.0)	35.7	ND (2.0)	ND (2.0)	17.9	ND (1.9)	ND (1.8)	ND (1.9)	ND (2.1)
Regulated Total	20	29.5	ND (2.0)	35.9	ND (2.0)	ND (2.0)	32.2	ND (2.0)	ND (2.0)	17.9	ND (1.9)	ND (1.8)	ND (1.9)	ND (2.1)

NOTES:  
Gray colored cells indicate those 6 compounds included in the regulated PFAS Total  
ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard.

MMCL is Massachusetts Maximum Contaminant Level

\* PFHpA also detected in both the field blank and trip blank, therefore the reported result is considered invalid. Confirmed as laboratory contaminate. Result is not included in total.

\*\* PFHxA also detected in both the field blank and trip blank, therefore the reported result is considered invalid.

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	12 Boylston Ave												
		-		-		4,939		9,900		13,469		24,535		
		1/10/2020	3/20/2020	5/1/2020		6/23/2020		7/31/2020		11/6/2020				
Well Depth (feet): UNKNOWN		POET INSTALLED	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
EPA 537.1 (ng/L)														
Perfluorobutanesulfonic acid (PFBs)		9.1		7.5	ND (2.0)	ND (2.0)	8.9	ND (2.0)	ND (2.0)	7.7	ND (2.0)	ND (2.0)	7.5	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	2.1	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		14		14	ND (2.0)	ND (2.0)	18	ND (2.0)	ND (2.0)	17	ND (2.0)	ND (2.0)	18	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroctanoic acid (PFOA)		5.7		5.9	ND (2.0)	ND (2.0)	6.8	ND (2.0)	ND (2.0)	4.7	ND (2.0)	ND (2.0)	6	ND (2.0)
Perfluoroctanesulfonic acid (PFOS)		6.4		5.7	ND (2.0)	ND (2.0)	6.4	ND (2.0)	ND (2.0)	5.9	ND (2.0)	ND (2.0)	6.6	ND (2.0)
Perflurononanoic acid (PFNA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFUnA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	35.2		33.1	ND (2.0)	ND (2.0)	42.2	ND (2.0)	ND (2.0)	35.3	ND (2.0)	ND (2.0)	38.1	ND (2.0)
Regulated Total		26.1		25.6	ND (2.0)	ND (2.0)	31.2	ND (2.0)	ND (2.0)	27.6	ND (2.0)	ND (2.0)	30.6	ND (2.0)

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	12 Boylston Ave (Continued)											
		33,116			50,561			68,267			78,450		
		1/29/2021			7/22/2021			4/14/2022			7/28/2022		
Well Depth (feet): UNKNOWN		INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
EPA 537.1 (ng/L)													
Perfluorobutanesulfonic acid (PFBs)		8.7	ND (2.0)	ND (2.0)	9.9	ND (2.0)	ND (2.0)	7.3	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.1)	ND (2.1)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	3.6	ND (2.0)	ND (2.0)	6.4	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.1)	ND (2.1)
Perfluorohexanesulfonic acid (PFHxS)		18	ND (2.0)	ND (2.0)	27	ND (2.0)	ND (2.0)	26	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.1)	ND (2.1)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.1)	ND (2.1)
Perfluoroctanoic acid (PFOA)		5.5	ND (2.0)	ND (2.0)	7.6	ND (2.0)	ND (2.0)	7.5	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.1)	ND (2.1)
Perfluoroctanesulfonic acid (PFOS)		6.2	ND (2.0)	ND (2.0)	8.7	ND (2.0)	ND (2.0)	7.6	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.1)	ND (2.1)
Perflurononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.1)	ND (2.1)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.1)	ND (2.1)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.1)	ND (2.1)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.1)	ND (2.1)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.1)	ND (2.1)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.1)	ND (2.1)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.1)	ND (2.1)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.1)	ND (2.1)
Total (All Compounds)	20	38.4	ND (2.0)	ND (2.0)	56.8	ND (2.0)	ND (2.0)	54.8	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.1)	ND (2.1)
Regulated Total		29.7	ND (2.0)	ND (2.0)	43.3	ND (2.0)	ND (2.0)	41.1	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.1)	ND (2.1)

NOTES:  
Gray colored cells indicate those 6 compounds included in the regulated PFAS Total  
ND = Not detected above the lab reporting limits shown in parentheses.  
Bolded values exceed the proposed Method 1 Standard  
MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	13 Boylston Ave						
Sampling Date		1/8/2020	5/28/2020	10/7/2020	1/22/2021	4/26/2021	5/18/2021	11/11/2021
Well Depth (feet): ~100							<b>RESAMPLE</b>	
<b>EPA 537.1 (ng/L)</b>								
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2.8	ND (2.0)	2.4
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2.8	ND (2.0)	2.4
Regulated Total	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2.8	ND (2.0)	2.4

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	16 Boylston Ave							
		NA				0	260		
		1/9/2020	5/28/2020	10/7/2020	1/20/2021	3/23/2021	5/27/2021		
Well Depth (feet): ~100						POET INSTALLED	INF	MID	EFF
<b>EPA 537.1 (ng/L)</b>									
Perfluorobutanesulfonic acid (PFBS)		5.3	6.2	5	6.6		5.5	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		3.7	3.9	3.3	3.6		6.2	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		4.7	5.2	6	9.4		9.4	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		2.6	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		8	8.9	8.2	8.9		11	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		7.2	5.5	4.2	5		4.6	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	28.9	29.7	26.7	33.5		39.3	ND (2.0)	ND (2.0)
Regulated Total		19.9	19.6	18.4	23.3		27.6	ND (2.0)	ND (2.0)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	17 Boylston Ave						
Sampling Date		1/8/2020	5/28/2020	10/7/2020	1/18/2021	4/27/2021	11/11/2021	4/18/2022
Well Depth (feet): UNKNOWN								
<b>EPA 537.1 (ng/L)</b>								
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	2.1	2.3	4.7	5.6
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Total (All Compounds)		ND (2.0)	ND (2.0)	ND (2.0)	2.1	2.3	4.7	7.6
Regulated Total	20	ND (2.0)	ND (2.0)	ND (2.0)	2.1	2.3	4.7	5.6

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	21 Boylston Ave					
		UNKNOWN					
Well Depth (feet)		2/19/2020	7/22/2020	1/19/2021	4/26/2021	10/14/2021	4/12/2022
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Regulated Total		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	24 Boylston Ave						
		1/9/2020	5/29/2020	10/2/2020	1/19/2021	4/27/2021	10/18/2021	4/12/2022
Sampling Date								
Well Depth (feet): ±200								
<b>EPA 537.1 (ng/L)</b>								
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroctanoic acid (FOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Regulated Total		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	30 Boylston Ave			
		5/6/2021	10/14/2021	11/3/2021	4/21/2022
Sampling Date					
Well Depth (feet): UNKNOWN	MMCL				
<b>EPA 537.1 (ng/L)</b>					
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorooctanoic acid (PFOA)		2.1	2.7	2.8	1.9
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	3.1	3.2	2.6
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Total (All Compounds)	20	2.1	5.8	6.0	4.5
Regulated Total		2.1	5.8	6.0	4.5

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	32 Boylston Ave					
Sampling Date		5/28/2020	10/7/2020	1/21/2021	4/27/2021	11/3/2021	4/14/2022
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorooctanoic acid (PFOA)		3.7	3.3	ND (2.0)	ND (2.0)	2.5	2.1
Perfluorooctanesulfonic acid (PFOS)		2.9	2.3	ND (2.0)	ND (2.0)	2.2	2.1
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Total (All Compounds)	20	6.6	5.6	ND (2.0)	ND (2.0)	4.7	4.2
Regulated Total		6.6	5.6	ND (2.0)	ND (2.0)	4.7	4.2

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	38 Boylston Ave	
Sampling Date		8/31/2021	4/14/2022
Well Depth (feet): UNKNOWN			
<b>EPA 537.1 (ng/L)</b>			
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (1.9)
Perfluorooctanoic acid (PFOA)		4.7	5.8
Perfluorooctanesulfonic acid (PFOS)		3.8	4.7
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (1.9)
Total (All Compounds)	20	8.5	10.5
Regulated Total		8.5	10.5

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	40 Boylston Ave					
		4/28/2020	10/1/2020	1/20/2021	4/20/2021	10/14/2021	4/11/2022
Sampling Date							
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	2.1	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		5.3	4.6	6	7.5	6.5	7.4
Perfluorooctanesulfonic acid (PFOS)		3.9	3.8	4.3	5.3	5.6	4.9
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)		9.2	8.4	10.3	14.9	12.1	12.3
Regulated Total	20	9.2	8.4	10.3	14.9	12.1	12.3

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	29 Brooks Station
Sampling Date		7/29/2021
Well Depth (feet): UNKNOWN		
<b>EPA 537.1 (ng/L)</b>		
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)
N-EtFOSAA		ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)
N-MeFOSAA		ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)
Total (All Compounds)		ND (2.0)
Regulated Total	20	ND (2.0)

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	6 Connor Lane				
		8/31/2020	1/21/2021	4/20/2021	10/14/2021	4/13/2022
Sampling Date						
Well Depth (feet): UNKNOWN	MMCL					
<b>EPA 537.1 (ng/L)</b>						
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	3.3	2.9	5	ND (2.1)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorooctanoic acid (PFOA)		ND (2.0)	2.3	2.9	3.7	ND (2.1)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Total (All Compounds)	20	ND (2.0)	5.6	5.8	8.7	ND (2.1)
Regulated Total		ND (2.0)	2.3	2.9	3.7	ND (2.1)

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard &	18 Connor Lane		
		9/23/2021	4/13/2022	
Well Depth (feet): UNKNOWN	MMCL	INF	EFF	
<b>EPA 537.1 (ng/L)</b>				
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	ND (2.0)
Regulated Total		ND (2.0)	ND (2.0)	ND (2.0)

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	4 Goodnow Road					
		4/28/2020	10/1/2020	1/21/2021	4/20/2021	10/14/2021	4/11/2022
Sampling Date							
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Regulated Total		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	7 Goodnow Road	
Sampling Date		1/18/2022	4/18/2022
Well Depth (feet): UNKNOWN			
<b>EPA 537.1 (ng/L)</b>			
Perfluorobutanesulfonic acid (PFBS)		ND (1.8)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (1.8)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (1.8)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (1.8)	ND (1.9)
Perfluorooctanoic acid (PFOA)		ND (1.8)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		ND (1.8)	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (1.8)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (1.8)	ND (1.9)
N-EtFOSAA		ND (1.8)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (1.8)	ND (1.9)
N-MeFOSAA		ND (1.8)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (1.8)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (1.8)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (1.8)	ND (1.9)
Total (All Compounds)	20	ND (1.8)	ND (1.9)
Regulated Total		ND (1.8)	ND (1.9)

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	11 Gregory Hill Rd						
		1/22/2020	5/29/2020	10/1/2020	1/19/2021	4/21/2021	10/14/2021	11/11/2021
Sampling Date								
Well Depth (feet): UNKNOWN							sample to confirm detection	
EPA 537.1 (ng/L)								
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	1.9	2.5
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)
Perfluoronanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)
Total (All Compounds)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	1.9	2.5
Regulated Total	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	1.9	2.5
							2.9	2.9

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	13 Gregory Hill Road						
		1/22/2020	5/29/2020	DUPPLICATE	10/1/2020	1/19/2021	4/21/2021	10/14/2021
Well Depth (feet): UNKNOWN								
EPA 537.1 (ng/L)								
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	1.9	2.3
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoronanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)								
Regulated Total	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	4.1	2.3

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	14 Gregory Hill Rd							
		1/9/2020	5/29/2020	10/1/2020	1/20/2021	4/20/2021	10/14/2021	12/21/2022	2/4/2022
Well Depth (feet): UNKNOWN						POET INSTALLED	MID	EFF	
<b>EPA 537.1 (ng/L)</b>									
Perfluorobutanesulfonic acid (PFBS)		2.6	2.9	3.6	2.7	3.9	3.7	ND (1.8)	ND (1.8)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	2.7	2.7	2.2	3.4	ND (1.8)	ND (1.8)
Perfluorohexanesulfonic acid (PFHxS)		3.7	5.2	11	4.4	7.6	14	ND (1.8)	ND (1.8)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorooctanoic acid (PFOA)		3.2	3.4	3.6	2.2	3.4	6	ND (1.8)	ND (1.8)
Perfluorooctanesulfonic acid (PFOS)		2.5	2.7	3.7	ND (2.0)	2.7	4.8	ND (1.8)	ND (1.8)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Total (All Compounds)		12	14.2	21.9	9.3	17.6	31.9	ND (1.8)	ND (1.8)
Regulated Total	20	9.4	11.3	18.3	6.6	13.7	24.8	ND (1.8)	ND (1.8)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

		15 Gregory Hill Rd											
		Flow Meter Reading (gallons)			Sampling Date			Well Depth (feet): UNKNOWN			EPA 537.1 (ng/L)		
		Contingency Plan	GW-1 Standard	& MMCL	1/13/2020	2/26/2020	3/11/2020	68,471	6/23/2020	104,009	7/31/2020	189,140	
Flow Meter Reading (gallons)													
Sampling Date													
Well Depth (feet): UNKNOWN													
EPA 537.1 (ng/L)													
Perfluorobutanesulfonic acid (PFBS)		2.7			3.6	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		2.9			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		5.2			6.6	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohepanoic acid (PFHpA)		4.7			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		5.1			2.2	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		5.4			5.4	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)		26			17.8	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Regulated Total	20	20.4			14.2	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)

		15 Gregory Hill Rd (Continued)											
		Flow Meter Reading (gallons)			Sampling Date			Well Depth (feet): UNKNOWN			EPA 537.1 (ng/L)		
		Contingency Plan	GW-1 Standard	& MMCL	199,350	200,005	Not Recorded	200,005	4/12/2022	7/26/2022			
					1/29/2021	4/21/2021							
Flow Meter Reading (gallons)													
Sampling Date													
Well Depth (feet): UNKNOWN													
EPA 537.1 (ng/L)													
Perfluorobutanesulfonic acid (PFBS)		5	ND (2.0)		ND (2.0)	ND (2.0)	4.6	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		11	ND (2.0)		ND (2.0)	ND (2.0)	12	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorohepanoic acid (PFHpA)		ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorooctanoic acid (PFOA)		3.4	ND (2.0)		ND (2.0)	ND (2.0)	3.0	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		6.1	ND (2.0)		ND (2.0)	ND (2.0)	6.5	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)
Total (All Compounds)		25.5	ND (2.0)		ND (2.0)	ND (2.0)	26.1	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)
Regulated Total	20	20.5	ND (2.0)		ND (2.0)	ND (2.0)	21.5	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)

NOTES:  
 Gray colored cells indicate those 6 compounds included in the regulated PFAS Total  
 ND = Not detected above the lab reporting limits shown in parentheses.  
 Bolded values exceed the proposed Method 1 Standard  
 MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	21 Gregory Hill Rd				
		2/28/2020	9/18/2020	1/21/2021	4/26/2021	11/11/2021
Sampling Date						
Well Depth (feet): UNKNOWN						
<b>EPA 537.1 (ng/L)</b>						
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Regulated Total		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	44 Gregory Hill Rd				
		2/5/2020	7/22/2020	1/20/2021	4/26/2021	10/19/2021
Sampling Date						
Well Depth (feet): UNKNOWN	MMCL					
<b>EPA 537.1 (ng/L)</b>						
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Regulated Total		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	Gregory Spring
Well Depth (feet)		NA
Sampling Date		10/18/2021
Well Depth (feet): NA		
<b>EPA 537.1 (ng/L)</b>		
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)
N-EtFOSAA		ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)
N-MeFOSAA		ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)
Total (All Compounds)		ND (2.0)
Regulated Total	20	ND (2.0)

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	1 Hubbardston Rd												
		865			4,211			3,896			6,577			
		1/8/2020	2/26/2020	3/11/2020	5/1/2020	6/18/2020	7/29/2020	INF	MID	EFF	INF	MID	EFF	
Well Depth (feet): 175-200														
EPA 537.1 (ng/L)														
Perfluorobutanesulfonic acid (PFBS)		7												
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorhexanesulfonic acid (PFHxS)		32	19	ND (2.0)	ND (2.0)	21	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorooctanoic acid (PFOA)		3.4	3	ND (2.0)	ND (2.0)	3.1	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2.9	ND (2.0)	ND (2.0)	
Perfluorooctanesulfonic acid (PFOS)		6.1	5.6	ND (2.0)	ND (2.0)	5.7	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	6.2	ND (2.0)	ND (2.0)	
Perfluorooctanoneanic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Total (All Compounds)		38.5	33.3	ND (2.0)	ND (2.0)	36.2	ND (2.0)	ND (2.0)	39.6	ND (2.0)	ND (2.0)	37.9	ND (2.0)	ND (2.0)
Regulated Total	20			ND (2.0)	ND (2.0)	29.8	ND (2.0)	ND (2.0)	33.1	ND (2.0)	ND (2.0)	31.5	ND (2.0)	ND (2.0)

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	1 Hubbardston Rd												
		13,221			14,674			15,179			20,711			
		11/13/2020	1/29/2021	4/23/2021	4/15/2022	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
Well Depth (feet): 175-200														
EPA 537.1 (ng/L)														
Perfluorobutanesulfonic acid (PFBS)		8.5	ND (2.0)	ND (2.0)	9.5	ND (2.0)	ND (2.0)	7.5	ND (2.0)	ND (2.0)	5.9	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	2.1	ND (2.0)	ND (2.0)	2.1	ND (2.0)	ND (2.0)	2.1	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorhexanesulfonic acid (PFHxS)		31	ND (2.0)	ND (2.0)	37	ND (2.0)	ND (2.0)	36	ND (2.0)	ND (2.0)	41	ND (1.9)	ND (1.9)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorooctanoic acid (PFOA)		3	ND (2.0)	ND (2.0)	3.7	ND (2.0)	ND (2.0)	5.3	ND (2.0)	ND (2.0)	3.7	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		5.7	ND (2.0)	ND (2.0)	8.2	ND (2.0)	ND (2.0)	9.5	ND (2.0)	ND (2.0)	8	ND (1.9)	ND (1.9)	ND (1.9)
Perfluororononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Total (All Compounds)		48.2	ND (2.0)	ND (2.0)	60.5	ND (2.0)	ND (2.0)	60.4	ND (2.0)	ND (2.0)	60.7	ND (1.9)	ND (1.9)	ND (1.9)
Regulated Total	20		ND (2.0)	ND (2.0)	48.9	ND (2.0)	ND (2.0)	50.8	ND (2.0)	ND (2.0)	52.7	ND (1.9)	ND (1.9)	ND (1.9)

NOTES:  
 Gray colored cells indicate those 6 compounds included in the regulated PFAS Total  
 ND = Not detected above the lab reporting limits shown in parentheses.  
 Bolded values exceed the proposed Method 1 Standard  
 MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
POET System Monitoring  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	5 Hubbardston Road												
		1,131			5,143			11,960			22,710			
		12/5/2019	1/28/2020	2/5/2020	3/5/2020	5/1/2020	6/30/2020	INF	MID	EFF	INF	MID	EFF	
Well Depth (feet): UNKNOWN		POET INSTALLED	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
EPA 537.1 (ng/L)														
Perfluorobutanesulfonic acid (PFBS)		8.4		6.3	ND (2.0)	ND (2.0)	4.3	ND (2.0)	ND (2.0)	4.6	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		29		25	ND (2.0)	ND (2.0)	11	ND (2.0)	ND (2.0)	15	ND (2.0)	ND (2.0)	17	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		2.9		2.5	ND (2.0)	ND (2.0)	2.7	ND (2.0)	ND (2.0)	2.9	ND (2.0)	ND (2.0)	2.6	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		7.3		6.9	ND (2.0)	ND (2.0)	4.9	ND (2.0)	ND (2.0)	4.8	ND (2.0)	ND (2.0)	5.5	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	47.6		40.7	ND (2.0)	ND (2.0)	22.9	ND (2.0)	ND (2.0)	27.3	ND (2.0)	ND (2.0)	29.7	ND (2.0)
Regulated Total		39.2		34.4	ND (2.0)	ND (2.0)	18.6	ND (2.0)	ND (2.0)	22.7	ND (2.0)	ND (2.0)	25.1	ND (2.0)

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	5 Hubbardston Road													
		27,069			39,213			47,979			58,197			121,323	
		8/5/2020	11/18/2020	2/5/2021	4/27/2021	4/13/2022	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
Well Depth (feet): UNKNOWN		INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	MID	EFF
EPA 537.1 (ng/L)															
Perfluorobutanesulfonic acid (PFBS)		7	ND (2.0)	ND (2.0)	7	ND (2.0)	ND (2.0)	4.1	ND (2.0)	ND (2.0)	6.4	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		27	ND (2.0)	ND (2.0)	28	ND (2.0)	ND (2.0)	16	ND (2.0)	ND (2.0)	30	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		2.5	ND (2.0)	ND (2.0)	2.7	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	3.3	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		6.7	ND (2.0)	ND (2.0)	6.3	ND (2.0)	ND (2.0)	3.9	ND (2.0)	ND (2.0)	7.3	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	43.2	ND (2.0)	ND (2.0)	44.0	ND (2.0)	ND (2.0)	24.0	ND (2.0)	ND (2.0)	47.0	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Regulated Total		36.2	ND (2.0)	ND (2.0)	37.0	ND (2.0)	ND (2.0)	19.9	ND (2.0)	ND (2.0)	40.6	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	5 Hubbardston Road													
		144,946			7/26/2022			144,946			7/26/2022			144,946	
		MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
Well Depth (feet): UNKNOWN		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
EPA 537.1 (ng/L)															
Perfluorobutanesulfonic acid (PFBS)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorooctanoic acid (PFOA)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
N-EtFOSAA		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
N-MeFOSAA		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Total (All Compounds)	20	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Regulated Total		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)

NOTES:  
 Gray colored cells indicate those 6 compounds included in the regulated PFAS Total  
 ND = Not detected above the lab reporting limits shown in parentheses.  
 Bolded values exceed the proposed Method 1 Standard  
 MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	7 Hubbardston Rd								
		NA						0	6,851	
		12/5/2019	6/5/2020	10/1/2020	1/29/2021	4/21/2021	10/14/2021	12/21/2021	POET INSTALLED	MID
<b>EPA 537.1 (ng/L)</b>										
Perfluorobutanesulfonic acid (PFBS)		2.3	3.1	3.4	4.9	4.2	4.3		ND (1.8)	ND (1.8)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (1.8)	ND (1.8)
Perfluorohexanesulfonic acid (PFHxS)		3.5	5.8	7.1	8.7	8.6	12		ND (1.8)	ND (1.8)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (1.8)	ND (1.8)
Perfluorooctanoic acid (PFOA)		2.9	2.4	2.1	3.4	3.1	3.6		ND (1.8)	ND (1.8)
Perfluorooctanesulfonic acid (PFOS)		3.3	3.5	3.2	3.6	3.7	4.5		ND (1.8)	ND (1.8)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (1.8)	ND (1.8)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (1.8)	ND (1.8)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (1.8)	ND (1.8)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (1.8)	ND (1.8)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (1.8)	ND (1.8)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (1.8)	ND (1.8)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (1.8)	ND (1.8)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (1.8)	ND (1.8)
Total (All Compounds)	20	12	14.8	15.8	20.6	19.6	24.4		ND (1.8)	ND (1.8)
Regulated Total		9.7	11.7	12.4	15.7	15.4	20.1		ND (1.8)	ND (1.8)

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
POET System Monitoring  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	15 Hubbardston Road													
		-	-	Not Recorded			3,771			6,855			8,913		
Sampling Date	12/5/2019	2/11/2020	2/26/2020			5/1/2020			6/18/2020			7/30/2020			
Well Depth (feet): UNKNOWN			POET INSTALLED	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
EPA 537.1 (ng/L)															
Perfluorobutanesulfonic acid (PFBS)		27		17	ND (2.0)	ND (2.0)	21	ND (2.0)	ND (2.0)	21	ND (2.0)	ND (2.0)	20	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		110		73	ND (2.0)	ND (2.0)	95	ND (2.0)	ND (2.0)	90	ND (2.0)	ND (2.0)	92	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (FOA)		4.6		3.5	ND (2.0)	ND (2.0)	4.2	ND (2.0)	ND (2.0)	3	ND (2.0)	ND (2.0)	3.9	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		18		14	ND (2.0)	ND (2.0)	21	ND (2.0)	ND (2.0)	18	ND (2.0)	ND (2.0)	19	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)		159.6		107.5	ND (2.0)	ND (2.0)	141.2	ND (2.0)	ND (2.0)	132.0	ND (2.0)	ND (2.0)	134.9	ND (2.0)	ND (2.0)
Regulated Total	20	132.6		90.5	ND (2.0)	ND (2.0)	120.2	ND (2.0)	ND (2.0)	111.0	ND (2.0)	ND (2.0)	114.9	ND (2.0)	ND (2.0)

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	15 Hubbardston Road													
		13,958	18,399	22,074	32,037	46,977	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
Sampling Date	11/6/2020	1/29/2021	4/26/2021	10/18/2021	7/27/2022	-	-	-	-	-	-	-	-	-	-
Well Depth (feet): UNKNOWN							INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
EPA 537.1 (ng/L)															
Perfluorobutanesulfonic acid (PFBS)		21	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	27	ND (2.0)	ND (2.0)	16	ND (2.0)	ND (2.0)	16	ND (2.0)	ND (2.1)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)	ND (2.1)
Perfluorohexanesulfonic acid (PFHxS)		110	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	120	ND (2.0)	ND (2.0)	85	ND (2.0)	ND (2.0)	120	ND (2.0)	ND (2.1)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)	ND (2.1)
Perfluorooctanoic acid (FOA)		4	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	5	ND (2.0)	ND (2.0)	3.8	ND (2.0)	ND (2.0)	4.6	ND (2.0)	ND (2.1)
Perfluorooctanesulfonic acid (PFOS)		17	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	25	ND (2.0)	ND (2.0)	19	ND (2.0)	ND (2.0)	29	ND (2.0)	ND (2.1)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)	ND (2.1)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Total (All Compounds)		152.0	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	177.0	ND (2.0)	ND (2.0)	123.8	ND (2.0)	ND (2.0)	169.6	ND (2.0)	ND (2.1)
Regulated Total	20	131.0	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	150.0	ND (2.0)	ND (2.0)	107.8	ND (2.0)	ND (2.0)	153.6	ND (2.0)	ND (2.1)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts	19 Hubbardston Rd									
		Contingency Plan		GW-1 Standard & MMCL		-		-		-	
		-	-	-	-	6/5/2020	11/21/2020	1/23/2021	4/30/2021	11/6/2021	4/16/2022
Well Depth (feet): UNKNOWN			POET INSTALLED BY HOMEOWNER	EFFLUENT ONLY	INF	MID	EFF	INF	INF	INF	INF
EPA 537.1 (ng/L)											
Perfluorobutanesulfonic acid (PFBS)		2.9		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	3.1	2.7	2.7	2.7
Perfluorohexanoic acid (PFHxA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		9.7		ND (2.0)	5.8	ND (2.0)	ND (2.0)	13	9.3	6.7	11
Perfluorooctanoic acid (PFHpA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	12.6		ND (2.0)	5.8	ND (2.0)	ND (2.0)	16.1	12	8.9	13.7
Regulated Total		9.7		ND (2.0)	5.8	ND (2.0)	ND (2.0)	13	9.3	6.7	11

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	23 Hubbardston Rd							
		1/10/2020	1/27/2020	5/29/2020	10/2/2020	1/18/2021	4/22/2021	10/14/2021	4/11/2022
Sampling Date									
Well Depth (feet): UNKNOWN									
<b>EPA 537.1 (ng/L)</b>									
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorooctanoic acid (PFOA)		4.9	5.0	4.1	2.6	3.9	4.7	5.5	4.0
Perfluorooctanesulfonic acid (PFOS)		4.1	3.7	3.3	2.3	2.7	3.2	4.5	3.2
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Total (All Compounds)	20	9.0	8.7	7.4	4.9	6.6	7.9	10	7.2
Regulated Total		9.0	8.7	7.4	4.9	6.6	7.9	10	7.2

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	33 Hubbardston Rd					
		2/5/2020	7/23/2020	1/21/2021	4/26/2021	10/18/2021	4/12/2022
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroctanoic acid (PFOA)		ND (2.0)	2.1	ND (2.0)	2.1	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		2.5	2.1	ND (2.0)	2.4	2.8	2.5
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	2.5	4.2	ND (2.0)	4.5	2.8	2.5
Regulated Total		2.5	4.2	ND (2.0)	4.5	2.8	2.5

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	35 Hubbardston Rd						
		-	-	-	0	6,656		
		11/11/2020	4/26/2021	10/18/2021	4/12/2022	6/28/2022	7/27/2022	7/27/2022
Well Depth (feet): UNKNOWN					POET INSTALLED	MID	EFF	
<b>EPA 537.1 (ng/L)</b>								
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (2.0)	
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	2.6	2.8	ND (2.1)	ND (2.0)	
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (2.0)	
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	4.9	5	ND (2.1)	ND (2.0)	
Perfluorooctanoic acid (PFOA)		7.5	8.9	17	16	ND (2.1)	ND (2.0)	
Perfluorooctanesulfonic acid (PFOS)		8.4	8.2	16	14	ND (2.1)	ND (2.0)	
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (2.0)	
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (2.0)	
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (2.0)	
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (2.0)	
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (2.0)	
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (2.0)	
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (2.0)	
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (2.0)	
Total (All Compounds)	20	15.9	17.1	40.5	37.8	ND (2.1)	ND (2.0)	
Regulated Total		15.9	17.1	37.9	35.0	ND (2.1)	ND (2.0)	

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	36 Hubbardston Rd					
		2/6/2020	7/22/2020	1/21/2021	4/27/2021	10/18/2021	4/14/2022
Sampling Date							
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroctanoic acid (PFOA)		ND (2.0)	5.4	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	5.0	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	ND (2.0)	10.4	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Regulated Total		ND (2.0)	10.4	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts	39 Hubbardston Rd												
		Contingency Plan		UNKNOWN			540			1,566		2,417		
		GW-1 Standard	& MMCL	1/22/2021	3/12/2021	3/25/2021			5/3/2021		5/27/2021			
Well Depth (feet): UNKNOWN				POET INSTALLED		INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
EPA 537.1 (ng/L)														
Perfluorobutanesulfonic acid (PFBS)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorohexanoic acid (PFHxA)				2.4	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorohexanesulfonic acid (PFHxS)				ND (2.0)	9.6	ND (2.0)	ND (2.0)	9.1	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorooctanoic acid (PFHpA)				3.4	8.3	ND (2.0)	ND (2.0)	7.6	ND (2.0)	ND (2.0)	3.4	ND (2.0)	ND (2.0)	
Perfluorooctanoic acid (FOA)				10.4	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	14	ND (2.0)	ND (2.0)	
Perfluorooctanesulfonic acid (PFOS)				11	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	9.4	ND (2.0)	ND (2.0)	
Perfluorononanoic acid (PFNA)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorodecanoic acid (PFDA)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
N-EtFOSAA				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluoroundecanoic acid (PFUnA)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
N-MeFOSAA				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorododecanoic acid (PFDoA)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorotridecanoic acid (PFTDA)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorotetradecanoic acid (PFTA)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Total (All Compounds)				30.3	20.1	ND (2.0)	ND (2.0)	18.8	ND (2.0)	ND (2.0)	28.9			
Regulated Total	20			<b>24.8</b>	17.9	ND (2.0)	ND (2.0)	16.7	ND (2.0)	ND (2.0)	<b>26.8</b>	ND (2.0)	ND (2.0)	

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	42 Hubbardston Rd													
		-				3.095			7.975			Not Recorded			
		2/10/2020	7/23/2020	1/19/2021	3/2/2021	3/25/2021			4/26/2021			6/3/2021			
Well Depth (feet)				DUPPLICATE		POET INSTALLED	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
Well Depth (feet): UNKNOWN															
<b>EPA 537.1 (ng/L)</b>															
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	2.1		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorobutane sulfonate (PFBS-A)		ND (2.0)	ND (2.0)	ND (2.0)	4.1		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluoroheptanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	6		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	7.8	20		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	7.9	8.5		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluoromonanic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	12		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Total (All Compounds)		ND (2.0)	15.7	15.7	44.2		32.4	ND (2.0)	ND (2.0)	22.9	ND (2.0)	ND (2.0)	27.2	ND (2.0)	ND (2.0)
Regulated Total	20	ND (2.0)	15.7	15.7	38.0		30.1	ND (2.0)	ND (2.0)	22.9	ND (2.0)	ND (2.0)	24.9	ND (2.0)	ND (2.0)

NOTES:  
Gray colored cells indicate those 6 compounds included in the regulated PFAS Total  
ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard  
MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	43 Hubbardston													
		-	-	2,655			4,953			7,349			11,146		
Sampling Date	12/12/2019	3/20/2020	5/8/2020			6/23/2020			7/31/2020			11/11/2020			
Well Depth (feet): UNKNOWN			POET INSTALLED	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
EPA 537.1 (ng/L)															
Perfluorobutanesulfonic acid (PFBS)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)			3.5	3.1	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)			4.4	4.4	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)			15	15	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)			10	10	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	33		32.5	ND (2.0)	ND (2.0)	34.7	ND (2.0)	ND (2.0)	31.3	ND (2.0)	ND (2.0)	26.5	ND (2.0)	ND (2.0)
Regulated Total		29		29.4	ND (2.0)	ND (2.0)	31.6	ND (2.0)	ND (2.0)	28.4	ND (2.0)	ND (2.0)	23.7	ND (2.0)	ND (2.0)

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	43 Hubbardston												
		15,057			18,056			32,195			7,27/2022			
Sampling Date	2/5/2021	4/27/2021			4/12/2022			7/27/2022						
Well Depth (feet): UNKNOWN		INF	MID	EFF	INF	MID	EFF	MID	EFF	MID	EFF			
EPA 537.1 (ng/L)														
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		3.2	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		5.3	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		15	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		13	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	36.5	ND (2.0)	ND (2.0)	ND (2.0)	37.2	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Regulated Total		33.3	ND (2.0)	ND (2.0)	ND (2.0)	34.1	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	44 Hubbardston Rd					
		2/10/2020	7/23/2020	1/19/2021	4/26/2021	10/18/2021	4/11/2022
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (4.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (4.0)	2.2	ND (2.0)	ND (2.0)	1.8	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (4.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (4.0)	2.1	ND (2.0)	ND (2.0)	2.4	ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (4.0)	7.1	3.3	2.8	9.1	3.9
Perfluorooctanesulfonic acid (PFOS)		ND (4.0)	5.6	3.3	2.7	7.9	4.0
Perfluorononanoic acid (PFNA)		ND (4.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (4.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (4.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (4.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (4.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (4.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (4.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (4.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	ND (4.0)	17	6.6	5.5	21.2	7.9
Regulated Total		ND (4.0)	14.8	6.6	5.5	19.4	7.9

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	46 Hubbardston Rd					
		2/12/2020	7/23/2020	1/22/2021	4/26/2021	12/2/2021	4/15/2022
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	2.6	ND (2.0)	2.2	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	2.2	2.4	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	2.4	2.4	ND (2.0)	ND (2.0)	ND (1.9)
Perfluoroctanoic acid (PFOA)		6.2	8.8	6	6.1	5.1	6.4
Perfluorooctanesulfonic acid (PFOS)		6	6.2	5.7	4.9	4.3	4.5
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Total (All Compounds)	20	12.2	19.6	19.1	11	11.6	10.9
Regulated Total		12.2	17.4	14.1	11	9.4	10.9

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	48 Hubbardston Rd						
		2/12/2020	7/23/2020	1/22/2021	3/3/2021	4/19/2021	10/18/2021	4/11/2022
Sampling Date								
Well Depth (feet): UNKNOWN								
<b>EPA 537.1 (ng/L)</b>								
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	2.4	ND (2.0)	ND (2.0)	3	2.1
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	3.7
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2	1.9
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	2.4	ND (2.0)	ND (2.0)	5	7.7
Regulated Total		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2	5.6

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	52 Hubbardston Rd				
Sampling Date		2/12/2020	9/18/2020	1/29/2021	4/26/2021	11/8/2021
Well Depth (feet): 15						
<b>EPA 537.1 (ng/L)</b>						
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Regulated Total		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	68 Hubbardston Rd	
Sampling Date		11/17/2021	4/15/2022
Well Depth (feet): UNKNOWN			
<b>EPA 537.1 (ng/L)</b>			
Perfluorobutanesulfonic acid (PFBS)		2.6	ND (2.4)
Perfluorohexanoic acid (PFHxA)		2.2	4.6
Perfluorohexanesulfonic acid (PFHxS)		2.1	ND (2.4)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.4)
Perfluorooctanoic acid (PFOA)		3.8	5.0
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.4)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.4)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.4)
N-EtFOSAA		ND (2.0)	ND (2.4)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.4)
N-MeFOSAA		ND (2.0)	ND (2.4)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.4)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.4)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.4)
Total (All Compounds)	20	10.7	9.6
Regulated Total		5.9	5.0

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	73 Hubbardston Rd				
		6/11/2020	10/2/2020	5/3/2021	10/19/2021	4/15/2022
Sampling Date						
Well Depth (feet): UNKNOWN						
<b>EPA 537.1 (ng/L)</b>						
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Regulated Total		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	80 Hubbardston Rd	
		12/16/2021	4/13/2022
Sampling Date			
Well Depth (feet): 132			
<b>EPA 537.1 (ng/L)</b>			
Perfluorobutanesulfonic acid (PFBS)		ND (1.9)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (1.9)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (1.9)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (1.9)	ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (1.9)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		ND (1.9)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (1.9)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (1.9)	ND (2.0)
N-EtFOSAA		ND (1.9)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (1.9)	ND (2.0)
N-MeFOSAA		ND (1.9)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (1.9)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (1.9)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (1.9)	ND (2.0)
Total (All Compounds)	20	ND (1.9)	ND (2.0)
Regulated Total		ND (1.9)	ND (2.0)

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	81 Hubbardston Rd				
		4/28/2020	10/2/2020	5/3/2021	10/19/2021	4/19/2022
Sampling Date						
Well Depth (feet): 500						
<b>EPA 537.1 (ng/L)</b>						
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)
Regulated Total		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	55 Merriam Road			
Sampling Date		2/5/2021	4/26/2021	11/11/2021	5/4/2022
Well Depth (feet): UNKNOWN					
<b>EPA 537.1 (ng/L)</b>					
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Regulated Total		ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	57 Merriam Road															
		4/28/2020		4/28/2020		10/1/2020		1/21/2021		2/24/2021		4/26/2021		10/18/2021		4/11/2022	
			EFF	INF	EFF	INF	EFF	INF	EFF	INF	INF	INF	INF	EFF			
<b>EPA 537.1 (ng/L)</b>																	
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	-	ND (2.0)	-	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)				
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	-	ND (2.0)	-	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)				
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	-	ND (2.0)	-	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)				
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	-	2.3	-	3.4*	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)				
Perfluorooctanoic acid (PFOA)		2.5	ND (2.0)	ND (2.0)	-	6.7	-	5.1	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)				
Perfluorooctanesulfonic acid (PFOS)		4.3	ND (2.0)	ND (2.0)	-	8.7	-	7.2	ND (2.0)	ND (2.0)	ND (2.0)	6.6	5.5				
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	-	ND (2.0)	-	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)				
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	-	ND (2.0)	-	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)				
N-EtOSAA		ND (2.0)	ND (2.0)	ND (2.0)	-	ND (2.0)	-	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)				
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	-	ND (2.0)	-	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)				
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	-	ND (2.0)	-	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)				
Perfluorododecanoic acid (PFDOA)		ND (2.0)	ND (2.0)	ND (2.0)	-	ND (2.0)	-	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)				
Perfluorotridecanoic acid (PFTFDA)		ND (2.0)	ND (2.0)	ND (2.0)	-	ND (2.0)	-	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)				
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	-	ND (2.0)	-	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)				
Total (All Compounds)		6.8	ND (2.0)	ND (2.0)	-	17.7	-	12.3	ND (2.0)	11.2	14	7.4	ND (2.0)				
Regulated Total	20	6.8	ND (2.0)	ND (2.0)	-	17.7	-	12.3	ND (2.0)	11.2	14	7.4	ND (2.0)				

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

\* PFHPA also detected in both the field blank and trip blank, therefore the reported result is considered invalid. Confirmed as laboratory contaminant. Result is not included in total. Reference lab reports 21B0096\_2 and 21B0997\_2

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	58 Merriam Rd	
Sampling Date		10/6/2020	1/21/2021
Well Depth (feet): UNKNOWN			
<b>EPA 537.1 (ng/L)</b>			
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)
Total (All Compounds)	20	ND (2.0)	ND (2.0)
Regulated Total		ND (2.0)	ND (2.0)

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	59 Merriam Rd				
		4/28/2020	10/1/2020	4/26/2021	10/19/2021	4/15/2022
Sampling Date						
Well Depth (feet): 50						
<b>EPA 537.1 (ng/L)</b>						
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Regulated Total		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	70 Merriam Rd					
		4/28/2020	10/8/2020	1/22/2021	4/30/2021	11/4/2021	4/15/2022
Sampling Date							
Well Depth (feet): 167							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluoroctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Total (All Compounds)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Regulated Total	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	85 Merriam Rd						
		2/26/2020	7/22/2020	1/21/2021	4/19/2021	10/19/2021	4/12/2022	
Well Depth (feet): 485							INF	EFF
<b>EPA 537.1 (ng/L)</b>								
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2.1	2.2	ND (2.1)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	2	2	2.4	2.6	ND (2.1)
Perfluorooctanoic acid (FOA)		4.1	5.1	4.8	5.9	7.3	8.0	ND (2.1)
Perfluorooctanesulfonic acid (PFOS)		2.7	2.9	3	3.2	5.1	5.7	ND (2.1)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)
Total (All Compounds)	20	6.8	8.0	9.8	11.1	16.9	18.5	ND (2.1)
Regulated Total		6.8	8.0	9.8	11.1	14.8	16.3	ND (2.1)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	105 Merriam Rd					
		2/28/2020	7/21/2020	1/20/2021	4/26/2021	10/18/2021	4/13/2022
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Regulated Total		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	2 Mountain Rd						
		1/7/2020	6/5/2020	10/7/2020	1/22/2021	4/26/2021	10/18/2021	4/6/2022
Sampling Date								
Well Depth (feet): UNKNOWN								
<b>EPA 537.1 (ng/L)</b>								
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	2	ND (2.0)	ND (2.0)	ND 1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND 1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	2.1	ND (2.0)	3.2	3.8	3.2	6.1
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND 1.9)
Perfluoroctanoic acid (FOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2	2.2
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND 1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND 1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND 1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND 1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND 1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND 1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND 1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND 1.9)
Total (All Compounds)	20	ND (2.0)	2.1	ND (2.0)	5.2	3.8	5.2	10.3
Regulated Total		ND (2.0)	2.1	ND (2.0)	3.2	3.8	5.2	10.3

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
POET System Monitoring  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	6 Mountain Road											
		1.557			Not Recorded			20.718			25.830		
		-	12/5/2019	1/28/2020	2/5/2020	-	3/5/2020	-	5/8/2020	-	6/23/2020	-	-
Well Depth (feet): UNKNOWN			POET INSTALLED	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF
EPA 537.1 (ng/L)													
Perfluorobutanesulfonic acid (PFBS)		8.4		3.7	ND (2.0)	ND (2.0)	5.8	ND (2.0)	ND (2.0)	4.3	ND (2.0)	ND (2.0)	4.1
Perfluorohexanoic acid (PFHxA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		23		12	ND (2.0)	ND (2.0)	17	ND (2.0)	ND (2.0)	14	ND (2.0)	ND (2.0)	16
Perfluoroheptanoic acid (PFHpA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		2.4		2.1	ND (2.0)	ND (2.0)	2.5	ND (2.0)	ND (2.0)	2.5	ND (2.0)	ND (2.0)	8.2
Perfluorooctanesulfonic acid (PFOS)		4.7		4.1	ND (2.0)	ND (2.0)	5	ND (2.0)	ND (2.0)	4	ND (2.0)	ND (2.0)	11
Perfluorononanoic acid (PFNA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)		38.5		21.9	ND (2.0)	ND (2.0)	30.3	ND (2.0)	ND (2.0)	24.8	ND (2.0)	ND (2.0)	45.0
Regulated Total	20	30.1		18.2	ND (2.0)	ND (2.0)	24.5	ND (2.0)	ND (2.0)	20.5	ND (2.0)	ND (2.0)	38.4

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	6 Mountain Road											
		31.079			Not Recorded			71.731			84.195		
		-	7/29/2020	11/6/2020	-	2/5/2021	-	4/19/2021	-	4/12/2022	-	-	-
Well Depth (feet): UNKNOWN			INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID
EPA 537.1 (ng/L)													
Perfluorobutanesulfonic acid (PFBS)		3.7	ND (2.0)	ND (2.0)	ND (2.0)	5.5	ND (2.0)	ND (2.0)	6.6	ND (2.0)	ND (2.0)	6.4	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		13	ND (2.0)	ND (2.0)	ND (2.0)	21	ND (2.0)	ND (2.0)	28	ND (2.0)	ND (2.0)	29	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		3.5	ND (2.0)	ND (2.0)	ND (2.0)	5.1	ND (2.0)	ND (2.0)	5.7	ND (2.0)	ND (2.0)	5.8	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)		20.2	ND (2.0)	ND (2.0)	ND (2.0)	33.8	ND (2.0)	ND (2.0)	43.0	ND (2.0)	ND (2.0)	43.8	ND (2.0)
Regulated Total	20	16.5	ND (2.0)	ND (2.0)	ND (2.0)	28.3	ND (2.0)	ND (2.0)	36.4	ND (2.0)	ND (2.0)	37.4	ND (2.0)

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	6 Mountain Road											
		Not Recorded			7/28/2022			MID			EFF		
		-	7/28/2022	-	-	7/28/2022	-	-	7/28/2022	-	-	7/28/2022	-
Well Depth (feet): UNKNOWN													
EPA 537.1 (ng/L)													
Perfluorobutanesulfonic acid (PFBS)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorooctanoic acid (PFOA)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
N-EtFOSAA		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
N-MeFOSAA		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Total (All Compounds)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Regulated Total	20	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)

NOTES:  
 Gray colored cells indicate those 6 compounds included in the regulated PFAS Total  
 ND = Not detected above the lab reporting limits shown in parentheses.  
 Bolded values exceed the proposed Method 1 Standard  
 MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	10 Mountain Rd							
		12/5/2019	6/11/2020	10/7/2020	1/21/2021	2/15/2021	4/19/2021	10/19/2021	4/15/2022
Sampling Date	Well Depth (feet): UNKNOWN	RAW	RAW	RAW	RAW	TREATED	RAW	RAW	RAW
<b>EPA 537.1 (ng/L)</b>									
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	2.5	ND (2.0)	2.2	ND (2.0)	2.6	2.3	2.6
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	4.5	3.2	3.8	ND (2.0)	5.5	7.8	8.7
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorooctanoic acid (PFOA)		ND (2.0)	3.4	ND (2.0)	2.3	ND (2.0)	2.7	2.8	2.6
Perfluorooctanesulfonic acid (PFOS)		2.0	3.0	ND (2.0)	2.1	ND (2.0)	3.3	3	2.4
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Total (All Compounds)	20	2.0	13.4	3.2	10.4	ND (2.0)	14.1	15.9	16.3
Regulated Total		2.0	10.9	3.2	8.2	ND (2.0)	11.5	13.6	13.7

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	14 Mountain Rd							
Sampling Date		1/9/2020	1/22/2020	5/29/2020	11/11/2020	1/22/2021	4/20/2021	10/19/2021	4/15/2022
Well Depth (feet): 500									
<b>EPA 537.1 (ng/L)</b>									
Perfluorobutanesulfonic acid (PFBS)		7.4	8.7	7.8	7.7	10	8.5	7.9	7.4
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2.1
Perfluorohexanesulfonic acid (PFHxS)		30	35	33	34	46	42	58	51
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)
Perfluorooctanoic acid (PFOA)		2.6	2.3	3.3	2.5	3.6	3.3	3.1	3.4
Perfluorooctanesulfonic acid (PFOS)		6.1	7.8	7	5.1	9.3	8	11	11
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)
Total (All Compounds)		46.1	53.8	51.1	49.3	68.9	61.8	80.0	74.9
Regulated Total	20	<b>38.7</b>	<b>45.1</b>	<b>43.3</b>	<b>41.6</b>	<b>58.9</b>	<b>53.3</b>	<b>72.1</b>	<b>65.4</b>

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**POET System Monitoring**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	18 Mountain Road												
		229			1,237			5,737			11,780			
		1/10/2020	2/11/2020	2/14/2020	3/11/2020			5/1/2020			6/18/2020			
Well Depth (feet): UNKNOWN		POET INSTALLED	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
<b>EPA 537.1 (ng/L)</b>														
Perfluorobutanesulfonic acid (PFBS)		25	20	ND (2.0)	ND (2.0)	27	ND (2.0)	ND (2.0)	15	ND (2.0)	ND (2.0)	7.9	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		3.4	2.8	ND (2.0)	ND (2.0)	3.1	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)				
Perfluorooctanesulfonic acid (PFHxS)		150	110	ND (2.0)	ND (2.0)	160	ND (2.0)	ND (2.0)	88	ND (2.0)	ND (2.0)	44	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		6.4	5.6	ND (2.0)	ND (2.0)	6.4	ND (2.0)	ND (2.0)	4.9	ND (2.0)	ND (2.0)	3.5	ND (2.0)	ND (2.0)
Perfluorooctane sulfonic acid (PFOS)		61.0	50.0	ND (2.0)	ND (2.0)	61	ND (2.0)	ND (2.0)	36	ND (2.0)	ND (2.0)	24	ND (2.0)	ND (2.0)
Perfluoropentadecanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSSA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUAnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSSA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)		245.8	188.4	ND (2.0)	ND (2.0)	257.5	ND (2.0)	ND (2.0)	143.9	ND (2.0)	ND (2.0)	79.0	ND (2.0)	ND (2.0)
Regulated Total	20	217.4	165.6	ND (2.0)	ND (2.0)	227.4	ND (2.0)	ND (2.0)	128.9	ND (2.0)	ND (2.0)	71.1	ND (2.0)	ND (2.0)

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	18 Mountain Rd									
		20,025			27,827			34,958			39,421
		7/29/2020			11/3/2020			1/29/2021			4/20/2021
Well Depth (feet): UNKNOWN		INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF
<b>EPA 537.1 (ng/L)</b>											
Perfluorobutanesulfonic acid (PFBS)		6.8	ND (2.0)	ND (2.0)	4.8	ND (2.0)	ND (2.0)	10	ND (2.0)	ND (2.0)	24
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		42	ND (2.0)	ND (2.0)	28	ND (2.0)	ND (2.0)	55	ND (2.0)	ND (2.0)	160
Perfluorohexapentanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		2.4	ND (2.0)	ND (2.0)	2.6	ND (2.0)	ND (2.0)	4.1	ND (2.0)	ND (2.0)	6.3
Perfluorooctanesulfonic acid (PFOS)		21	ND (2.0)	ND (2.0)	16	ND (2.0)	ND (2.0)	32	ND (2.0)	ND (2.0)	58
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFUAnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOGAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PTFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PTFA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)		72.2	ND (2.0)	ND (2.0)	51.4	ND (2.0)	ND (2.0)	101.1	ND (2.0)	ND (2.0)	250.5
Regulated Total	20	65.4	ND (2.0)	ND (2.0)	46.6	ND (2.0)	ND (2.0)	91.1	ND (2.0)	ND (2.0)	224.3

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	18 Mountain Rd					
		Flow Meter Reading (gallons)			66,747		79,504
		Sampling Date			4/12/2022		7/26/2022
Notes							
EPA 537.1 (ng/L)		INF	MID	EFF	MID	EFF	MID
Perfluorobutanesulfonic acid (PFBS)	24	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)
Perfluorohexanoic acid (PFHxA)	3.8	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)	180	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)
Perfluorohexanoic acid (PFHxA)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)
Perfluorooctanoic acid (PFOA)	8.1	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)	84	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)
Perfluorooctanoic acid (PFOA)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)
Perfluorodecanoic acid (PFDA)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)
N-EtFOAA	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)
Perfluoroundecanoic acid (PFUuA)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)
N-MeFOAA	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)
Perfluorododecanoic acid (PFDoA)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)
Perfluorotridecanoic acid (PTFDA)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)
Total (All Compounds)		299.9	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.1)	ND (1.9)
Regulated Total	20	272.1	ND (1.9)	ND (1.9)	ND (2.1)	ND (1.9)	ND (2.0)

**NOTES:**  
Gray colored cells indicate those 6 compounds included in the regulated PFAS Total ND = Not detected above the lab detection limits shown in parentheses.

**ND** = Not detected above the lab reporting limits shown in parentheses.  
**Bolded values** exceed the proposed Method 1 Standard.

Bolded values exceed the proposed Method 1 Standard  
MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
POET System Monitoring  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	19 Mountain Rd												
		NA	NA	-			400			6,533			12,367	
		12/4/2019	1/10/2020	1/10/2020			1/17/2020			1/31/2020			3/3/2020	
Well Depth (feet): UNKNOWN		POET INSTALLED	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
EPA 537.1 (ng/L)														
Perfluorobutanesulfonic acid (PFBS)		32		9.2	ND (2.0)	ND (2.0)	28	ND (2.0)	ND (2.0)	6.3	ND (2.0)	ND (2.0)	7.1	ND (2.0)
Perfluorohexanoic acid (PFHxA)		5.1		ND (2.0)	ND (2.0)	4.4	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		220		58	ND (2.0)	ND (2.0)	190	ND (2.0)	ND (2.0)	38	ND (2.0)	ND (2.0)	39	ND (2.0)
Perfluorooctanoic acid (PFOA)		2.5		ND (2.0)	ND (2.0)	2.3	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		11		3.5	ND (2.0)	ND (2.0)	8.9	ND (2.0)	ND (2.0)	3	ND (2.0)	ND (2.0)	3.1	ND (2.0)
Perfluorooctane sulfonic acid (PFOS)		190		48	ND (2.0)	ND (2.0)	140	ND (2.0)	ND (2.0)	32	ND (2.0)	ND (2.0)	28	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDa)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTraD)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)		460.6		118.7	ND (2.0)	ND (2.0)	373.6	ND (2.0)	ND (2.0)	79.3	ND (2.0)	ND (2.0)	77.2	ND (2.0)
Regulated Total	20	421		109.5	ND (2.0)	ND (2.0)	341.2	ND (2.0)	ND (2.0)	73	ND (2.0)	ND (2.0)	70.1	ND (2.0)

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	19 Mountain Rd													
		25,926	32,780	40,864			58,721			77,051					
		5/8/2020	6/18/2020	7/29/2020	11/3/2020	1/29/2021									
Well Depth (feet): UNKNOWN		INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF		
EPA 537.1 (ng/L)															
Perfluorobutanesulfonic acid (PFBS)		11	ND (2.0)	ND (2.0)	42	ND (2.0)	ND (2.0)	12	ND (2.0)	ND (2.0)	28	ND (2.0)	ND (2.0)	13	ND (2.0)
Perfluorohexanoic acid (PFHxA)		2.6	ND (2.0)	ND (2.0)	8	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	5.5	ND (2.0)	ND (2.0)	3.3	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		71	ND (2.0)	ND (2.0)	350	ND (2.0)	ND (2.0)	80	ND (2.0)	ND (2.0)	210	ND (2.0)	ND (2.0)	81	ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	3.7	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2.5	ND (2.0)	ND (2.0)	2.1	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		4.2	ND (2.0)	ND (2.0)	12	ND (2.0)	ND (2.0)	4	ND (2.0)	ND (2.0)	9.9	ND (2.0)	ND (2.0)	6.2	ND (2.0)
Perfluorooctane sulfonic acid (PFOS)		44	ND (2.0)	ND (2.0)	230	ND (2.0)	ND (2.0)	55	ND (2.0)	ND (2.0)	150	ND (2.0)	ND (2.0)	71	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorododecanoic acid (PFDa)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorotridecanoic acid (PFTraD)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Total (All Compounds)		132.8	ND (2.0)	ND (2.0)	645.7	ND (2.0)	ND (2.0)	151.0	ND (2.0)	ND (2.0)	405.9	ND (2.0)	ND (2.0)	176.6	ND (2.0)
Regulated Total	20	119.2	ND (2.0)	ND (2.0)	595.7	ND (2.0)	ND (2.0)	139.0	ND (2.0)	ND (2.0)	372.4	ND (2.0)	ND (2.0)	160.3	ND (2.0)

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	19 Mountain Rd											
		92,089	134,104	158,393			173,396						
		4/22/2021	11/3/2021	4/12/2022	7/26/2022								
Notes		INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
EPA 537.1 (ng/L)													
Perfluorobutanesulfonic acid (PFBS)		21	ND (2.0)	ND (2.0)	12	ND (1.9)	ND (1.8)	18	ND (1.8)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		6.1	ND (2.0)	ND (2.0)	2.8	ND (1.9)	ND (1.8)	4.1	ND (1.8)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		170	ND (2.0)	ND (2.0)	96	ND (1.9)	ND (1.8)	140	ND (1.8)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.9)
Perfluorooctanoic acid (PFOA)		2.3	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.8)	1.9	ND (1.8)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		9.2	ND (2.0)	ND (2.0)	6.8	ND (1.9)	ND (1.8)	7.3	ND (1.8)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.9)
Perfluorooctane sulfonic acid (PFOS)		130	ND (2.0)	ND (2.0)	110	ND (1.9)	ND (1.8)	120	ND (1.8)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.8)	ND (1.9)	ND (1.9)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.8)	ND (1.9)	ND (1.9)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.8)	ND (1.9)	ND (1.9)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.8)	ND (1.9)	ND (1.9)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.8)	ND (1.9)	ND (1.9)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.9)
Perfluorododecanoic acid (PFDa)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.8)	ND (1.9)	ND (1.9)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.9)
Perfluorotridecanoic acid (PFTraD)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.8)	ND (1.9)	ND (1.9)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.8)	ND (1.9)	ND (1.9)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.9)
Total (All Compounds)		338.6	ND (2.0)	ND (2.0)	227.6	ND (1.9)	ND (1.8)	291.3	ND (1.8)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.9)
Regulated Total	20	311.5	ND (2.0)	ND (2.0)	212.8	ND (1.9)	ND (1.8)	269.2	ND (1.8)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.9)

NOTES:  
 Gray colored cells indicate those 6 compounds included in the regulated PFAS Total  
 ND = Not detected above the lab reporting limits shown in parentheses.  
 Bolded values exceed the proposed Method 1 Standard  
 MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
POET System Monitoring  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	20 Mountain Road											
		-	-	295			-	13,640			16,740		
Flow Meter Reading (gallons)		1/10/2020	2/11/2020	2/14/2020			3/17/2020	6/18/2020			7/29/2020		
Sampling Date				POET INSTALLED	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
Well Depth (feet): UNKNOWN													
EPA 537.1 (ng/L)													
Perfluorobutanesulfonic acid (PFBS)		12		14	ND (2.0)	ND (2.0)	ND (2.0)	15	ND (2.0)	19	ND (2.0)	18	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)		2.1	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2.7	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		60		74	ND (2.0)	ND (2.0)	ND (2.0)	78	ND (2.0)	120	ND (2.0)	110	ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctane sulfonic acid (PFOS)		3.5		4.1	ND (2.0)	ND (2.0)	ND (2.0)	4.2	ND (2.0)	5.2	ND (2.0)	4.3	ND (2.0)
Perfluorooctane sulfonic acid (PFNA)		22		28	ND (2.0)	ND (2.0)	ND (2.0)	30	ND (2.0)	44	ND (2.0)	44	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	97.5			122.2	ND (2.0)	ND (2.0)	127.2	ND (2.0)	ND (2.0)	190.9	ND (2.0)	176.3	ND (2.0)
Regulated Total	20			106.1	ND (2.0)	ND (2.0)	112.2	ND (2.0)	ND (2.0)	169.2	ND (2.0)	158.3	ND (2.0)

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	20 Mountain Road											
		25,895	31,955	39,074	-	75,335							
Flow Meter Reading (gallons)		11/18/2020	1/29/2021	4/26/2021	4/15/2022	7/27/2022							
Sampling Date													
Well Depth (feet): UNKNOWN		INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
EPA 537.1 (ng/L)													
Perfluorobutanesulfonic acid (PFBS)		18	ND (2.0)	ND (2.0)	22	ND (2.0)	ND (2.0)	17	ND (2.0)	ND (2.0)	17	ND (1.9)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		2.9	ND (2.0)	ND (2.0)	3.1	ND (2.0)	ND (2.0)	3.1	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		110	ND (2.0)	ND (2.0)	130	ND (2.0)	ND (2.0)	97	ND (2.0)	ND (2.0)	120	ND (1.9)	ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)	ND (2.0)
Perfluorooctane sulfonic acid (PFOS)		6.1	ND (2.0)	ND (2.0)	6.4	ND (2.0)	ND (2.0)	4.9	ND (2.0)	ND (2.0)	5.1	ND (1.9)	ND (2.0)
Perfluorooctane sulfonic acid (PFNA)		43	ND (2.0)	ND (2.0)	51	ND (2.0)	ND (2.0)	38	ND (2.0)	ND (2.0)	38	ND (1.9)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)	ND (2.0)
Total (All Compounds)	180.0		ND (2.0)	ND (2.0)	212.5	ND (2.0)	ND (2.0)	160.0	ND (2.0)	ND (2.0)	180.1	ND (1.9)	ND (2.0)
Regulated Total	20		159.1	ND (2.0)	187.4	ND (2.0)	ND (2.0)	139.9	ND (2.0)	ND (2.0)	163.1	ND (1.9)	ND (2.0)

NOTES:  
Gray colored cells indicate those 6 compounds included in the regulated PFAS Total  
ND = Not detected above the lab reporting limits shown in parentheses.  
Bolted values exceed the proposed Method 1 Standard

TABLE 1  
POET System Monitoring  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	21 Mountain Rd													
		NA		161		3,726			5,410			14,256			
Sampling Date	12/5/2020	1/21/2020	1/24/2020			1/31/2020			2/7/2020			3/17/2020			
Well Depth (feet): 300			POET INSTALLED	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
EPAs 537.1 (ng/L)															
Perfluorobutanesulfonic acid (PFBS)		8.2		7.5	ND (2.0)	ND (2.0)	5.5	ND (2.0)	ND (2.0)	4.3	ND (2.0)	ND (2.0)	7.4	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		2.4		2.0	ND (2.0)	ND (2.0)	2.2	ND (2.0)	ND (2.0)	3.2	ND (2.0)	ND (2.0)	3	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		53		47	ND (2.0)	ND (2.0)	37	ND (2.0)	ND (2.0)	28	ND (2.0)	ND (2.0)	46	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2.1	ND (2.0)	ND (2.0)	3.2	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		5.4		4.6	ND (2.0)	ND (2.0)	5.7	ND (2.0)	ND (2.0)	5.4	ND (2.0)	ND (2.0)	4.7	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		44		37	ND (2.0)	ND (2.0)	35	ND (2.0)	ND (2.0)	26	ND (2.0)	ND (2.0)	35	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSSA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSSA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)		113		98.1	ND (2.0)	ND (2.0)	85.4	ND (2.0)	ND (2.0)	69.0	ND (2.0)	ND (2.0)	99.3	ND (2.0)	ND (2.0)
Regulated Total	20	102.4		88.6	ND (2.0)	ND (2.0)	77.7	ND (2.0)	ND (2.0)	61.5	ND (2.0)	ND (2.0)	88.9	ND (2.0)	ND (2.0)

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	21 Mountain Rd														
		28,173		63,830			78,724			112,079			135,525			
Sampling Date	5/8/2020	6/30/2020			7/31/2020			11/6/2020			2/5/2021					
Well Depth (feet): 300		INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF			
EPAs 537.1 (ng/L)																
Perfluorobutanesulfonic acid (PFBS)		4	ND (2.0)	ND (2.0)	4.5	ND (2.0)	ND (2.0)	5.6	ND (2.0)	ND (2.0)	3.1	ND (2.0)	ND (2.0)	4.6	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		2.4	ND (2.0)	ND (2.0)	2.2	ND (2.0)	ND (2.0)	37	ND (2.0)	ND (2.0)	19	ND (2.0)	ND (2.0)	27	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		25	ND (2.0)	ND (2.0)	29	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorooctanesulfonic acid (PFOS)		5.4	ND (2.0)	ND (2.0)	5.0	ND (2.0)	ND (2.0)	4.5	ND (2.0)	ND (2.0)	4.1	ND (2.0)	ND (2.0)	5.4	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		21	ND (2.0)	ND (2.0)	24	ND (2.0)	ND (2.0)	25	ND (2.0)	ND (2.0)	16	ND (2.0)	ND (2.0)	21	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
N-EtFOSSA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
N-MeFOSSA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Total (All Compounds)		57.8	ND (2.0)	ND (2.0)	64.7	ND (2.0)	ND (2.0)	72.1	ND (2.0)	ND (2.0)	42.2	ND (2.0)	ND (2.0)	62.7	ND (2.0)	ND (2.0)
Regulated Total	20	51.4	ND (2.0)	ND (2.0)	58	ND (2.0)	ND (2.0)	66.5	ND (2.0)	ND (2.0)	39.1	ND (2.0)	ND (2.0)	55.4	ND (2.0)	ND (2.0)

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	21 Mountain Rd													
		156,974		230,318			268,126			-			309,744		
Sampling Date	4/19/2021	11/3/2021			4/12/2022			6/9/2022			7/27/2022				
Well Depth (feet): 300		INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	GAC CHANGE	MID	EFF		
EPAs 537.1 (ng/L)															
Perfluorobutanesulfonic acid (PFBS)		3.2	ND (2.0)	ND (2.0)	3.4	ND (1.8)	ND (1.9)	4.4	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)	ND (1.9)	2.2	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		23	ND (2.0)	ND (2.0)	26	ND (1.8)	ND (1.9)	34	ND (2.0)	ND (2.0)	9.1	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		5	ND (2.0)	ND (2.0)	5	ND (1.8)	ND (1.9)	5	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		18	ND (2.0)	ND (2.0)	25	ND (1.8)	ND (1.9)	26	ND (2.0)	ND (2.0)	6.3	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSSA		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSSA		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.8)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)		48.7	ND (2.0)	ND (2.0)	58.3	ND (1.8)	ND (1.9)	72	ND (2.0)	ND (2.0)	15.4	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Regulated Total	20	45.5	ND (2.0)	ND (2.0)	54.9	ND (1.8)	ND (1.9)	65.4	ND (2.0)	ND (2.0)	15.4	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses

Bolded values exceed the proposed Method 1 Standard

MMCL = Massachusetts Maximum Contaminant Level

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan	22 Mountain Rd													
		544			1,009			1,131			1,155				
		7/31/2020	9/3/2020	9/10/2020	11/18/2020	2/5/2021	4/19/2021	INF	MID	EFF	INF	MID	EFF		
Well Depth (feet): UNKNOWN		POET INSTALLED	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	
EPA 537.1 (ng/L)															
Perfluorobutanesulfonic acid (PFBS)		86		ND (2.0)	ND (2.0)	29	ND (2.0)	ND (2.0)	85	ND (2.0)	ND (2.0)	85	ND (2.0)	ND (2.0)	
Perfluorohexanoic acid (PFHxA)		8.7		ND (2.0)	ND (2.0)	41	ND (2.0)	ND (2.0)	15	ND (2.0)	ND (2.0)	13	ND (2.0)	ND (2.0)	
Perfluorhexanesulfonic acid (PFHxS)		490		570	ND (2.0)	160	ND (2.0)	ND (2.0)	570	ND (2.0)	ND (2.0)	530	ND (2.0)	ND (2.0)	
Perfluoroheptanoic acid (PFHpA)		3.7		5.8	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	5.8	ND (2.0)	ND (2.0)	5.6	ND (2.0)	ND (2.0)	
Perfluorooctanoic acid (PFOA)		16		18	ND (2.0)	ND (2.0)	7.9	ND (2.0)	ND (2.0)	18	ND (2.0)	ND (2.0)	23	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		180		170	ND (2.0)	ND (2.0)	79	ND (2.0)	ND (2.0)	170	ND (2.0)	ND (2.0)	220	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorodecanoic acid (PFDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
N-EtFOSAA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluoroundecanoic acid (PFUnA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
N-MeFOSAA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorododecanoic acid (PFDoA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorotetradecanoic acid (PFTA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Total (All Compounds)		784.4		863.8	ND (2.0)	ND (2.0)	280	ND (2.0)	ND (2.0)	863.8	ND (2.0)	ND (2.0)	876.6	ND (2.0)	ND (2.0)
Regulated Total	20	689.7		763.8	ND (2.0)	ND (2.0)	246.9	ND (2.0)	ND (2.0)	763.8	ND (2.0)	ND (2.0)	778.6	ND (2.0)	ND (2.0)

Parameter	Massachusetts Contingency Plan	22 Mountain Rd									
		9,310			27,543						
		4/14/2022		7/26/2022		INF	MID	EFF	MID	EFF	
Well Depth (feet): UNKNOWN											
EPA 537.1 (ng/L)											
Perfluorobutanesulfonic acid (PFBS)		16	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		110	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		5.8	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		44	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)		175.8	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)
Regulated Total	20	159.8	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)	ND (1.9)	ND (2.0)	ND (2.0)	ND (2.0)

NOTES:  
 Gray colored cells indicate those 6 compounds included in the regulated PFAS Total  
 ND = Not detected above the lab reporting limits shown in parentheses.  
 Bolded values exceed the proposed Method 1 Standard  
 MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan	29 Mountain Rd											
		Flow Meter Reading (gallons)			Sampling Date			Well Depth (feet): UNKNOWN			6/3/2020		
		GW-1 Standard & MMCL	1/8/2020	2/24/2020	-	3/11/2020	-	-	5/8/2020	-	3,000	6/30/2020	-
EPA 537.1 (ng/L)													
Perfluorobutanesulfonic acid (PFBS)		9.6			6.7	ND (2.0)	ND (2.0)	4	ND (2.0)	2.9	ND (2.0)	4.9	ND (2.0)
Perfluorohexane sulfonic acid (PFHxA)		2.5			2	ND (2.0)	ND (2.0)	2	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		59			41	ND (2.0)	ND (2.0)	21	ND (2.0)	16	ND (2.0)	25	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		5.3			5.1	ND (2.0)	ND (2.0)	4.4	ND (2.0)	3.5	ND (2.0)	4.7	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		53			38	ND (2.0)	ND (2.0)	27	ND (2.0)	21	ND (2.0)	21	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)			ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)		129.4			92.8	ND (2.0)	ND (2.0)	58.4	ND (2.0)	43.4	ND (2.0)	55.6	ND (2.0)
Regulated Total	20	117.3			84.1	ND (2.0)	ND (2.0)	52.4	ND (2.0)	40.5	ND (2.0)	50.7	ND (2.0)
													55.8
													49.5

Parameter	Massachusetts Contingency Plan	29 Mountain Rd												
		Flow Meter Reading (gallons)			Sampling Date			Well Depth (feet): UNKNOWN			6/3/2020			
		GW-1 Standard & MMCL	5.301	25.532	1/29/2021	32.996	46.921	Not Recorded	INF	MID	EFF	INF	MID	EFF
EPA 537.1 (ng/L)														
Perfluorobutanesulfonic acid (PFBS)		5.2	ND (2.0)	ND (2.0)	3.8	ND (2.0)	ND (2.0)	4	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		30	ND (2.0)	ND (2.0)	21	ND (2.0)	ND (2.0)	22	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)
Perfluorooctanoic acid (PFOA)		3.8	ND (2.0)	ND (2.0)	3.9	ND (2.0)	ND (2.0)	4.7	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		22	ND (2.0)	ND (2.0)	16	ND (2.0)	ND (2.0)	18	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)
Total (All Compounds)		61.0	ND (2.0)	ND (2.0)	44.7	ND (2.0)	ND (2.0)	48.7	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)
Regulated Total	20	55.8	ND (2.0)	ND (2.0)	40.9	ND (2.0)	ND (2.0)	44.7	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	ND (1.9)	ND (2.0)

NOTES:  
 Gray colored cells indicate those 6 compounds included in the regulated PFAS Total  
 ND = Not detected above the lab reporting limits shown in parentheses.  
 Bolded values exceed the proposed Method 1 Standard  
 MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	30 Mountain Rd											
		-			37			170			5,312		
Sampling Date	1/27/2020	6/5/2020	10/13/2020	2/15/2021	2/22/2021			4/26/2021			5/16/2022		
Well Depth (feet): 600				POET INSTALLED	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
EPA 537.1 (ng/L)													
Perfluorobutanesulfonic acid (PFBS)	<2.0	<2.0	<2.0		2.2	ND (2.0)	ND (2.0)	2.2	ND (2.0)	ND (2.0)	2.7	ND (1.8)	ND (1.8)
Perfluorohexanoic acid (PFHxA)	<2.0	<2.0	2.9		2.1	ND (2.0)	ND (2.0)	2.1	ND (2.0)	ND (2.0)	2.4	ND (1.8)	ND (1.8)
Perfluorohexanesulfonic acid (PFHxS)	4.4	3.9	22		16	ND (2.0)	ND (2.0)	13	ND (2.0)	ND (2.0)	21	ND (1.8)	ND (1.8)
Perfluoroheptanoic acid (PFHpA)	ND (2.0)	ND (2.0)	2.3		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.8)
Perfluorooctanoic acid (PFOA)	6.1	4.6	8.6		8.1	ND (2.0)	ND (2.0)	6.9	ND (2.0)	ND (2.0)	6	ND (1.8)	ND (1.8)
Perfluorooctanesulfonic acid (PFOS)	5.4	4.1	16		13	ND (2.0)	ND (2.0)	12	ND (2.0)	ND (2.0)	16	ND (1.8)	ND (1.8)
Perfluorononanoic acid (PFNA)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.8)
Perfluorodecanoic acid (PFDA)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.8)
N-EtFOSAA	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.8)
Perfluoroundecanoic acid (PFUnA)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.8)
N-MeFOSAA	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.8)
Perfluorododecanoic acid (PFDoA)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.8)
Perfluorotridecanoic acid (PFTrDA)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.8)
Perfluorotetradecanoic acid (PFTA)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.8)
Total (All Compounds)	15.9	12.6	52.7		41.4	ND (2.0)	ND (2.0)	36.2	ND (2.0)	ND (2.0)	48.1	ND (1.8)	ND (1.8)
Regulated Total	20	15.9	12.6		46.6	ND (2.0)	ND (2.0)	31.9	ND (2.0)	ND (2.0)	43.0	ND (1.8)	ND (1.8)

NOTES:  
 Gray colored cells indicate those 6 compounds included in the regulated PFAS Total  
 ND = Not detected above the lab reporting limits shown in parentheses.  
 Bolded values exceed the proposed Method 1 Standard  
 MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	30 Mountain Rd (Inn Well)
Sampling Date		5/25/2021
Well Depth (feet): 1,000		
<b>SOP-454 PFAS (ng/L)</b>		
Perfluorobutanesulfonic acid (PFBS)		<2.0
Perfluoroheanoic acid (PFHxA)		<2.0
Perfluorohexanesulfonic acid (PFHxS)		3.9
Perfluoroheptanoic acid (PFHpA)		ND (2.0)
Perfluorooctanoic acid (PFOA)		13
Perfluorooctanesulfonic acid (PFOS)		110
Perfluorononanoic acid (PFNA)		7.5
Perfluorodecanoic acid (PFDA)		ND (2.0)
N-EtFOSAA		ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)
N-MeFOSAA		ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)
Perfluorobutanoic acid (PFBA)		3.9
Perfluoropentanoic acid (PFPeA)		3.4
4,8-dioxa-3H-perfluorononanoic acid (ADONA)		ND (2.0)
Hexafluoropropylene oxide dimer acid (HFPO-DA)		ND (2.0)
8:2 Fluorotelomersulfonic acid (8:2FTS A)		ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)		ND (2.0)
Perfluoroheptanesulfonic acid (PFHpS)		ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)
4:2 Fluorotelomersulfonic acid (4:2FTS A)		ND (2.0)
Perfluorodecanesulfonic acid (PFDS)		ND (2.0)
Perfluorooctanesulfonamide (FOSA)		ND (2.0)
Perfluorononanesulfonic acid (PFNS)		ND (2.0)
Perfluoro-1-hexanesulfonamide (FHxSA)		ND (2.0)
Perfluoro-1-butanesulfonamide (FBSA)		ND (2.0)
Perfluoro-5-oxahexanoic acid (PFMBA)		ND (2.0)
6:2 Fluorotelomersulfonic acid (6:2FTS A)		ND (2.0)
Perfluoropentanesulfonic acid (PFPeS)		ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)		ND (2.0)
Total (All Compounds)	20	141.7
Regulated Total		<b>134.4</b>

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	33 Mountain Rd					
		UNKNOWN					
		2/7/2020	7/22/2020	1/21/2021	4/16/2021	10/18/2021	4/15/2022
Well Depth (feet)							
Sampling Date							
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorooxanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	2.5	2.2	ND (2.0)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	2.5	2.2	ND (2.0)	ND (1.9)
Regulated Total		ND (2.0)	ND (2.0)	2.5	2.2	ND (2.0)	ND (1.9)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	38 Mountain Rd					
		2/14/2020	7/21/2020	1/20/2021	4/27/2021	11/11/2021	4/15/2022
Well Depth (feet)							
Sampling Date							
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorooxanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorooctanoic acid (PFOA)		ND (2.0)	3	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		2.2	2.4	2.1	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Total (All Compounds)	20	2.2	5.4	2.1	ND (2.0)	ND (1.8)	ND (1.9)
Regulated Total		2.2	5.4	2.1	ND (2.0)	ND (1.8)	ND (1.9)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	51 Mountain Rd													
		-		211		1,080		3,312		11,491					
		2/12/2020	5/1/2020	5/28/2020		6/23/2020		7/31/2020		11/11/2020					
Well Depth (feet): 250															
POET INSTALLED		INF	MID	EFF	EFF DUPLICATE	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	
ND (4.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
6.9		6.1	ND (2.0)	ND (2.0)	ND (2.0)	5.1	ND (2.0)	ND (2.0)	6.8	ND (2.0)	ND (2.0)	6.6	ND (2.0)	ND (2.0)	
ND (4.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
29		9.4	ND (2.0)	ND (2.0)	ND (2.0)	9.0	ND (2.0)	ND (2.0)	11	ND (2.0)	ND (2.0)	9.2	ND (2.0)	ND (2.0)	
9.5		29	ND (2.0)	ND (2.0)	ND (2.0)	28	ND (2.0)	ND (2.0)	30	ND (2.0)	ND (2.0)	30	ND (2.0)	ND (2.0)	
24		23	ND (2.0)	ND (2.0)	ND (2.0)	21	ND (2.0)	ND (2.0)	24	ND (2.0)	ND (2.0)	26	ND (2.0)	ND (2.0)	
ND (4.0)		5	ND (2.0)	ND (2.0)	ND (2.0)	2.6	ND (2.0)	ND (2.0)	3.2	ND (2.0)	ND (2.0)	3.1	ND (2.0)	ND (2.0)	
ND (4.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
N-EtFOAA		ND (4.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorodecanoic acid (PFUnA)		ND (4.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
N-MeFOAA		ND (4.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorooctanoic acid (PFOa)		ND (4.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorotridecanoic acid (PFTrDA)		ND (4.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorotetradecanoic acid (PFTA)		ND (4.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Total (All Compounds)	20	69.4	70.5	ND (2.0)	2.9	ND (2.0)	65.7	ND (2.0)	ND (2.0)	75.0	ND (2.0)	ND (2.0)	74.9	ND (2.0)	ND (2.0)
Regulated Total		62.5	64.4	ND (2.0)	2.9	ND (2.0)	60.6	ND (2.0)	ND (2.0)	68.2	ND (2.0)	ND (2.0)	68.3	ND (2.0)	ND (2.0)

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	51 Mountain Rd						
		18,344		49,090				
		2/5/2021		4/14/2022		4/14/2022		
Well Depth (feet): 250								
INF	MID	EFF	MID	EFF	MID	EFF		
ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)		
4.1	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)		
ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)		
7.8	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)		
ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)		
25	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)		
ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)		
18	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)		
ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)		
2.2	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)		
ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)		
N-EtFOAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	
N-MeFOAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	
Perfluorododecanoic acid (PFDa)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	
Total (All Compounds)	20	57.1	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	
Regulated Total		53.0	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.0)	

NOTES:  
 Gray colored cells indicate those 6 compounds included in the regulated PFAS Total  
 ND = Not detected above the lab reporting limits shown in parentheses  
 Bolded values exceed the proposed Method 1 Standard  
 MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	54 Mountain Rd														
		-			15,502			42,195			59,957			108,792		
		2/26/2020	6/2/2020	6/22/2020				8/5/2020			9/2/2020			11/18/2020		
Well Depth (feet): UNKNOWN			POET INSTALLED	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	
EPA 537.1 (ng/L)																
Perfluorobutanesulfonic acid (PFBS)		ND (4.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorohexanoic acid (PFHxA)		5.2		5.0	ND (2.0)	ND (2.0)	4.2	ND (2.0)	ND (2.0)	4.3	ND (2.0)	ND (2.0)	5.7	ND (2.0)	ND (2.0)	
Perfluorohexanesulfonic acid (PFHxS)		ND (4.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorohexanoic acid (PFHpA)		7.6		7.9	ND (2.0)	ND (2.0)	6.7	ND (2.0)	ND (2.0)	7.4	ND (2.0)	ND (2.0)	9.6	ND (2.0)	ND (2.0)	
Perfluorooctanoic acid (PFOA)		20		24	ND (2.0)	ND (2.0)	23	ND (2.0)	ND (2.0)	24	ND (2.0)	ND (2.0)	27	ND (2.0)	ND (2.0)	
Perfluorooctanesulfonic acid (PFOS)		18		24	ND (2.0)	ND (2.0)	22	ND (2.0)	ND (2.0)	21	ND (2.0)	ND (2.0)	22	ND (2.0)	ND (2.0)	
Perflurononanoic acid (PFNA)		ND (4.0)		2.5	ND (2.0)	ND (2.0)	2.2	ND (2.0)	ND (2.0)	2.9	ND (2.0)	ND (2.0)	2.6	ND (2.0)	ND (2.0)	
Perfluorodecanoic acid (PFDA)		ND (4.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
N-EtFOSAA		ND (4.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluoroundecanoic acid (PFUnA)		ND (4.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
N-MeFOSAA		ND (4.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorododecanoic acid (PFDoA)		ND (4.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorotridecanoic acid (PFTrDA)		ND (4.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorotetradecanoic acid (PFTA)		ND (4.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Total (All Compounds)		50.8		63.4	ND (2.0)	ND (2.0)	58.1	ND (2.0)	ND (2.0)	59.6	ND (2.0)	ND (2.0)	66.9	ND (2.0)	ND (2.0)	
Regulated Total	20	45.6		58.4	ND (2.0)	ND (2.0)	53.9	ND (2.0)	ND (2.0)	55.3	ND (2.0)	ND (2.0)	61.2	ND (2.0)	ND (2.0)	

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	54 Mountain Rd												
		159,296			191,908			300,348			463,871			
		2/15/2021	4/23/2021	10/28/2021				7/26/2022						
Well Depth (feet): UNKNOWN			INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
EPA 537.1 (ng/L)														
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		4.7	ND (2.0)	ND (2.0)	6.8	ND (2.0)	ND (2.0)	5.1	ND (2.0)	ND (1.9)				
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorohexanoic acid (PFHpA)		8	ND (2.0)	ND (2.0)	10	ND (2.0)	ND (2.0)	8.6	ND (2.0)	ND (1.9)				
Perfluorooctanoic acid (PFOA)		23	ND (2.0)	ND (2.0)	32	ND (2.0)	ND (2.0)	24	ND (2.0)	ND (1.9)				
Perfluorooctanesulfonic acid (PFOS)		23	ND (2.0)	ND (2.0)	30	ND (2.0)	ND (2.0)	25	ND (2.0)	ND (1.9)				
Perflurononanoic acid (PFNA)		2.5	ND (2.0)	ND (2.0)	3.3	ND (2.0)	ND (2.0)	2.9	ND (2.0)	ND (1.9)				
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Total (All Compounds)		61.2	ND (2.0)	ND (2.0)	82.1	ND (2.0)	ND (2.0)	65.6	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Regulated Total	20	56.5	ND (2.0)	ND (2.0)	75.3	ND (2.0)	ND (2.0)	60.5	ND (2.0)	ND (1.9)				

NOTES:  
Gray colored cells indicate those 6 compounds included in the regulated PFAS Total  
ND = Not detected above the lab reporting limits shown in parentheses.  
Bolted values exceed the proposed Method 1 Standard  
MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan	58 Mountain Rd												
		2/26/2020			7/7/2020			7/14/2020			7/31/2020			
Sampling Date	GW-1 Standard & MMCL	POET INSTALLED	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
Well Depth (feet): UNKNOWN														
EPA 537.1 (ng/L)														
Perfluorobutanesulfonic acid (PFBS)		ND (4.0)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorobutanoic acid (PFBA)		19				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (4.0)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHxA)		29				31	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		89				95	ND (2.0)	ND (2.0)	18	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		210				230	ND (2.0)	ND (2.0)	35	ND (2.0)	ND (2.0)	19	ND (2.0)	ND (2.0)
Perfluoromonanoic acid (PFNA)		20				20	ND (2.0)	ND (2.0)	35	ND (2.0)	ND (2.0)	5.7	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		6.2				6.9	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EFOAA		ND (4.0)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (4.0)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (4.0)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (4.0)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (4.0)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (4.0)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)		373.2				401.9	ND (2.0)	ND (2.0)	66.1	ND (2.0)	ND (2.0)	431.7	ND (2.0)	ND (2.0)
Regulated Total	20	354.2				382.9	ND (2.0)	ND (2.0)	62.5	ND (2.0)	ND (2.0)	416.7	ND (2.0)	ND (2.0)

Parameter	Massachusetts Contingency Plan	58 Mountain Rd												
		66.979			81.707			133.473			216.558			
Sampling Date	GW-1 Standard & MMCL	2/5/2021	4/21/2021	10/18/2021	7/26/2022	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
Well Depth (feet): UNKNOWN														
EPA 537.1 (ng/L)														
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	
Perfluorohexanoic acid (PFHxA)		5	ND (2.0)	ND (2.0)	15	ND (2.0)	ND (2.0)	22	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	
Perfluoroheptanoic acid (PFHxA)		9	ND (2.0)	ND (2.0)	26	ND (2.0)	ND (2.0)	36	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	
Perfluorooctanoic acid (PFOA)		23	ND (2.0)	ND (2.0)	83	ND (2.0)	ND (2.0)	120	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	
Perfluorooctanesulfonic acid (PFOS)		44	ND (2.0)	ND (2.0)	180	ND (2.0)	ND (2.0)	290	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	
Perfluoromonanoic acid (PFNA)		6.3	ND (2.0)	ND (2.0)	16	ND (2.0)	ND (2.0)	25	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	4.4	ND (2.0)	ND (2.0)	8.2	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	
N-EFOAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)	
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	
Total (All Compounds)		87.7	ND (2.0)	ND (2.0)	324.4	ND (2.0)	ND (2.0)	501.2	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	
Regulated Total	20	82.7	ND (2.0)	ND (2.0)	309.4	ND (2.0)	ND (2.0)	479.2	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	

NOTES:  
 Gray colored cells indicate those 6 compounds included in the regulated PFAS Total  
 ND = Not detected above the lab reporting limits shown in parentheses.  
 Bolded values exceed the proposed Method 1 Standard  
 MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	64 Mountain Rd													
		-		Not Recorded		11,657		27,440		38,902					
		1/30/2020	2/18/2020	3/3/2020		5/8/2020		6/18/2020		7/29/2020					
Well Depth (feet): UNKNOWN		POET INSTALLED		INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
EPA 537.1 (ng/L)															
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorohexane sulfonic acid (PFHxA)		14		21	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluoroheptanoic acid (PFHpA)		19		23	ND (2.0)	ND (2.0)	18	ND (2.0)	ND (2.0)	22	ND (2.0)	ND (2.0)	2.6	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (FOOA)		34		44	ND (2.0)	ND (2.0)	34	ND (2.0)	ND (2.0)	43	ND (2.0)	ND (2.0)	5.3	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		22		20	ND (2.0)	ND (2.0)	15	ND (2.0)	ND (2.0)	20	ND (2.0)	ND (2.0)	2.4	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOA)		ND (2.0)		2.5	ND (2.0)	ND (2.0)	2.2	ND (2.0)	ND (2.0)	2.3	ND (2.0)				
Perfluorodecanoic acid (PFDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EFOSAA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)		89		109.5	ND (2.0)	ND (2.0)	84.2	ND (2.0)	ND (2.0)	105.3	ND (2.0)	ND (2.0)	12.4	ND (2.0)	ND (2.0)
Regulated Total	20			75	ND (2.0)	ND (2.0)	69.2	ND (2.0)	ND (2.0)	87.3	ND (2.0)	ND (2.0)	10.3	ND (2.0)	ND (2.0)

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	64 Mountain Rd													
		75,168		86,631		97,368		-		152,651					
		11/6/2020		1/29/2021		4/21/2021		10/19/2021		4/21/2022					
Well Depth (feet): UNKNOWN		INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF		
EPA 537.1 (ng/L)															
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	2.4	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	28.0	ND (1.9)	ND (2.1)	72.0	ND (1.9)	
Perfluorohexanoic acid (PFHxA)		14	ND (2.0)	ND (2.0)	18	ND (2.0)	ND (2.0)	11	ND (2.0)	25	ND (1.9)	ND (2.1)	10	ND (1.9)	
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (1.8)	ND (1.9)	
Perfluoroheptanoic acid (PFHpA)		18	ND (2.0)	ND (2.0)	24	ND (2.0)	ND (2.0)	12	ND (2.0)	25	ND (1.9)	ND (2.1)	11	ND (1.9)	
Perfluorooctanoic acid (FOOA)		43	ND (2.0)	ND (2.0)	53	ND (2.0)	ND (2.0)	19	ND (2.0)	44	ND (1.9)	ND (2.1)	23	ND (1.9)	
Perfluorooctanesulfonic acid (PFOS)		16	ND (2.0)	ND (2.0)	22	ND (2.0)	ND (2.0)	12	ND (2.0)	21	ND (1.9)	ND (2.1)	18	ND (1.9)	
Perfluorononanoic acid (PFNA)		3.1	ND (2.0)	ND (2.0)	5.1	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	3.4	ND (1.9)	ND (2.1)	3.2	ND (1.9)	
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (1.8)	ND (1.9)	
N-EFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (1.8)	ND (1.9)	
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (1.8)	ND (1.9)	
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (1.8)	ND (1.9)	
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (1.8)	ND (1.9)	
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (1.8)	ND (1.9)	
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (2.1)	ND (1.8)	ND (1.9)	
Total (All Compounds)		94.1	ND (2.0)	ND (2.0)	124.5	ND (2.0)	ND (2.0)	54.0	ND (2.0)	ND (2.0)	146.4	ND (1.9)	ND (2.1)	137.2	ND (1.9)
Regulated Total	20		ND (2.0)	ND (2.0)	104.1	ND (2.0)	ND (2.0)	43.0	ND (2.0)	ND (2.0)	93.4	ND (1.9)	ND (2.1)	55.2	ND (1.9)

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	64 Mountain Rd												
		169,251		7/26/2022										
		MID	EFF											
Well Depth (feet): UNKNOWN														
EPA 537.1 (ng/L)														
Perfluorobutanesulfonic acid (PFBS)		ND (1.8)	ND (2.0)											
Perfluorohexanoic acid (PFHxA)		ND (1.8)	ND (2.0)											
Perfluorohexanesulfonic acid (PFHxS)		ND (1.8)	ND (2.0)											
Perfluoroheptanoic acid (PFHpA)		ND (1.8)	ND (2.0)											
Perfluorooctanoic acid (FOOA)		ND (1.8)	ND (2.0)											
Perfluorooctanesulfonic acid (PFOS)		ND (1.8)	ND (2.0)											
Perfluorononanoic acid (PFNA)		ND (1.8)	ND (2.0)											
Perfluorodecanoic acid (PFDA)		ND (1.8)	ND (2.0)											
N-EFOSAA		ND (1.8)	ND (2.0)											
Perfluoroundecanoic acid (PFUnA)		ND (1.8)	ND (2.0)											
N-MeFOSAA		ND (1.8)	ND (2.0)											
Perfluorododecanoic acid (PFDoA)		ND (1.8)	ND (2.0)											
Perfluorotridecanoic acid (PFTrDA)		ND (1.8)	ND (2.0)											
Perfluorotetradecanoic acid (PFTA)		ND (1.8)	ND (2.0)											
Total (All Compounds)		20	ND (1.8)	ND (2.0)										
Regulated Total			ND (1.8)	ND (2.0)										

NOTES:  
Gray colored cells indicate those 6 compounds included in the regulated PFAS Total  
ND = Not detected above the lab reporting limits shown in parentheses.  
Bolded values exceed the proposed Method 1 Standard  
MMCL = Massachusetts Maximum Contaminant Level

Parameter	64 Mountain Rd									
Sampling Date	1/30/2020	3/3/2020	5/8/2020	6/18/2020	7/29/2020	11/6/2020	1/29/2021	4/21/2021	10/19/2021	4/21/2022
Perfluorobutanesulfonic acid (PFBS)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2.4	ND (2.0)	28.0	72.0
Perfluorohexanoic acid (PFHxA)	14	20	15	18	2	14	18	11	25	10
Perfluorohexanesulfonic acid (PFHxS)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)
Perfluoroheptanoic acid (PFHpA)	19	23	18	22	2.6	18	24	12	25	11
Perfluorooctanoic acid (PFOA)	34	44	34	43	5.3	43	53	19	44	23
Perfluorooctanesulfonic acid (PFOS)	22	20	15	20	2.4	16	22	12	21	18
Perfluorononanoic acid (PFNA)	ND (2.0)	2.5	2.2	2.3	ND (2.0)	3.1	5.1	ND (2.0)	3.4	3.2
Perfluorodecanoic acid (PFDA)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)
N-EtFOSAA	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)
Perfluoroundecanoic acid (PFUnA)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)
N-MeFOSAA	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)
Perfluorododecanoic acid (PFDoA)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)
Perfluorotridecanoic acid (PFTrDA)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)
Perfluorotetradecanoic acid (PFTA)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)

~~

TABLE 1  
POET System Monitoring  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	5 Prospect Street															
		NA		NA		127			182			188					
		1/13/2020	1/21/2020	1/24/2020			1/31/2020			2/7/2020			6/18/2020				
Well Depth (feet): UNKNOWN				POET INSTALLED	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	
EPA 537.1 (ng/L)																	
Perfluorobutanesulfonic acid (PFBs)				9.4				2.4	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)					
Perfluorohexanoic acid (PFHxA)				ND (2.0)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)						
Perfluorohexanesulfonic acid (PFHxS)				32				6.6	ND (2.0)	ND (2.0)	2.5	ND (2.0)	ND (2.0)	2.4	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)				ND (2.0)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)						
Perfluoroctanoic acid (PFOA)				ND (2.0)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)						
Perfluoroctanesulfonic acid (PFOS)				6.2				3	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)				
Perfluorononanoic acid (PFNA)				ND (2.0)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)					
Perfluorodecanoic acid (PFDA)				ND (2.0)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)					
N-EtFOSAA				ND (2.0)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)					
Perfluoroundecanoic acid (PFUnA)				ND (2.0)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)					
N-MeFOSAA				ND (2.0)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)					
Perfluorododecanoic acid (PFDoA)				ND (2.0)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)					
Perfluorotridecanoic acid (PFTrDA)				ND (2.0)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)					
Perfluorotetradecanoic acid (PFTA)				ND (2.0)				ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)					
Total (All Compounds)		20	47.6					12.0	ND (2.0)	ND (2.0)	2.5	ND (2.0)	ND (2.0)	2.4	ND (2.0)	ND (2.0)	12.2
Regulated Total		20	38.2					9.6	ND (2.0)	ND (2.0)	2.5	ND (2.0)	ND (2.0)	2.4	ND (2.0)	ND (2.0)	9.8

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	5 Prospect Street															
		47,737		70,000		156,306			174,265			188,495					
		6/18/2020	7/27/2020	11/6/2020	1/29/2021	4/19/2021											
Well Depth (feet): UNKNOWN		INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF	
EPA 537.1 (ng/L)																	
Perfluorobutanesulfonic acid (PFBs)		2.4	ND (2.0)	ND (2.0)	2.2	ND (2.0)	ND (2.0)	2.3	ND (2.0)	ND (2.0)	4.6	ND (2.0)	ND (2.0)	4.2	ND (2.0)	ND (2.0)	
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorohexanesulfonic acid (PFHxS)		7	ND (2.0)	ND (2.0)	5.6	ND (2.0)	ND (2.0)	6	ND (2.0)	ND (2.0)	14	ND (2.0)	ND (2.0)	17	ND (2.0)	ND (2.0)	
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluoroctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2.2	ND (2.0)	ND (2.0)	2.2	ND (2.0)	ND (2.0)	
Perfluoroctanesulfonic acid (PFOS)		2.8	ND (2.0)	ND (2.0)	2.6	ND (2.0)	ND (2.0)	2.4	ND (2.0)	ND (2.0)	4.1	ND (2.0)	ND (2.0)	4.1	ND (2.0)	ND (2.0)	
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	
Total (All Compounds)		20	12.2	ND (2.0)	ND (2.0)	10.4	ND (2.0)	ND (2.0)	10.7	ND (2.0)	ND (2.0)	24.9	ND (2.0)	ND (2.0)	27.5	ND (2.0)	ND (2.0)
Regulated Total		20	9.8	ND (2.0)	ND (2.0)	8.2	ND (2.0)	ND (2.0)	8.4	ND (2.0)	ND (2.0)	20.3	ND (2.0)	ND (2.0)	23.3	ND (2.0)	ND (2.0)

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	5 Prospect Street													
		422,542		534,810		4/14/2022			7/26/2022						
		INF	MID	EFF	MID	EFF	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
EPA 537.1 (ng/L)															
Perfluorobutanesulfonic acid (PFBs)		4	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)									
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)									
Perfluorohexanesulfonic acid (PFHxS)		20	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)									
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)									
Perfluoroctanoic acid (PFOA)		2	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)									
Perfluoroctanesulfonic acid (PFOS)		6.2	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)									
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)									
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)									
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)									
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)									
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)									
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)									
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)									
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)									
Total (All Compounds)		20	32.2	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)								
Regulated Total		20	28.2	ND (2.0)	ND (2.0)	ND (2.1)	ND (1.9)								

NOTES:  
Gray colored cells indicate those 6 compounds included in the regulated PFAS Total  
ND = Not detected above the lab reporting limits shown in parentheses.  
Bolded values exceed the proposed Method 1 Standard  
MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	7 Prospect St									
		-						POET INSTALLED	6.662		
		12/9/2019	6/5/2020	10/16/2020	1/19/2021	4/23/2021	6/23/2021		7/22/2021		
Well Depth (feet): UNKNOWN											
<b>EPA 537.1 (ng/L)</b>											
Perfluorobutanesulfonic acid (PFBS)		3.1	2.7	2.9	3.4	3.7		3.6	ND (2.0)	ND (2.0)	
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		13	ND (2.0)	ND (2.0)	
Perfluorohexanesulfonic acid (PFHxS)		8.8	11	11	11	15		16	ND (2.0)	ND (2.0)	
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorooctanesulfonic acid (PFOS)		4.5	6	5.2	5	6.9		7.8	ND (2.0)	ND (2.0)	
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	
Total (All Compounds)		16.4	19.7	19.1	19.4	25.6		40.4	ND (2.0)	ND (2.0)	
Regulated Total	20	13.3	17.0	16.2	16.0	21.9		23.8	ND (2.0)	ND (2.0)	

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts	11 Prospect St									
		Contingency Plan		-		-		-		-	
		GW-1 Standard & MMCL	1/8/2020	2/20/2020		9/10/2020	1/28/2021	4/21/2021	11/3/2021	4/21/2022	7/29/2022
Well Depth (feet): 137			INF	MID	EFF	INF	INF	INF	INF	MID	EFF
EPA 537.1 (ng/L)											
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2.3	2.9	ND (1.8)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		2.1	3.3	ND (2.0)	ND (2.0)	3.4	4.7	5.8	9.0	16.0	ND (1.8)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		2.3	2.5	ND (2.0)	ND (2.0)	3.7	3.5	4.1	5.1	6.9	ND (1.8)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)
Total (All Compounds)	20	4.4	5.8	ND (2.0)	ND (2.0)	7.1	8.2	9.9	16.4	25.8	
Regulated Total		4.4	5.8	ND (2.0)	ND (2.0)	7.1	8.2	9.9	14.1	22.9	

NOTES:  
Gray colored cells indicate those 6 compounds included in the regulated PFAS Total.  
ND = Not detected above the lab reporting limits shown in parentheses.  
Bolted values exceed the proposed Method 1 Standard.  
MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	16 Prospect St					
		1/22/2020	6/5/2020	10/8/2020	1/20/2021	4/22/2021	11/5/2021
Sampling Date							
Well Depth (feet): 255							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluoroheanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Regulated Total		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	17 Prospect St						
		1/8/2020	6/5/2020	10/8/2020	1/19/2021	4/20/2021	11/9/2021	4/12/2022
Sampling Date								
Well Depth (feet): UNKNOWN								
<b>EPA 537.1 (ng/L)</b>								
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	3.2	5.1
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		2.8	ND (2.0)	2.0	2.0	2.4	9.5	5.7
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Total (All Compounds)		2.8	ND (2.0)	2.0	2.0	2.4	12.7	10.8
Regulated Total	20	2.8	ND (2.0)	2.0	2.0	2.4	12.7	10.8

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	18 Prospect St						
		1/8/2020	6/5/2020	10/8/2020	1/22/2021	4/19/2021	11/5/2021	4/15/2022
Sampling Date								
Well Depth (feet): UNKNOWN								
<b>EPA 537.1 (ng/L)</b>								
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluoroctanoic acid (FOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2.5	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	2.0	ND (2.0)	2.4	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	ND (2.0)	2.0	ND (2.0)	4.9	ND (1.9)
Regulated Total		ND (2.0)	ND (2.0)	ND (2.0)	2.0	ND (2.0)	4.9	ND (1.9)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	21 Prospect St					
		2/5/2020	7/22/2020	1/29/2021	4/19/2021	2/4/2022	4/15/2022
Sampling Date							
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Total (All Compounds)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Regulated Total	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	26 Prospect St				
		UNKNOWN				
Well Depth (feet)		2/6/2020	7/23/2020	3/3/2021	12/2/2021	4/15/2022
Well Depth (feet): UNKNOWN						
<b>EPA 537.1 (ng/L)</b>						
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	2.4	2.3	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	2.4	2.3	ND (2.0)
Regulated Total		ND (2.0)	ND (2.0)	2.4	2.3	ND (2.0)

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	41 Prospect Street												
		-		-		164,724			Not Recorded			167,619		
		5/15/2020	10/13/2020	12/22/2020	12/30/2020			2/15/2021			3/25/2021			
Well Depth (feet): UNKNOWN					EXISTING POET ACTIVE	INF	MID	EFF	INF	MID	EFF	INF	MID	EFF
EPA 537.1 (ng/L)														
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	2.6		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	4.6		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroctanoic acid (PFOA)		ND (2.0)	14		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroctanesulfonic acid (PFOS)		ND (2.0)	9.9		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perflurononanoic acid (PFNA)		ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	ND (2.0)	31.1		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Regulated Total		ND (2.0)	28.5		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	41 Prospect Street					
		169,007		178,621		11/4/2021	
		4/21/2021	11/4/2021	INF	MID	EFF	INF
Well Depth (feet): UNKNOWN							
EPA 537.1 (ng/L)							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perflurononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Regulated Total		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)

NOTES:  
 Gray colored cells indicate those 6 compounds included in the regulated PFAS Total  
 ND = Not detected above the lab reporting limits shown in parentheses.  
 Bolded values exceed the proposed Method 1 Standard  
 MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	2 Radford Rd					
		2/19/2020	11/30/2021	1/21/2021	4/21/2021	11/5/2021	4/14/2022
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluoroctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Regulated Total		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	7 Radford Rd					
		2/28/2020	7/21/2020	1/21/2021	4/21/2021	11/3/2021	4/14/2022
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	2.7	2.2	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		2.3	3.2	2.5	3.2	3.7	3.7
Perfluorononanoic acid (PFNA)		ND (2.0)	2.7	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	2.3	5.9	2.5	5.9	5.9	3.7
Regulated Total		2.3	5.9	2.5	5.9	5.9	3.7

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	8 Radford Rd					
		2/28/2020	7/21/2020	1/21/2021	4/21/2021	11/3/2021	4/14/2022
Sampling Date							
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	1.8	ND (2.0)
Perfluoroctanoic acid (PFOA)		3.9	4.1	3.9	5.4	5.1	4.3
Perfluoroctanesulfonic acid (PFOS)		2.5	3.1	2.4	3.6	3.5	3.1
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	6.4	7.2	6.3	9.0	10.4	7.4
Regulated Total		6.4	7.2	6.3	9.0	10.4	7.4

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	11 Radford Rd					
		2/14/2020	7/22/2021	1/21/2021	4/22/2021	11/5/2021	4/14/2022
Sampling Date							
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroctanoic acid (PFOA)		2.7	3.1	2.3	3.7	3.6	3.8
Perfluorooctanesulfonic acid (PFOS)		2.3	3.1	2.1	2.9	3.3	2.9
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)		5.0	6.2	4.4	6.6	6.9	6.7
Regulated Total	20	5.0	6.2	4.4	6.6	6.9	6.7

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	12 Radford Rd											
		-		879		1,943		3,465		6,539			
		5/1/2020	6/16/2020	6/30/2020	7/31/2020	8/31/2020	11/3/2020	INF	MID	EFF	INF	MID	EFF
Well Depth (feet): UNKNOWN													
EPA 537.1 (ng/L)													
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		2.4		2.7	ND (2.0)	2.3	ND (2.0)	2.9	ND (2.0)				
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		3.2		3.2	ND (2.0)	3.3	ND (2.0)	4.2	ND (2.0)	ND (2.0)	3.7	ND (2.0)	ND (2.0)
Perfluoroctanoic acid (PFOA)		11		9.8	ND (2.0)	11	ND (2.0)	13	ND (2.0)	ND (2.0)	13	ND (2.0)	ND (2.0)
Perfluoroctanesulfonic acid (PFOS)		8.3		7.5	ND (2.0)	8.9	ND (2.0)	8.5	ND (2.0)	ND (2.0)	8.7	ND (2.0)	ND (2.0)
Perflurononanoic acid (PFNA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)		24.9		23.2	ND (2.0)	ND (2.0)	25.5	ND (2.0)	ND (2.0)	28.6	ND (2.0)	28.1	ND (2.0)
Regulated Total	20	22.5		20.5	ND (2.0)	ND (2.0)	23.2	ND (2.0)	ND (2.0)	25.7	ND (2.0)	25.4	ND (2.0)

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	12 Radford Rd											
		9,916		15,126		7/27/2022							
		1/29/2021		4/23/2021		INF	MID	EFF	INF	MID	EFF		
Well Depth (feet): UNKNOWN													
EPA 537.1 (ng/L)													
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)				
Perfluorohexanoic acid (PFHxA)		3.4	ND (2.0)	ND (2.0)	2.9	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)				
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	4.1	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluoroctanoic acid (PFOA)		5.1	ND (2.0)	ND (2.0)	4.1	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluoroctanesulfonic acid (PFOS)		14	ND (2.0)	ND (2.0)	14	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perflurononanoic acid (PFNA)		10	ND (2.0)	ND (2.0)	9.9	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)				
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)				
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)				
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)				
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)				
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)				
Total (All Compounds)		32.5	ND (2.0)	ND (2.0)	30.9	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)				
Regulated Total	20	29.1	ND (2.0)	ND (2.0)	28.0	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)				

NOTES:  
 Gray colored cells indicate those 6 compounds included in the regulated PFAS Total  
 ND = Not detected above the lab reporting limits shown in parentheses.  
 Bolded values exceed the proposed Method 1 Standard  
 MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	13 Radford Rd					
		3/4/2020	7/21/2020	1/22/2021	4/21/2021	11/4/2021	4/14/2022
Sampling Date							
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Total (All Compounds)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Regulated Total	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

TABLE 1  
PFAS Drinking Water Summary  
Princeton, Massachusetts  
RTN 2-21072

Parameter	Massachusetts Contingency Plan	15 Radford Rd											
		381			1,947			4,504			7,391		
Flow Meter Reading (Gallons)	GW-1 Standard & MMCL	9/18/2020	10/21/2020	10/30/2020	12/4/2020	2/5/2021	4/21/2021	INF	MID	EFF	INF	MID	EFF
Well Depth (feet): UNKNOWN													
EPA 537.1 (ng/L)													
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxA)		2		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxS)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		4.3		3.4	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		15		12	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		11		8.8	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)		33.3		26.4	ND (2.0)	ND (2.0)	28.5	ND (2.0)	ND (2.0)	28.2	ND (2.0)	ND (2.0)	27.7
Regulated Total	20			20.3	ND (2.0)	ND (2.0)	26.1	ND (2.0)	ND (2.0)	25.3	ND (2.0)	ND (2.0)	25.0

Parameter	Massachusetts Contingency Plan	15 Radford Rd											
		29,244			7/27/2022			MID			EFF		
Flow Meter Reading (Gallons)	GW-1 Standard & MMCL												
Well Depth (feet): UNKNOWN													
EPA 537.1 (ng/L)													
Perfluorobutanesulfonic acid (PFBS)		ND (1.9)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (1.9)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (1.9)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (1.9)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorooctanoic acid (PFOA)		ND (1.9)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		ND (1.9)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (1.9)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (1.9)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
N-EtFOSAA		ND (1.9)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (1.9)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
N-MeFOSAA		ND (1.9)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (1.9)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (1.9)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (1.9)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Total (All Compounds)		ND (1.9)		ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)
Regulated Total	20			ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)	ND (1.9)

NOTES:  
 Gray colored cells indicate those 6 compounds included in the regulated PFAS Total  
 ND = Not detected above the lab reporting limits shown in parentheses.  
 Bolded values exceed the proposed Method 1 Standard  
 MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & <b>MMCL</b>	<b>18 Radford</b>				
		9/18/2020	1/29/2021	4/26/2021	11/5/2021	4/14/2022
Sampling Date						
Well Depth (feet): UNKNOWN						
<b>EPA 537.1 (ng/L)</b>						
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	2.0	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	2.7	2.2	2	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	2.3	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorooctanoic acid (PFOA)		5.2	6.5	6	5.9	4.5
Perfluorooctanesulfonic acid (PFOS)		4.3	5.0	3.7	5.1	3.2
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)
Total (All Compounds)		9.5	18.5	11.9	13.0	7.7
Regulated Total	20	9.5	13.8	9.7	11.0	7.7

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & <b>MMCL</b>	<b>23 Radford Rd</b>				
		7/22/2020	1/22/2021	4/26/2021	11/5/2021	4/14/2022
Sampling Date						
Well Depth (feet): UNKNOWN						
<b>EPA 537.1 (ng/L)</b>						
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	2.8	ND (2.0)	2	ND (2.1)
Perfluorohexanoic acid (PFHxA)		2.2	2.4	ND (2.0)	2	2.4
Perfluorohexanesulfonic acid (PFHxS)		2.8	3	ND (2.0)	2.6	2.7
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	2.3	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorooctanoic acid (PFOA)		6.5	6.4	5.2	6.6	5.5
Perfluorooctanesulfonic acid (PFOS)		5.5	5.7	4.1	6.3	5.3
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Total (All Compounds)		17.0	22.6	9.3	19.5	15.9
Regulated Total	20	14.8	17.4	9.3	15.5	13.5

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	28 Radford Rd					
		1/30/2020	7/21/2020	1/21/2021	4/26/2021	10/25/2021	4/13/2022
Sampling Date							
Well Depth (feet): 180							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		2.1	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		2.7	ND (2.0)	ND (2.0)	2.2	2.5	2.3
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
Perfluorooctanoic acid (PFOA)		5.4	4.6	4.8	6.2	5.7	5.8
Perfluorooctanesulfonic acid (PFOS)		7	4.0	3.8	5.5	5.2	4.4
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
Total (All Compounds)		17.2	8.6	8.6	13.9	13.4	12.5
Regulated Total	20	15.1	8.6	8.6	13.9	13.4	12.5

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	29 Radford Rd					
		3/17/2020	7/21/2020	1/21/2021	4/22/2021	10/25/2021	4/14/2022
Sampling Date							
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluoroctanoic acid (PFOA)		3.2	2.4	3.3	3.3	4.2	4.3
Perfluorooctanesulfonic acid (PFOS)		3.5	2.8	3.3	3.4	3.7	3.2
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Total (All Compounds)		6.7	5.2	6.6	6.7	7.9	7.5
Regulated Total	20	6.7	5.2	6.6	6.7	7.9	7.5

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	33 Radford Rd					
		5/29/2020	10/8/2020	1/29/2021	4/19/2021	11/8/2021	4/13/2022
Sampling Date							
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	2.2	ND (2.0)	2.3	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)		ND (2.0)	ND (2.0)	2.2	ND (2.0)	2.3	ND (2.0)
Regulated Total	20	ND (2.0)	ND (2.0)	2.2	ND (2.0)	2.3	ND (2.0)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	37 Radford Rd					
		4/28/2020	10/8/2020	1/20/2021	4/20/2021	11/5/2021	4/15/2022
Sampling Date							
Well Depth (feet): 70							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	2.6	2.8	1.9	1.9
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		2.1	2.5	2.5	2.2	2.3	2.0
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.9)	ND (1.9)
Total (All Compounds)	20	2.1	2.5	5.1	5.0	6.2	3.9
Regulated Total		2.1	2.5	5.1	5.0	4.2	3.9

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	7 Thompson Road		
		5/6/2021	11/4/2021	4/12/2022
Sampling Date				
Well Depth (feet): UNKNOWN	MMCL			
<b>EPA 537.1 (ng/L)</b>				
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (1.8)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (1.8)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (1.8)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (1.8)	ND (1.9)
Perfluorooctanoic acid (PFOA)		ND (2.0)	ND (1.8)	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (1.8)	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (1.8)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (1.8)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (1.8)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (1.8)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (1.8)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (1.8)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (1.8)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (1.8)	ND (1.9)
Total (All Compounds)	20	ND (2.0)	ND (1.8)	ND (1.9)
Regulated Total		ND (2.0)	ND (1.8)	ND (1.9)

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	1 Worcester Rd					
		1/7/2020	6/11/2020	12/16/2020	4/26/2021	11/4/2021	4/21/2022
Sampling Date							
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorooctanoic acid (PFOA)		ND (2.0)	2.5	ND (2.0)	2	2.5	ND (1.9)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.9)
Total (All Compounds)		ND (2.0)	2.5	ND (2.0)	2.0	2.5	ND (1.9)
Regulated Total	20	ND (2.0)	2.5	ND (2.0)	2.0	2.5	ND (1.9)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	10 Worcester Rd						
		1/9/2020	6/11/2020	10/16/2020	1/21/2021	4/19/2021	11/5/2021	4/13/2022
Sampling Date								
Well Depth (feet): UNKNOWN								
<b>EPA 537.1 (ng/L)</b>								
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		3.8	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		8	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroctanoic acid (PFOA)		3.6	3.0	ND (2.0)	3.2	3.1	2.9	3.0
Perfluorooctanesulfonic acid (PFOS)		2.3	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		2.7	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)		20.4	3.0	ND (2.0)	3.2	3.1	2.9	3.0
Regulated Total	20	16.6	3.0	ND (2.0)	3.2	3.1	2.9	3.0

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	15 Worcester Rd					
		3/6/2020	7/21/2020	1/29/2021	4/26/2021	11/17/2022	4/14/2022
Sampling Date							
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheanoic acid (PFHxA)		ND (2.0)	ND (2.0)	2.1	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	2.2	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroctanoic acid (PFOA)		3.1	3.1	4	4.1	4	3.6
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	3.1	3.1	8.3	4.1	4.0	4.0
Regulated Total		3.1	3.1	6.2	4.1	4.0	4.0

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	16 Worcester Rd					
		2/5/2020	7/29/2020	1/19/2021	4/23/2021	11/4/2021	4/14/2022
Sampling Date							
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorooctanoic acid (PFOA)		2.2	2.6	ND (2.0)	4.2	2.9	2.7
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	2.2	2.6	ND (2.0)	4.2	2.9	2.7
Regulated Total		2.2	2.6	ND (2.0)	4.2	2.9	2.7

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	17 Worcester Rd					
		2/10/2020	7/21/2020	1/22/2021	4/22/2021	11/11/2021	4/15/2022
Sampling Date							
Well Depth (feet): 300							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluoroctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Total (All Compounds)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)
Regulated Total	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (1.8)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	20 Worcester Rd					
		3/17/2020	7/21/2020	1/20/2021	4/27/2021	11/4/2021	5/4/2022
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
Perfluoroctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	1.8	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (1.8)	ND (2.0)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	1.8	ND (2.0)
Regulated Total		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	1.8	ND (2.0)

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	23 Worcester Rd					
		2/5/2020	7/21/2020	1/29/2021	4/27/2021	11/3/2021	4/15/2022
Well Depth (feet): UNKNOWN							
<b>EPA 537.1 (ng/L)</b>							
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroctanoic acid (PFOA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2.4
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-EtFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
N-MeFOSAA		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Total (All Compounds)	20	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2.4
Regulated Total		ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	2.4

NOTES:

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	27 Worcester Rd
Sampling Date		7/27/2022
Well Depth (feet): UNKNOWN		
<b>EPA 537.1 (ng/L)</b>		
Perfluorobutanesulfonic acid (PFBS)		ND (2.0)
Perfluorohexanoic acid (PFHxA)		ND (2.0)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.0)
Perfluoroheptanoic acid (PFHpA)		ND (2.0)
Perfluorooctanoic acid (PFOA)		ND (2.0)
Perfluorooctanesulfonic acid (PFOS)		ND (2.0)
Perfluorononanoic acid (PFNA)		ND (2.0)
Perfluorodecanoic acid (PFDA)		ND (2.0)
N-EtFOSAA		ND (2.0)
Perfluoroundecanoic acid (PFUnA)		ND (2.0)
N-MeFOSAA		ND (2.0)
Perfluorododecanoic acid (PFDoA)		ND (2.0)
Perfluorotridecanoic acid (PFTrDA)		ND (2.0)
Perfluorotetradecanoic acid (PFTA)		ND (2.0)
Total (All Compounds)		ND (2.1)
Regulated Total	20	ND (2.1)

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

**TABLE 1**  
**PFAS Drinking Water Summary**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Parameter	Massachusetts Contingency Plan GW-1 Standard & MMCL	29 Worcester Rd
Sampling Date		7/27/2022
Well Depth (feet): UNKNOWN		
<b>EPA 537.1 (ng/L)</b>		
Perfluorobutanesulfonic acid (PFBS)		ND (2.1)
Perfluorohexanoic acid (PFHxA)		ND (2.1)
Perfluorohexanesulfonic acid (PFHxS)		ND (2.1)
Perfluoroheptanoic acid (PFHpA)		ND (2.1)
Perfluorooctanoic acid (PFOA)		ND (2.1)
Perfluorooctanesulfonic acid (PFOS)		ND (2.1)
Perfluorononanoic acid (PFNA)		ND (2.1)
Perfluorodecanoic acid (PFDA)		ND (2.1)
N-EtFOSAA		ND (2.1)
Perfluoroundecanoic acid (PFUnA)		ND (2.1)
N-MeFOSAA		ND (2.1)
Perfluorododecanoic acid (PFDoA)		ND (2.1)
Perfluorotridecanoic acid (PFTrDA)		ND (2.1)
Perfluorotetradecanoic acid (PFTA)		ND (2.1)
Total (All Compounds)		ND (2.1)
Regulated Total	20	ND (2.1)

**NOTES:**

Gray colored cells indicate those 6 compounds included in the regulated PFAS Total

ND = Not detected above the lab reporting limits shown in parentheses.

Bolded values exceed the proposed Method 1 Standard

MMCL is Massachusetts Maximum Contaminant Level

## **APPENDIX C**

**TABLE C-1**  
**Public Notification Schedule**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Sample Location	Date Sampled	Date Data Received	Final Letter Due Date	MassDEP Submittal Status
21 Mountain Road	12/5/2019	12/13/2019	1/12/2020	Submitted with IRA Status No. 1
5 Hubbardston Road	12/5/2020	12/13/2019	1/12/2020	
7 Hubbardston Road	12/5/2020	12/13/2019	1/12/2020	
15 Hubbardston Road	12/5/2020	12/13/2019	1/12/2020	
19 Hubbardston Road	12/5/2020	12/13/2019	1/12/2020	
6 Mountain Road	12/5/2020	12/13/2019	1/12/2020	
19 Mountain Road	12/4/2020	12/13/2019	1/12/2020	
10 Mountain Road	12/9/2020	12/30/2019	1/29/2020	
7 Prospect	12/9/2020	12/30/2019	1/29/2020	
5 Prospect	1/13/2020	1/16/2020	2/15/2020	
14 Mountain Road	1/9/2020	1/21/2020	2/20/2020	
23 Hubbardston Road	1/10/2020	1/23/2020	2/22/2020	
18 Mountain Road	1/13/2020	1/23/2020	2/22/2020	
20 Mountain Road	1/13/2020	1/23/2020	2/22/2020	
19 Mountain Road	1/10/2020	1/30/2020	2/29/2020	
19 Mountain Road	1/17/2020	1/30/2020	2/29/2020	
21 Mountain Road	1/24/2020	1/30/2020	2/29/2020	
5 Prospect	1/24/2020	2/6/2020	3/7/2020	
19 Mountain Road	1/31/2020	2/7/2020	3/8/2020	
21 Mountain Road	1/31/2020	2/7/2020	3/8/2020	
19 Mountain Road	1/31/2020	2/7/2020	3/8/2020	
5 Prospect	1/31/2020	2/7/2020	3/8/2020	
14 Mountain Road	1/22/2020	2/7/2020	3/8/2020	
21 Mountain Road	2/7/2020	2/18/2020	3/19/2020	
5 Hubbardston Road	2/5/2020	2/18/2020	3/19/2020	
5 Prospect	2/7/2020	2/18/2020	3/19/2020	
6 Mountain Road	2/5/2020	2/19/2020	3/20/2020	
13 Boylston	1/8/2020	1/21/2020	2/20/2020	Submitted with IRA Status No. 1
16 Boylston	1/9/2020	1/21/2020	2/20/2020	
17 Boylston	1/8/2020	1/21/2020	2/20/2020	
24 Boylston	1/9/2020	1/21/2020	2/20/2020	
14 Gregory Hill	1/9/2020	1/21/2020	2/20/2020	
1 Hubbardston	1/8/2020	1/21/2020	2/20/2020	
2 Mountain	1/7/2020	1/21/2020	2/20/2020	
29 Mountain	1/8/2020	1/21/2020	2/20/2020	
11 Prospect	1/8/2020	1/21/2020	2/20/2020	
17 Prospect	1/8/2020	1/21/2020	2/20/2020	
18 Prospect	1/8/2020	1/21/2020	2/20/2020	
1 Worcester	1/7/2020	1/21/2020	2/20/2020	
10 Worcester	1/9/2020	1/21/2020	2/20/2020	
13 Gregory Hill	1/10/2020	1/23/2020	2/22/2020	
15 Gregory Hill	1/13/2020	1/23/2020	2/22/2020	
12 Boylston	1/10/2020	1/29/2020	2/28/2020	
30 Mountain	1/27/2020	1/30/2020	2/29/2020	
11 Gregory Hill	1/22/2020	2/6/2020	3/7/2020	
16 Prospect	1/22/2020	2/7/2020	3/8/2020	
7 Boylston	1/27/2020	2/13/2020	3/14/2020	
33 Mountain	2/7/2020	2/14/2020	3/15/2020	
21 Prospect	2/5/2020	2/14/2020	3/15/2020	

**TABLE C-1**  
**Public Notification Schedule**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Sample Location	Date Sampled	Date Data Received	Final Letter Due Date	MassDEP Submittal Status
12 Radford	5/1/2020	5/13/2020	6/12/2020	
64 Mountain	1/30/2020	2/5/2020	3/6/2020	
28 Radford	1/30/2020	2/5/2020	3/6/2020	
32 Allen Hill	2/2/2020	2/6/2020	3/7/2020	
9 Gregory	2/1/2020	2/7/2020	3/8/2020	
17 Worcester	2/10/2020	2/14/2020	3/15/2020	
44 Gregory Hill	2/5/2020	2/14/2020	3/15/2020	
33 Hubbardston	2/5/2020	2/14/2020	3/15/2020	
36 Hubbardston	2/6/2020	2/14/2020	3/15/2020	
26 Prospect St	2/6/2020	2/14/2020	3/15/2020	
16 Worcester	2/5/2020	2/14/2020	3/15/2020	
23 Worcester	2/5/2020	2/14/2020	3/15/2020	
2 Radford	2/19/2020	2/26/2020	3/27/2020	
21 Boylston	2/19/2020	2/27/2020	3/28/2020	
12 Allen Hill	2/14/2020	2/27/2020	3/28/2020	
38 Mountain	2/14/2020	2/27/2020	3/28/2020	
11 Radford	2/14/2020	2/27/2020	3/28/2020	
9 Allen Hill	2/12/2020	2/28/2020	3/29/2020	
42 Hubbardston	2/10/2020	2/28/2020	3/29/2020	
44 Hubbardston	2/10/2020	2/28/2020	3/29/2020	
46 Hubbardston	2/12/2020	2/28/2020	3/29/2020	
52 Hubbardston	2/12/2020	2/28/2020	3/29/2020	
51 Mountain	2/12/2020	2/28/2020	3/29/2020	
48 Hubbardston	2/12/2020	2/28/2020	3/29/2020	
54 Mountain	2/26/2020	3/6/2020	4/5/2020	
21 Gregory Hill	2/28/2020	3/6/2020	4/5/2020	
58 Mountain	2/26/2020	3/6/2020	4/5/2020	
85 Merriam	2/26/2020	3/6/2020	4/5/2020	
105 Merriam	2/28/2020	3/6/2020	4/5/2020	
7 Radford	2/28/2020	3/6/2020	4/5/2020	
8 Radford	2/28/2020	3/6/2020	4/5/2020	
13 Radford	3/3/2020	3/16/2020	4/15/2020	
15 Worcester	3/6/2020	3/16/2020	4/15/2020	
20 Worcester	3/17/2020	4/1/2020	5/1/2020	
5 Hubbardston	2/5/2020	2/18/2020	3/19/2020	
5 Hubbardston	3/5/2020	3/12/2020	4/11/2020	
20 Mountain	2/14/2020	2/26/2020	3/27/2020	
20 Mountain	3/17/2020	4/1/2020	5/1/2020	
7 Boylston	3/17/2020	4/1/2020	5/1/2020	
18 Mountain	2/14/2020	3/3/2020	4/2/2020	
18 Mountain	3/11/2020	3/17/2020	4/16/2020	
15 Hubbardston Road	2/26/2020	3/9/2020	4/8/2020	
19 Hubbardston Road	2/26/2020	3/9/2020	4/8/2020	
21 Mountain	3/17/2020	4/1/2020	5/1/2020	
64 Mountain	3/3/2020	3/12/2020	4/11/2020	
6 Mountain	3/5/2020	3/12/2020	4/11/2020	
19 Mountain	3/3/2020	3/17/2020	4/16/2020	
29 Mountain	3/11/2020	3/18/2020	4/17/2020	
1 Hubbardston	3/11/2020	3/18/2020	4/17/2020	
15 Gregory	3/11/2020	3/18/2020	4/17/2020	

Radius 3

Submitted with IRA Status No. 2

POET Sampling

Submitted with IRA Status No.2

**TABLE C-1**  
**Public Notification Schedule**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Sample Location	Date Sampled	Date Data Received	Final Letter Due Date	MassDEP Submittal Status
15 Radford	9/18/2020	10/8/2020	11/7/2020	Submitted with IRA Status No.3
18 Radford	9/18/2020	10/8/2020	11/7/2020	
23 Radford	7/22/2020	8/7/2020	9/6/2020	
29 Radford	3/17/2020	4/1/2020	5/1/2020	
81 Hubbardston	4/28/2020	5/13/2020	6/12/2020	
57 Merriam	4/28/2020	5/13/2020	6/12/2020	
59 Merriam	4/28/2020	5/13/2020	6/12/2020	
70 Merriam	4/28/2020	5/13/2020	6/12/2020	
15 Allen Hill	4/28/2020	5/14/2020	6/13/2020	
19 Allen Hill	4/28/2020	5/14/2020	6/13/2020	
40 Boylston	4/28/2020	5/14/2020	6/13/2020	
37 Radford	4/28/2020	5/14/2020	6/13/2020	
4 Goodnow	4/28/2020	5/18/2020	6/17/2020	
20 Allen Hill	5/8/2020	5/19/2020	6/18/2020	
41 Prospect	5/15/2020	6/1/2020	7/1/2020	
33 Radford	5/29/2020	6/15/2020	7/15/2020	
32 Boylston	5/28/2020	6/15/2020	7/15/2020	
73 Hubbardston	6/11/2020	6/22/2020	7/22/2020	
12 Boylston	5/1/2020	5/13/2020	6/12/2020	Submitted with IRA Status No.2
1 Hubbardston	5/1/2020	5/13/2020	6/12/2020	
5 Hubbardston	5/1/2020	5/13/2020	6/12/2020	
15 Hubbardston	5/1/2020	5/13/2020	6/12/2020	
18 Mountain	5/1/2020	5/13/2020	6/12/2020	
7 Boylston	5/1/2020	5/18/2020	6/17/2020	
43 Hubbardston	5/8/2020	5/26/2020	6/25/2020	
6 Mountain	5/8/2020	5/26/2020	6/25/2020	
19 Mountain	5/8/2020	5/26/2020	6/25/2020	
21 Mountain	5/8/2020	5/26/2020	6/25/2020	
64 Mountain	5/8/2020	5/26/2020	6/25/2020	
29 Mountain	5/8/2020	6/15/2020	7/15/2020	
51 Mountain	5/28/2020	6/15/2020	7/15/2020	

Radius 4

May 2020 POET Sampling

**TABLE C-1**  
**Public Notification Schedule**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Sample Location	Date Sampled	Date Data Received	Final Letter Due Date	MassDEP Submittal Status
11 Prospect	9/10/2020	9/29/2020	10/29/2020	
21 Gregory Hill	9/18/2020	10/8/2020	11/7/2020	
52 Hubbardston	9/18/2020	10/8/2020	11/7/2020	
7 Hubbardston	6/5/2020	6/15/2020	7/15/2020	
19 Hubbardston	6/5/2020	6/15/2020	7/15/2020	
23 Hubbardston	5/29/2020	6/15/2020	7/15/2020	
14 Mountain	5/29/2020	6/15/2020	7/15/2020	
7 Prospect	6/5/2020	6/15/2020	7/15/2020	
13 Boylston	5/28/2020	6/15/2020	7/15/2020	
16 Boylston	5/28/2020	6/15/2020	7/15/2020	
17 Boylston	5/28/2020	6/15/2020	7/15/2020	
24 Boylston	5/29/2020	6/15/2020	7/15/2020	
11 Gregory Hill	5/29/2020	6/15/2020	7/15/2020	
13 Gregory Hill	5/29/2020	6/15/2020	7/15/2020	
14 Gregory Hill	5/29/2020	6/15/2020	7/15/2020	
2 Mountain	6/5/2020	6/15/2020	7/15/2020	
16 Prospect	6/5/2020	6/15/2020	7/15/2020	
17 Prospect	6/5/2020	6/15/2020	7/15/2020	
18 Prospect	6/5/2020	6/15/2020	7/15/2020	
10 Mountain	6/11/2020	6/22/2020	7/22/2020	
30 Mountain	6/5/2020	6/22/2020	7/22/2020	
1 Worcester	6/11/2020	6/22/2020	7/22/2020	
10 Worcester	6/11/2020	6/22/2020	7/22/2020	
13 Radford	7/21/2020	8/6/2020	9/5/2020	
15 Worcseter	7/21/2020	8/6/2020	9/5/2020	
17 Worcester	7/21/2020	8/6/2020	9/5/2020	
20 Worcester	7/21/2020	8/6/2020	9/5/2020	
23 Worcester	7/21/2020	8/6/2020	9/5/2020	
36 Hubbardston	7/22/2020	8/7/2020	9/6/2020	
48 Hubbardston	7/23/2020	8/7/2020	9/6/2020	
11 Radford	7/22/2020	8/7/2020	9/6/2020	
9 Allen Hill	7/23/2020	8/10/2020	9/9/2020	
32 Allen Hill	7/22/2020	8/10/2020	9/9/2020	
21 Boylston	7/22/2020	8/10/2020	9/9/2020	
44 Gregory Hill	7/22/2020	8/10/2020	9/9/2020	
33 Hubbardston	7/23/2020	8/10/2020	9/9/2020	
42 Hubbardston	7/23/2020	8/10/2020	9/9/2020	
46 Hubbardston	7/23/2020	8/10/2020	9/9/2020	
85 Merriam	7/22/2020	8/10/2020	9/9/2020	
105 Merriam	7/21/2020	8/10/2020	9/9/2020	
33 Mountain	7/22/2020	8/10/2020	9/9/2020	
38 Mountain	7/21/2020	8/10/2020	9/9/2020	
21 Prospect	7/22/2020	8/10/2020	9/9/2020	
7 Radford	7/21/2020	8/10/2020	9/9/2020	
8 Radford	7/21/2020	8/10/2020	9/9/2020	
28 Radford	7/21/2020	8/10/2020	9/9/2020	
29 Radford	7/21/2020	8/10/2020	9/9/2020	
44 Hubbardston	7/23/2020	8/11/2020	9/10/2020	
26 Prospect	7/23/2020	8/11/2020	9/10/2020	
12 Allen Hill	7/27/2020	8/12/2020	9/11/2020	
16 Worcester	7/29/2020	8/17/2020	9/16/2020	
22 Mountain	7/30/2020	8/17/2020	9/16/2020	

Quarterly Sampling

Submitted with IRA Status No.2

Submitted with IRA Status No.3

**TABLE C-1**  
**Public Notification Schedule**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Sample Location	Date Sampled	Date Data Received	Final Letter Due Date	MassDEP Submittal Status
15 Gregory Hill	6/23/2020	7/7/2020	8/6/2020	
12 Radford	6/30/2020	7/8/2020	8/7/2020	
20 Mountain	6/18/2020	7/7/2020	8/6/2020	
51 Mountain	6/23/2020	7/7/2020	8/6/2020	
5 Prospect	6/18/2020	7/7/2020	8/6/2020	
12 Boylston	6/23/2020	7/7/2020	8/6/2020	
1 Hubbardston	6/18/2020	7/7/2020	8/6/2020	
15 Hubbardston	6/18/2020	7/7/2020	8/6/2020	
43 Hubbardston	6/23/2020	7/7/2020	8/6/2020	
18 Mountain	6/18/2020	7/7/2020	8/6/2020	
7 Boylston	6/18/2020	7/7/2020	8/6/2020	
6 Mountain	6/23/2020	7/7/2020	8/6/2020	
19 Mountain	6/18/2020	7/7/2020	8/6/2020	
54 Mountain	6/22/2020	7/7/2020	8/6/2020	
64 Mountain	6/18/2020	7/7/2020	8/6/2020	
5 Hubbardston	6/30/2020	7/8/2020	8/7/2020	
21 Mountain	6/30/2020	7/8/2020	8/7/2020	
29 Mountain	6/30/2020	7/14/2020	8/13/2020	
29 Mountain EFF	7/14/2020	7/29/2020	8/28/2020	

June 2020 POET Sampling

Submitted with IRA Status No.2

**TABLE C-1**  
**Public Notification Schedule**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Sample Location	Date Sampled	Date Data Received	Final Letter Due Date	MassDEP Submittal Status
58 Mountain	7/14/2020	7/30/2020	8/29/2020	
19 Mountain	7/29/2020	8/12/2020	9/11/2020	
5 Prospect	7/27/2020	8/12/2020	9/11/2020	
1 Hubbardston	7/29/2020	8/17/2020	9/16/2020	
12 Boylston	7/31/2020	8/17/2020	9/16/2020	
12 Radford	7/31/2020	8/17/2020	9/16/2020	
15 Gregory Hill	7/31/2020	8/17/2020	9/16/2020	
15 Hubbardston	7/30/2020	8/17/2020	9/16/2020	
21 Mountain	7/31/2020	8/17/2020	9/16/2020	
51 Mountain	7/31/2020	8/17/2020	9/16/2020	
43 Hubbardston	7/29/2020	8/18/2020	9/17/2020	
18 Mountain	7/29/2020	8/19/2020	9/18/2020	
20 Mountain	7/29/2020	8/19/2020	9/18/2020	
29 Mountain	7/29/2020	8/19/2020	9/18/2020	
6 Mountain	7/29/2020	8/19/2020	9/18/2020	
64 Mountain	7/29/2020	8/19/2020	9/18/2020	
7 Boylston	7/29/2020	8/19/2020	9/18/2020	
5 Hubbardston	8/4/2020	8/21/2020	9/20/2020	
54 Mountain	8/4/2020	8/21/2020	9/20/2020	
22 Mountain	9/10/2020	9/29/2020	10/29/2020	
12 Radford	8/31/2020	9/23/2020	10/23/2020	
58 Mountain	8/31/2020	9/22/2020	10/22/2020	
54 Mountain	9/2/2020	9/23/2020	10/23/2020	

July 2020 POET Sampling

Submitted with IRA Status No.3

Submitted with IRA Status No.3

**TABLE C-1**  
**Public Notification Schedule**  
**Princeton, Massachusetts**  
**RTN 2-21072**

October 2020 Quarterly Sampling

Sample Location	Date Sampled	Date Data Received	Final Letter Due Date	MassDEP Submittal Status
6 Connor	8/31/2020	9/17/2020	10/17/2020	
58 Merriam	10/6/2020	11/20/2020	12/20/2020	Submitted with IRA Status No.3
19 Hubbardston	11/21/2020	12/14/2020	1/13/2021	
1 Worcester	12/16/2020	1/5/2021	2/4/2021	
2 Radford	11/30/2020	12/21/2020	1/20/2021	
15 Allen Hill Rd	10/1/2020	10/26/2020	11/25/2020	
19 Allen Hill Rd	10/2/2020	10/26/2020	11/25/2020	
20 Allen Hill Rd	10/2/2020	10/26/2020	11/25/2020	
24 Boylston	10/2/2020	10/26/2020	11/25/2020	
40 Boylston	10/1/2020	10/26/2020	11/25/2020	
4 Goodnow	10/1/2020	10/26/2020	11/25/2020	
11 Gregory Hill	10/1/2020	10/26/2020	11/25/2020	
13 Gregory Hill	10/1/2020	10/26/2020	11/25/2020	
14 Gregory Hill	10/1/2020	10/26/2020	11/25/2020	
7 Hubbardston	10/1/2020	10/26/2020	11/25/2020	
23 Hubbardston	10/2/2020	10/26/2020	11/25/2020	
73 Hubbardston Rd	10/2/2020	10/26/2020	11/25/2020	
81 Hubbardston Rd	10/2/2020	10/26/2020	11/25/2020	
57 Merriam Rd	10/1/2020	10/26/2020	11/25/2020	
59 Merriam Rd	10/1/2020	10/26/2020	11/25/2020	
13 Boylston	10/7/2020	11/9/2020	12/9/2020	
16 Boylston	10/7/2020	11/9/2020	12/9/2020	
17 Boylston	10/7/2020	11/9/2020	12/9/2020	
32 Boylston	10/7/2020	11/9/2020	12/9/2020	
2 Mountain	10/7/2020	11/9/2020	12/9/2020	
10 Mountain	10/7/2020	11/9/2020	12/9/2020	
70 Merriam Rd	10/8/2020	11/17/2020	12/17/2020	
30 Mountain	10/13/2020	11/17/2020	12/17/2020	
37 Radford Rd	10/8/2020	11/17/2020	12/17/2020	
7 Prospect	10/8/2020	11/17/2020	12/17/2020	
17 Prospect	10/8/2020	11/17/2020	12/17/2020	
41 Prospect	10/13/2020	11/17/2020	12/17/2020	
10 Worcester	10/8/2020	11/17/2020	12/17/2020	
33 Radford Rd	10/8/2020	11/18/2020	12/18/2020	
16 Prospect	10/8/2020	11/18/2020	12/18/2020	
18 Prospect	10/8/2020	11/18/2020	12/18/2020	
35 Hubbardston	11/11/2020	12/8/2020	1/7/2021	
33 Allen Hill	11/13/2020	12/8/2020	1/7/2021	
14 Mountain	11/11/2020	12/10/2020	1/9/2021	

**TABLE C-1**  
**Public Notification Schedule**  
**Princeton, Massachusetts**  
**RTN 2-21072**

January 2021 POET Sampling

Sample Location	Date Sampled	Date Data Received	Final Letter Due Date	MassDEP Submittal Status
29 Mountain	11/3/2020	12/28/2021	1/27/2022	
15 Radford	10/30/2020	12/28/2020	1/27/2021	
15 Gregory Hill	11/3/2020	11/20/2020	12/20/2020	
18 Mountain	11/6/2020	11/20/2020	12/20/2020	
12 Radford	11/3/2020	11/20/2020	12/20/2020	
19 Mountain	11/6/2020	11/30/2020	12/30/2020	
7 Boylston	11/6/2020	12/2/2020	1/1/2021	
15 Hubbardston	11/6/2020	12/2/2020	1/1/2021	
21 Mountain	11/6/2020	12/2/2020	1/1/2021	
58 Mountain	11/6/2020	12/2/2020	1/1/2021	
64 Mountain	11/6/2020	12/2/2020	1/1/2021	
5 Prospect	11/6/2020	12/2/2020	1/1/2021	
1 Hubbardston	11/13/2020	12/8/2020	1/7/2021	
43 Hubbardston	11/11/2020	12/10/2020	1/9/2021	
22 Mountain	11/18/2020	12/10/2020	1/9/2021	
51 Mountain	11/11/2020	12/10/2020	1/9/2021	
12 Boylston	11/6/2020	12/14/2020	1/13/2021	
5 Hubbardston	11/18/2020	12/14/2020	1/13/2021	
6 Mountain	11/6/2020	12/14/2020	1/13/2021	
20 Mountain	11/18/2020	12/15/2020	1/14/2021	
54 Mountain	11/19/2020	12/15/2020	1/14/2021	
15 Radford	12/4/2020	12/21/2020	1/20/2021	

Submitted with IRA Status No.3

**TABLE C-1**  
**Public Notification Schedule**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Sample Location	Date Sampled	Date Data Received	Final Letter Due Date	MassDEP Submittal Status
1 Worcester	12/16/2020	1/4/2021	2/3/2021	
20 Allen Hill	1/18/2021	2/5/2021	3/7/2021	
17 Boylston	1/18/2021	2/5/2021	3/7/2021	
23 Hubbardston	1/18/2021	2/5/2021	3/7/2021	
42 Hubbardston	1/19/2021	2/5/2021	3/7/2021	
44 Hubbardston	1/19/2021	2/5/2021	3/7/2021	
15 Allen Hill	1/19/2021	2/8/2021	3/10/2021	
19 Allen Hill	1/19/2021	2/8/2021	3/10/2021	
24 Boylston	1/19/2021	2/8/2021	3/10/2021	
11 Gregory Hill	1/19/2021	2/8/2021	3/10/2021	
13 Gregory Hill	1/19/2021	2/8/2021	3/10/2021	
16 Boylston	1/20/2021	2/9/2021	3/11/2021	
40 Boylston	1/20/2021	2/9/2021	3/11/2021	
14 Gregory Hill	1/20/2021	2/9/2021	3/11/2021	
44 Gregory Hill	1/20/2021	2/9/2021	3/11/2021	
105 Merriam	1/20/2021	2/9/2021	3/11/2021	
38 Mountain	1/20/2021	2/9/2021	3/11/2021	
16 Prospect	1/20/2021	2/9/2021	3/11/2021	
37 Radford	1/20/2021	2/9/2021	3/11/2021	
20 Worcester	1/20/2021	2/9/2021	3/11/2021	
32 Boylston	1/20/2021	2/12/2021	3/14/2021	
4 Goodnow	1/21/2021	2/12/2021	3/14/2021	
36 Hubbardston	1/21/2021	2/12/2021	3/14/2021	
33 Mountain	1/21/2021	2/12/2021	3/14/2021	
29 Radford	1/21/2021	2/12/2021	3/14/2021	
17 Worcester	1/21/2021	2/12/2021	3/14/2021	
9 Allen Hill	1/19/2021	2/15/2021	3/17/2021	
12 Allen Hill	1/19/2021	2/15/2021	3/17/2021	
21 Boylston	1/19/2021	2/15/2021	3/17/2021	
17 Prospect	1/19/2021	2/15/2021	3/17/2021	
16 Worcester	1/19/2021	2/15/2021	3/17/2021	
21 Gregory Hill	1/21/2021	2/16/2021	3/18/2021	
57 Merriam	1/21/2021	2/16/2021	3/18/2021	
58 Merriam	1/21/2021	2/16/2021	3/18/2021	
2 Radford	1/21/2021	2/16/2021	3/18/2021	
10 Worcester	1/21/2021	2/16/2021	3/18/2021	
39 Hubbardston	1/22/2021	2/23/2021	3/25/2021	
46 Hubbardston	1/22/2021	2/23/2021	3/25/2021	
70 Merriam	1/22/2021	2/23/2021	3/25/2021	
2 Mountain	1/22/2021	2/23/2021	3/25/2021	
18 Prospect	1/22/2021	2/23/2021	3/25/2021	
23 Radford	1/22/2021	2/23/2021	3/25/2021	
12 Boylston	1/29/2021	2/25/2021	3/27/2021	
33 Hubbardston	1/21/2021	2/25/2021	3/27/2021	
48 Hubbardston	1/22/2021	2/25/2021	3/27/2021	
85 Merriam	1/21/2021	2/25/2021	3/27/2021	
14 Mountain	1/22/2021	2/25/2021	3/27/2021	

2021 Quarterly Sampling

Submitted with 6/2021 Quarterly Status Report

**TABLE C-1**  
**Public Notification Schedule**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Sample Location	Date Sampled	Date Data Received	Final Letter Due Date	MassDEP Submittal Status
28 Radford	1/21/2021	2/25/2021	3/27/2021	
7 Radford	1/21/2021	2/26/2021	3/28/2021	
32 Allen Hill	1/22/2021	2/26/2021	3/28/2021	
13 Boylston	1/22/2021	2/26/2021	3/28/2021	
6 Connor	1/21/2021	2/26/2021	3/28/2021	
15 Gregory Hill	1/29/2021	2/26/2021	3/28/2021	
10 Mountain	1/22/2021	2/26/2021	3/28/2021	
29 Mountain	1/29/2021	2/26/2021	3/28/2021	
7 Prospect	1/19/2021	2/26/2021	3/28/2021	
8 Radford	1/21/2021	2/26/2021	3/28/2021	
11 Radford	1/21/2021	2/26/2021	3/28/2021	
13 Radford	1/22/2021	2/26/2021	3/28/2021	
18 Mountain	1/29/2021	3/1/2021	3/31/2021	
7 Hubbardston	1/29/2021	3/1/2021	3/31/2021	
19 Mountain	1/29/2021	3/1/2021	3/31/2021	
64 Mountain	1/29/2021	3/1/2021	3/31/2021	
18 Radford	1/29/2021	3/1/2021	3/31/2021	
15 Worcseter	1/29/2021	3/1/2021	3/31/2021	
23 Worcester	1/29/2021	3/1/2021	3/31/2021	
1 Hubbardston	1/29/2021	3/8/2021	4/7/2021	
15 Hubbardston	1/29/2021	3/8/2021	4/7/2021	
21 Prospect	1/29/2021	3/8/2021	4/7/2021	
12 Radford	1/29/2021	3/8/2021	4/7/2021	
33 Radford	1/29/2021	3/8/2021	4/7/2021	
20 Mountain	1/29/2021	3/8/2021	4/7/2021	
5 Prospect	1/29/2021	3/8/2021	4/7/2021	
15 Radford	2/5/2021	3/9/2021	4/8/2021	
19 Hubbardston	1/23/2021	3/9/2021	4/8/2021	
52 Hubbardston	1/29/2021	3/9/2021	4/8/2021	
21 Mountain	2/5/2021	3/9/2021	4/8/2021	
11 Prospect	1/28/2021	3/9/2021	4/8/2021	
43 Hubbardston	2/5/2021	3/11/2021	4/10/2021	
22 Mountain	2/5/2021	3/11/2021	4/10/2021	
41 Prospect	2/12/2021	3/17/2021	4/16/2021	
54 Mountain	2/11/2021	3/18/2021	4/17/2021	
5 Hubbardston	2/5/2021	3/22/2021	4/21/2021	
55 Merriam	2/5/2021	3/22/2021	4/21/2021	
6 Mountain	2/5/2021	3/22/2021	4/21/2021	
51 Mountain	2/5/2021	3/22/2021	4/21/2021	
58 Mountain	2/5/2021	3/22/2021	4/21/2021	
30 Mountain	2/22/2021	3/23/2021	4/22/2021	
7 Boylston	2/22/2021	3/29/2021	4/28/2021	

January:

**TABLE C-1**  
**Public Notification Schedule**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Sample Location	Date Sampled	Date Data Received	Final Letter Due Date	MassDEP Submittal Status
33 Mountain	4/16/2021	5/5/2021	6/4/2021	Submitted with 9/2021 IRA Status
85 Merriam	4/19/2021	5/10/2021	6/9/2021	Submitted with 9/2021 IRA Status
12 Allen Hill	4/20/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
20 Allen Hill	4/20/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
32 Allen Hill	4/20/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
7 Boylston	4/20/2021	5/10/2021	6/9/2021	Submitted with 9/2021 IRA Status
40 Boylston	4/20/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
6 Connor	4/20/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
11 Gregory Hill	4/21/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
13 Gregory Hill	4/21/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
14 Gregory Hill	4/20/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
7 Hubbardston	4/21/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
48 Hubbardston	4/19/2021	5/10/2021	6/9/2021	Submitted with 9/2021 IRA Status
6 Mountain	4/19/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
10 Mountain	4/19/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
14 Mountain	4/20/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
18 Mountain	4/20/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
21 Mountain	4/19/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
22 Mountain	4/19/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
29 Mountain	4/20/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
5 Prospect	4/19/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
17 Prospect	4/20/2021	5/10/2021	6/9/2021	Submitted with 9/2021 IRA Status
18 Prospect	4/19/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
21 Prospect	4/19/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
41 Prospect	4/21/2021	5/10/2021	6/9/2021	Submitted with 9/2021 IRA Status
2 Radford	4/21/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
7 Radford	4/21/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
8 Radford	4/21/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
33 Radford	4/19/2021	5/10/2021	6/9/2021	Submitted with 9/2021 IRA Status
37 Radford	4/20/2021	5/10/2021	6/9/2021	Submitted with 9/2021 IRA Status
10 Worcester	4/19/2021	5/10/2021	6/9/2021	Submitted with 6/2021 Quarterly Status
33 Allen Hill	4/20/2021	5/12/2021	6/11/2021	Submitted with 9/2021 IRA Status
4 Goodnow	4/20/2021	5/12/2021	6/11/2021	Submitted with 9/2021 IRA Status
15 Gregory Hill	4/21/2021	5/12/2021	6/11/2021	Submitted with 9/2021 IRA Status
13 Radford	4/21/2021	5/12/2021	6/11/2021	Submitted with 9/2021 IRA Status
15 Radford	4/21/2021	5/12/2021	6/11/2021	Submitted with 9/2021 IRA Status
19 Allen Hill	4/21/2021	5/14/2021	6/13/2021	Submitted with 9/2021 IRA Status
23 Hubbardston	4/22/2021	5/14/2021	6/13/2021	Submitted with 9/2021 IRA Status
58 Mountain	4/21/2021	5/14/2021	6/13/2021	Submitted with 9/2021 IRA Status
64 Mountain	4/21/2021	5/14/2021	6/13/2021	Submitted with 9/2021 IRA Status
16 Prospect	4/22/2021	5/14/2021	6/13/2021	Submitted with 9/2021 IRA Status
17 Worcester	4/22/2021	5/14/2021	6/13/2021	Submitted with 9/2021 IRA Status
13 Boylston	4/26/2021	5/17/2021	6/16/2021	Submitted with 9/2021 IRA Status
13 Boylston (RESAMPLE)	5/18/2021	6/2/2021	7/2/2021	Submitted with 9/2021 IRA Status
21 Boylston	4/26/2021	5/17/2021	6/16/2021	Submitted with 9/2021 IRA Status
1 Hubbardston	4/23/2021	5/17/2021	6/16/2021	Submitted with 9/2021 IRA Status
33 Hubbardston	4/26/2021	5/17/2021	6/16/2021	Submitted with 9/2021 IRA Status
52 Hubbardston	4/26/2021	5/17/2021	6/16/2021	Submitted with 9/2021 IRA Status
59 Merriam	4/26/2021	5/17/2021	6/16/2021	Submitted with 9/2021 IRA Status
19 Mountain	4/22/2021	5/17/2021	6/16/2021	Submitted with 9/2021 IRA Status
54 Mountain	4/23/2021	5/17/2021	6/16/2021	Submitted with 9/2021 IRA Status
7 Prospect	4/23/2021	5/17/2021	6/16/2021	Submitted with 9/2021 IRA Status
11 Prospect	4/21/2021	5/17/2021	6/16/2021	Submitted with 9/2021 IRA Status
11 Radford	4/22/2021	5/17/2021	6/16/2021	Submitted with 9/2021 IRA Status
12 Radford	4/23/2021	5/17/2021	6/16/2021	Submitted with 9/2021 IRA Status
29 Radford	4/22/2021	5/17/2021	6/16/2021	Submitted with 9/2021 IRA Status
15 Allen Hill	4/23/2021	5/18/2021	6/17/2021	Submitted with 9/2021 IRA Status
17 Boylston	4/27/2021	5/18/2021	6/17/2021	Submitted with 6/2021 Quarterly Status
24 Boylston	4/27/2021	5/18/2021	6/17/2021	Submitted with 9/2021 IRA Status

April 2021 Sampling

**TABLE C-1**  
**Public Notification Schedule**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Sample Location	Date Sampled	Date Data Received	Final Letter Due Date	MassDEP Submittal Status
16 Worcester	4/23/2021	5/18/2021	6/17/2021	Submitted with 9/2021 IRA Status
9 Allen Hill	4/27/2021	5/19/2021	6/18/2021	Submitted with 9/2021 IRA Status
32 Boylston	4/27/2021	5/19/2021	6/18/2021	Submitted with 9/2021 IRA Status
51 Mountain	4/26/2021	5/20/2021	6/19/2021	Submitted with 9/2021 IRA Status
21 Gregory Hill	4/26/2021	5/20/2021	6/19/2021	Submitted with 9/2021 IRA Status
44 Gregory Hill	4/26/2021	5/20/2021	6/19/2021	Submitted with 9/2021 IRA Status
5 Hubbardston	4/27/2021	5/20/2021	6/19/2021	Submitted with 9/2021 IRA Status
35 Hubbardston	4/26/2021	5/20/2021	6/19/2021	Submitted with 9/2021 IRA Status
43 Hubbardston	4/27/2021	5/20/2021	6/19/2021	Submitted with 9/2021 IRA Status
30 Mountain	4/26/2021	5/20/2021	6/19/2021	Submitted with 9/2021 IRA Status
28 Radford	4/26/2021	5/20/2021	6/19/2021	Submitted with 9/2021 IRA Status
1 Worcester	4/26/2021	5/20/2021	6/19/2021	Submitted with 9/2021 IRA Status
15 Worcseter	4/26/2021	5/20/2021	6/19/2021	Submitted with 9/2021 IRA Status
20 Worcester	4/26/2021	5/20/2021	6/19/2021	Submitted with 9/2021 IRA Status
23 Worcester	4/26/2021	5/20/2021	6/19/2021	Submitted with 9/2021 IRA Status
18 Radford	4/26/2021	5/21/2021	6/20/2021	Submitted with 9/2021 IRA Status
36 Hubbardston	4/27/2021	5/21/2021	6/20/2021	Submitted with 9/2021 IRA Status
23 Radford	4/26/2021	5/21/2021	6/20/2021	Submitted with 9/2021 IRA Status
38 Mountain	4/27/2021	5/21/2021	6/20/2021	Submitted with 9/2021 IRA Status
30 Boylston	5/6/2021	5/24/2021	6/23/2021	Submitted with 9/2021 IRA Status
15 Hubbardston	4/26/2021	5/24/2021	6/23/2021	Submitted with 9/2021 IRA Status
19 Hubbardston	4/30/2021	5/24/2021	6/23/2021	Submitted with 9/2021 IRA Status
39 Hubbardston	5/3/2021	5/24/2021	6/23/2021	Submitted with 9/2021 IRA Status
39 Hubbardston	5/27/2021	6/9/2021	7/9/2021	Submitted with 9/2021 IRA Status
42 Hubbardston	4/26/2021	5/24/2021	6/23/2021	Submitted with 9/2021 IRA Status
42 Hubbardston	6/3/2021	6/22/2021	7/22/2021	Submitted with 9/2021 IRA Status
46 Hubbardston	4/26/2021	5/24/2021	6/23/2021	Submitted with 9/2021 IRA Status
73 Hubbardston	5/3/2021	5/24/2021	6/23/2021	Submitted with 9/2021 IRA Status
81 Hubbardston	5/3/2021	5/24/2021	6/23/2021	Submitted with 9/2021 IRA Status
70 Merriam	4/30/2021	5/24/2021	6/23/2021	Submitted with 9/2021 IRA Status
105 Merriam	4/26/2021	5/24/2021	6/23/2021	Submitted with 9/2021 IRA Status
2 Mountain	4/26/2021	5/24/2021	6/23/2021	Submitted with 9/2021 IRA Status
20 Mountain	4/26/2021	5/24/2021	6/23/2021	Submitted with 9/2021 IRA Status
7 Thompson	5/6/2021	5/24/2021	6/23/2021	Submitted with 9/2021 IRA Status
44 Hubbardston	4/26/2021	5/24/2021	6/23/2021	Submitted with 9/2021 IRA Status
55 Merriam	4/26/2021	5/24/2021	6/23/2021	Submitted with 9/2021 IRA Status
57 Merriam	4/26/2021	5/24/2021	6/23/2021	Submitted with 9/2021 IRA Status
16 Boylston	5/27/2021	6/14/2021	7/14/2021	Submitted with 9/2021 IRA Status
12 Boylston	7/22/2021	8/5/2021	9/4/2021	Submitted with 9/2021 IRA Status
29 Brooks Station	7/24/2021	8/10/2021	9/9/2021	Submitted with 9/2021 IRA Status
18 Connor	9/23/2021	10/6/2021	11/5/2021	Submitted with 12-2021 Quarterly Status Report
7 Prospect	7/22/2021	8/5/2021	9/4/2021	Submitted with 9/2021 IRA Status
38 Boylston	8/31/2021	9/14/2021	10/14/2021	Submitted with 12-2021 Quarterly Status Report

July 2021  
Sampling

**TABLE C-1**  
**Public Notification Schedule**  
**Princeton, Massachusetts**  
**RTN 2-21072**

October 2021 Sampling

Sample Location	Date Sampled	Date Data Received	Final Letter Due Date	MassDEP Submittal Status
24 Boylston	10/18/2021	10/25/2021	11/24/2021	Submitted with 12-2021 Quarterly Status Report
13 Gregory Hill	10/14/2021	10/25/2021	11/24/2021	Submitted with 12-2021 Quarterly Status Report
15 Hubbardston	10/18/2021	10/25/2021	11/24/2021	Submitted with 12-2021 Quarterly Status Report
23 Hubbardston	10/14/2021	10/25/2021	11/24/2021	Submitted with 12-2021 Quarterly Status Report
35 Hubbardston	10/18/2021	10/25/2021	11/24/2021	Submitted with 12-2021 Quarterly Status Report
36 Hubbardston	10/18/2021	10/25/2021	11/24/2021	Submitted with 12-2021 Quarterly Status Report
44 Hubbardston	10/18/2021	10/25/2021	11/24/2021	Submitted with 12-2021 Quarterly Status Report
2 Mountain	10/18/2021	10/25/2021	11/24/2021	Submitted with 12-2021 Quarterly Status Report
33 Hubbardston	10/18/2021	10/27/2021	11/26/2021	Submitted with 12-2021 Quarterly Status Report
15 Allen Hill	10/14/2021	10/27/2021	11/26/2021	Submitted with 12-2021 Quarterly Status Report
33 Allen Hill	10/18/2021	10/27/2021	11/26/2021	Submitted with 12-2021 Quarterly Status Report
21 Boylston	10/18/2021	10/27/2021	11/26/2021	Submitted with 12-2021 Quarterly Status Report
40 Boylston	10/14/2021	10/27/2021	11/26/2021	Submitted with 12-2021 Quarterly Status Report
6 Connor	10/14/2021	10/27/2021	11/26/2021	Submitted with 12-2021 Quarterly Status Report
4 Goodnow	10/14/2021	10/27/2021	11/26/2021	Submitted with 12-2021 Quarterly Status Report
11 Gregory Hill	10/14/2021	10/27/2021	11/26/2021	Submitted with 12-2021 Quarterly Status Report
14 Gregory Hill	10/14/2021	10/27/2021	11/26/2021	Submitted with 12-2021 Quarterly Status Report
44 Gregory Hill	10/19/2021	10/27/2021	11/26/2021	Submitted with 12-2021 Quarterly Status Report
7 Hubbardston	10/14/2021	10/27/2021	11/26/2021	Submitted with 12-2021 Quarterly Status Report
48 Hubbardston	10/18/2021	10/27/2021	11/26/2021	Submitted with 12-2021 Quarterly Status Report
57 Merriam	10/18/2021	10/27/2021	11/26/2021	Submitted with 12-2021 Quarterly Status Report
105 Merriam	10/18/2021	10/27/2021	11/26/2021	Submitted with 12-2021 Quarterly Status Report
33 Mountain	10/18/2021	10/27/2021	11/26/2021	Submitted with 12-2021 Quarterly Status Report
58 Mountain	10/18/2021	10/27/2021	11/26/2021	Submitted with 12-2021 Quarterly Status Report
12 Allen Hill	10/14/2021	11/2/2021	12/2/2021	Submitted with 03-2022 IRA Status Report
10 Mountain	10/19/2021	11/2/2021	12/2/2021	Submitted with 03-2022 IRA Status Report
20 Allen Hill	10/19/2021	11/3/2021	12/3/2021	Submitted with 03-2022 IRA Status Report
73 Hubbardston	10/19/2021	11/3/2021	12/3/2021	Submitted with 03-2022 IRA Status Report
81 Hubbardston	10/19/2021	11/3/2021	12/3/2021	Submitted with 03-2022 IRA Status Report
59 Merriam	10/19/2021	11/3/2021	12/3/2021	Submitted with 03-2022 IRA Status Report
85 Merriam	10/19/2021	11/3/2021	12/3/2021	Submitted with 03-2022 IRA Status Report
14 Mountain	10/19/2021	11/3/2021	12/3/2021	Submitted with 03-2022 IRA Status Report
18 Mountain	10/19/2021	11/3/2021	12/3/2021	Submitted with 03-2022 IRA Status Report
64 Mountain	10/19/2021	11/3/2021	12/3/2021	Submitted with 03-2022 IRA Status Report
28 Radford	10/25/2021	11/5/2021	12/5/2021	Submitted with 03-2022 IRA Status Report
29 Radford	10/25/2021	11/5/2021	12/5/2021	Submitted with 03-2022 IRA Status Report
19 Allen Hill	10/29/2021	11/9/2021	12/9/2021	Submitted with 03-2022 IRA Status Report
54 Mountain	10/28/2021	11/9/2021	12/9/2021	Submitted with 03-2022 IRA Status Report
19 Mountain	11/3/2021	11/11/2021	12/11/2021	Submitted with 03-2022 IRA Status Report
32 Allen Hill	11/4/2021	11/11/2021	12/11/2021	Submitted with 03-2022 IRA Status Report
30 Boylston	11/3/2021	11/11/2021	12/11/2021	Submitted with 03-2022 IRA Status Report
46 Hubbardston	11/3/2021	11/11/2021	12/11/2021	Submitted with 03-2022 IRA Status Report
16 Worcester	11/4/2021	11/11/2021	12/11/2021	Submitted with 03-2022 IRA Status Report
23 Worcester	11/3/2021	11/11/2021	12/11/2021	Submitted with 03-2022 IRA Status Report
21 Mountain	11/3/2021	11/15/2021	12/15/2021	Submitted with 03-2022 IRA Status Report
22 Mountain	10/29/2021	11/15/2021	12/15/2021	Submitted with 03-2022 IRA Status Report
52 Hubbardston	11/8/2021	11/16/2021	12/16/2021	Submitted with 03-2022 IRA Status Report
16 Prospect	11/5/2021	11/16/2021	12/16/2021	Submitted with 03-2022 IRA Status Report
18 Prospect	11/5/2021	11/16/2021	12/16/2021	Submitted with 03-2022 IRA Status Report
2 Radford	11/5/2021	11/16/2021	12/16/2021	Submitted with 03-2022 IRA Status Report
18 Radford	11/5/2021	11/16/2021	12/16/2021	Submitted with 03-2022 IRA Status Report
37 Radford	11/5/2021	11/16/2021	12/16/2021	Submitted with 03-2022 IRA Status Report
7 Thompson	11/4/2021	11/16/2021	12/16/2021	Submitted with 03-2022 IRA Status Report
32 Boylston	11/4/2021	11/16/2021	12/16/2021	Submitted with 03-2022 IRA Status Report
19 Hubbardston	11/6/2021	11/16/2021	12/16/2021	Submitted with 03-2022 IRA Status Report
70 Merriam	11/4/2021	11/16/2021	12/16/2021	Submitted with 03-2022 IRA Status Report
11 Prospect	11/3/2021	11/16/2021	12/16/2021	Submitted with 03-2022 IRA Status Report
17 Prospect	11/9/2021	11/16/2021	12/16/2021	Submitted with 03-2022 IRA Status Report
41 Prospect	11/4/2021	11/16/2021	12/16/2021	Submitted with 03-2022 IRA Status Report

**TABLE C-1**  
**Public Notification Schedule**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Sample Location	Date Sampled	Date Data Received	Final Letter Due Date	MassDEP Submittal Status	
7 Radford	11/3/2021	11/16/2021	12/16/2021	Submitted with 03-2022 IRA Status Report	
8 Radford	11/3/2021	11/16/2021	12/16/2021	Submitted with 03-2022 IRA Status Report	
11 Radford	11/5/2021	11/16/2021	12/16/2021	Submitted with 03-2022 IRA Status Report	
13 Radford	11/4/2021	11/16/2021	12/16/2021	Submitted with 03-2022 IRA Status Report	
23 Radford	11/5/2021	11/16/2021	12/16/2021	Submitted with 03-2022 IRA Status Report	
1 Worcester	11/4/2021	11/16/2021	12/16/2021	Submitted with 03-2022 IRA Status Report	
10 Worcester	11/5/2021	11/16/2021	12/16/2021	Submitted with 03-2022 IRA Status Report	
20 Worcester	11/3/2021	11/16/2021	12/16/2021	Submitted with 03-2022 IRA Status Report	
33 Radford	11/8/2021	11/17/2021	12/17/2021	Submitted with 03-2022 IRA Status Report	
17 Worcester	11/11/2021	11/22/2021	12/22/2021	Submitted with 03-2022 IRA Status Report	
13 Boylston	11/11/2021	11/22/2021	12/22/2021	Submitted with 03-2022 IRA Status Report	
17 Boylston	11/11/2021	11/22/2021	12/22/2021	Submitted with 03-2022 IRA Status Report	
21 Gregory Hill	11/11/2021	11/22/2021	12/22/2021	Submitted with 03-2022 IRA Status Report	
55 Merriam	11/11/2021	11/22/2021	12/22/2021	Submitted with 03-2022 IRA Status Report	
38 Mountain	11/11/2021	11/22/2021	12/22/2021	Submitted with 03-2022 IRA Status Report	
11 Gregory Hill	11/11/2021	11/22/2021	12/22/2021	Submitted with 03-2022 IRA Status Report	
9 Allen Hil	11/3/2021	11/23/2021	12/23/2021	Submitted with 03-2022 IRA Status Report	
15 Worcseter	11/17/2021	11/29/2021	12/29/2021	Submitted with 03-2022 IRA Status Report	
21 Prospect	2/4/2022	2/21/2022	3/23/2022	Submitted with 03-2022 IRA Status Report	
26 Prospect	12/6/2021	12/14/2022	1/13/2023	Submitted with 03-2022 IRA Status Report	
New POET	14 Gregory Hill	2/4/2022	2/23/2022	3/25/2022	Submitted with 03-2022 IRA Status Report
	7 Hubbardston	2/18/2022	3/7/2022	4/6/2022	
New Location	68 Hubbardston	11/17/2021	11/29/2021	12/29/2021	Submitted with 03-2022 IRA Status Report
	80 Hubbardston	12/16/2022	1/3/2022	2/2/2022	Submitted with 03-2022 IRA Status Report
	7 Goodnow	1/18/2022	2/8/2022	3/10/2022	Submitted with 03-2022 IRA Status Report

**TABLE C-1**  
**Public Notification Schedule**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Sample Location	Date Sampled	Date Data Received	Final Letter Due Date	MassDEP Submittal Status
12 Allen Hill	4/11/2022	4/18/2022	5/18/2022	Submitted with 6-2022 Quarterly Status Report
11 Gregory Hill	4/11/2022	4/18/2022	5/18/2022	Submitted with 6-2022 Quarterly Status Report
23 Hubbardston	4/11/2022	4/18/2022	5/18/2022	Submitted with 6-2022 Quarterly Status Report
57 Merriam	4/11/2022	4/18/2022	5/18/2022	Submitted with 6-2022 Quarterly Status Report
9 Allen Hill	4/12/2022	4/21/2022	5/21/2022	Submitted with 6-2022 Quarterly Status Report
33 Allen Hill	4/12/2022	4/21/2022	5/21/2022	Submitted with 6-2022 Quarterly Status Report
15 Gregory Hill	4/12/2022	4/21/2022	5/21/2022	Submitted with 6-2022 Quarterly Status Report
85 Merriam	4/12/2022	4/21/2022	5/21/2022	Submitted with 6-2022 Quarterly Status Report
19 Mountain	4/12/2022	4/21/2022	5/21/2022	Submitted with 6-2022 Quarterly Status Report
32 Allen Hill	4/12/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
12 Boylston	4/14/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
21 Boylston	4/12/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
24 Boylston	4/12/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
32 Boylston	4/14/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
38 Boylston	4/14/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
40 Boylston	4/11/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
6 Connor	4/13/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
4 Goodnow	4/11/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
33 Hubbardston	4/12/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
35 Hubbardston	4/12/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
43 Hubbardston	4/12/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
44 Hubbardston	4/11/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
46 Hubbardston	4/15/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
48 Hubbardston	4/11/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
68 Hubbardston	4/16/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
73 Hubbardston	4/16/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
2 Mountain	4/11/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
6 Mountain	4/12/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
10 Mountain	4/15/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
14 Mountain	4/15/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
18 Mountain	4/12/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
29 Mountain	4/12/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
16 Prospect	4/12/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
2 Radford	4/14/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
7 Radford	4/14/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
11 Radford	4/14/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
23 Radford	4/14/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
7 Thompson	4/12/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
10 Worcester	4/13/2022	4/25/2022	5/25/2022	Submitted with 6-2022 Quarterly Status Report
18 Connor	4/13/2022	4/26/2022	5/26/2022	Submitted with 6-2022 Quarterly Status Report
5 Hubbardston	4/13/2022	4/26/2022	5/26/2022	Submitted with 6-2022 Quarterly Status Report
15 Hubbardston	4/13/2022	4/26/2022	5/26/2022	Submitted with 6-2022 Quarterly Status Report
80 Hubbardston	4/13/2022	4/26/2022	5/26/2022	Submitted with 6-2022 Quarterly Status Report
105 Merriam	4/13/2022	4/26/2022	5/26/2022	Submitted with 6-2022 Quarterly Status Report
21 Mountain	4/12/2022	4/26/2022	5/26/2022	Submitted with 6-2022 Quarterly Status Report
18 Radford	4/15/2022	4/26/2022	5/26/2022	Submitted with 6-2022 Quarterly Status Report
28 Radford	4/14/2022	4/26/2022	5/26/2022	Submitted with 6-2022 Quarterly Status Report
33 Radford	4/13/2022	4/26/2022	5/26/2022	Submitted with 6-2022 Quarterly Status Report
20 Allen Hill	4/13/2022	4/27/2022	5/27/2022	Submitted with 6-2022 Quarterly Status Report
36 Hubbardston	4/14/2022	4/27/2022	5/27/2022	Submitted with 6-2022 Quarterly Status Report
22 Mountain	4/14/2022	4/27/2022	5/27/2022	Submitted with 6-2022 Quarterly Status Report
51 Mountain	4/14/2022	4/27/2022	5/27/2022	Submitted with 6-2022 Quarterly Status Report
5 Prospect	4/14/2022	4/27/2022	5/27/2022	Submitted with 6-2022 Quarterly Status Report
8 Radford	4/14/2022	4/27/2022	5/27/2022	Submitted with 6-2022 Quarterly Status Report
15 Worcseter	4/14/2022	4/27/2022	5/27/2022	Submitted with 6-2022 Quarterly Status Report
16 Worcester	4/14/2022	4/27/2022	5/27/2022	Submitted with 6-2022 Quarterly Status Report
13 Radford	4/14/2022	4/28/2022	5/28/2022	Submitted with 6-2022 Quarterly Status Report
29 Radford	4/13/2022	4/28/2022	5/28/2022	Submitted with 6-2022 Quarterly Status Report
19 Allen Hill	4/15/2022	5/2/2022	6/1/2022	Submitted with 6-2022 Quarterly Status Report

April 2022 Sampling

**TABLE C-1**  
**Public Notification Schedule**  
**Princeton, Massachusetts**  
**RTN 2-21072**

Sample Location	Date Sampled	Date Data Received	Final Letter Due Date	MassDEP Submittal Status
13 Gregory Hill	4/15/2022	5/2/2022	6/1/2022	Submitted with 6-2022 Quarterly Status Report
1 Hubbardston	4/15/2022	5/2/2022	6/1/2022	Submitted with 6-2022 Quarterly Status Report
59 Merriam	4/15/2022	5/2/2022	6/1/2022	Submitted with 6-2022 Quarterly Status Report
70 Merriam	4/15/2022	5/2/2022	6/1/2022	Submitted with 6-2022 Quarterly Status Report
20 Mountain	4/15/2022	5/2/2022	6/1/2022	Submitted with 6-2022 Quarterly Status Report
33 Mountain	4/15/2022	5/2/2022	6/1/2022	Submitted with 6-2022 Quarterly Status Report
38 Mountain	4/15/2022	5/2/2022	6/1/2022	Submitted with 6-2022 Quarterly Status Report
18 Prospect	4/15/2022	5/2/2022	6/1/2022	Submitted with 6-2022 Quarterly Status Report
21 Prospect	4/15/2022	5/2/2022	6/1/2022	Submitted with 6-2022 Quarterly Status Report
26 Prospect	4/15/2022	5/2/2022	6/1/2022	Submitted with 6-2022 Quarterly Status Report
37 Radford	4/15/2022	5/2/2022	6/1/2022	Submitted with 6-2022 Quarterly Status Report
17 Worcester	4/15/2022	5/2/2022	6/1/2022	Submitted with 6-2022 Quarterly Status Report
23 Worcester	4/15/2022	5/2/2022	6/1/2022	Submitted with 6-2022 Quarterly Status Report
17 Prospect	4/12/2022	5/3/2022	6/2/2022	Submitted with 6-2022 Quarterly Status Report
17 Boylston	4/18/2022	5/4/2022	6/3/2022	Submitted with 6-2022 Quarterly Status Report
30 Boylston	4/21/2022	5/4/2022	6/3/2022	Submitted with 6-2022 Quarterly Status Report
7 Goodnow	4/18/2022	5/4/2022	6/3/2022	Submitted with 6-2022 Quarterly Status Report
19 Hubbardston	4/16/2022	5/4/2022	6/3/2022	Submitted with 6-2022 Quarterly Status Report
81 Hubbardston	4/19/2022	5/4/2022	6/3/2022	Submitted with 6-2022 Quarterly Status Report
64 Mountain	4/21/2022	5/4/2022	6/3/2022	Submitted with 6-2022 Quarterly Status Report
11 Prospect	4/21/2022	5/4/2022	6/3/2022	Submitted with 6-2022 Quarterly Status Report
1 Worcester	4/21/2022	5/4/2022	6/3/2022	Submitted with 6-2022 Quarterly Status Report
15 Allen Hill	4/21/2022	5/5/2022	6/4/2022	Submitted with 6-2022 Quarterly Status Report
7 Boylston	4/11/2022	5/10/2022	6/9/2022	Submitted with 6-2022 Quarterly Status Report
55 Merriam	5/4/2022	5/16/2022	6/15/2022	Submitted with 6-2022 Quarterly Status Report
20 Worcester	5/4/2022	5/16/2022	6/15/2022	Submitted with 6-2022 Quarterly Status Report
30 Mountain	5/10/2022	6/1/2022	7/1/2022	Submitted with 6-2022 Quarterly Status Report
7 Boylston	7/28/2022	8/16/2022	9/15/2022	
12 Boylston	7/28/2022	8/16/2022	9/15/2022	
5 Hubbardston	7/26/2022	8/16/2022	9/15/2022	
35 Hubbardston	7/26/2022	8/16/2022	9/15/2022	
43 Hubbardston	7/26/2022	8/16/2022	9/15/2022	
6 Mountain	7/28/2022	8/16/2022	9/15/2022	
51 Mountain	7/26/2022	8/16/2022	9/15/2022	
11 Prospect	7/29/2022	8/16/2022	9/15/2022	
12 Radford	7/26/2022	8/16/2022	9/15/2022	
15 Radford	7/26/2022	8/16/2022	9/15/2022	
27 Worcester	7/26/2022	8/16/2022	9/15/2022	
29 Worcester	7/26/2022	8/16/2022	9/15/2022	
15 Gregory Hill	7/26/2022	8/18/2022	9/17/2022	
15 Hubbardston	7/26/2022	8/18/2022	9/17/2022	
18 Mountain	7/26/2022	8/18/2022	9/17/2022	
19 Mountain	7/26/2022	8/18/2022	9/17/2022	
20 Mountain	7/27/2022	8/18/2022	9/17/2022	
21 Mountain	7/27/2022	8/18/2022	9/17/2022	
22 Mountain	7/26/2022	8/18/2022	9/17/2022	
29 Mountain	7/26/2022	8/18/2022	9/17/2022	
54 Mountain	7/26/2022	8/18/2022	9/17/2022	
58 Mountain	7/26/2022	8/18/2022	9/17/2022	
64 Mountain	7/27/2022	8/18/2022	9/17/2022	
5 Prospect	7/26/2022	8/18/2022	9/17/2022	

July 2022 Sampling

POET SYSTEM STATUS PFAS6 >20 ug/L		
Locations >20 ppt	System Status	Date Installed
7 Boylston	POET INSTALLED	3/1/2020
12 Boylston	POET INSTALLED	3/20/2020
16 Boylston	POET INSTALLED	3/23/2021
14 Gregory Hill	POET INSTALLED	12/21/2021
15 Gregory Hill	POET INSTALLED	2/26/2020
1 Hubbardston	POET INSTALLED	2/26/2020
5 Hubbardston	POET INSTALLED	1/28/2020
7 Hubbardston	POET INSTALLED	12/21/2021
15 Hubbardston	POET INSTALLED	2/10/2020
35 Hubbardston	POET INSTALLED	6/28/2022
39 Hubbardston	POET INSTALLED	3/12/2021
42 Hubbardston	POET INSTALLED	3/2/2021
43 Hubbardston	POET INSTALLED	3/20/2020
6 Mountain	POET INSTALLED	1/28/2020
14 Mountain	NEEDS A POET	
18 Mountain	LARGE POET INSTALLED	2/10/2020
19 Mountain	LARGE POET INSTALLED	1/10/2020
20 Mountain	POET INSTALLED	2/11/2020
21 Mountain	POET INSTALLED	1/21/2020
22 Mountain	POET INSTALLED	9/3/2020
29 Mountain	POET INSTALLED	2/24/2020
30 Mountain	POET INSTALLED	2/15/2021
51 Mountain	POET INSTALLED	5/1/2020
54 Mountain	POET INSTALLED	6/2/2020
58 Mountain	POET INSTALLED	7/7/2020
64 Mountain	POET INSTALLED	2/18/2020
5 Prospect	POET INSTALLED	1/21/2020
7 Prospect	POET INSTALLED	6/23/2021
11 Prospect	EXISTING POET	NA
41 Prospect	EXISTING POET	NA
12 Radford	POET INSTALLED	6/12/2020
15 Radford	POET INSTALLED	10/21/2020